DAILY RAINFALL 1911 1920

JERSEY

PONTAC	ST. EDMUNDS	1916	1920
ST. AUBINS	BELLE VUE	1918	1920
ST. AUBINS	RAILWAY STATION	1919	1920
ST. BRELADE	LA SERGENTE	1917	1920
ST. HELIER	BROOKLANDS	1911	1912
ST. HELIER	MILLBROOK	1911	1920
ST. HELIER	ST. LOUIS OBS	1911	1920
ST. LAWRENCE	FONTENLLE	1918	1919
ST. MARTIN		1918	1920
ST. MARTIN	TRINITY ROCKMOUNT	1919	1920
ST. SAVIOURS	CLIFTON	1914	1920
ST. OUENS	MANOR	1913-14, 18-	1919
SAMERES	LES SILLERIES	1917	1919

FORM A.
BRITISH RAINFALL.

RECEIVED 24 JAN 1917

4422

PONTAC
ST. EDMUNDS
1916–20

Kept at St Edm... 20 3'25" W
Island
in the County of ...
by Dr Edga...

...ain Gauge 5 in.
...bove Ground 1 ft. 6 in.
..., Sea Level 30 ft.

IMPORTANT ...nd the result entered to the previous day. If a... ...niversal rule, he is earnestly requested to add the ... ...year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	–	·16	–	·14	–	–	–	–	·25	·35	–	1
2	·13	·02	·14	–	–	–	–	–	–	–	–	–	2
3	·00	·35	·18	–	–	–	·02	–	·01	·26	·54	·03	3
4	·08	·06	–	–	–	·14	–	–	·25	·23	·06	–	4
5	·00	–	–	·03	·01	·02	–	–	–	·15	·57	–	5
6	·00	·02	·20	–	·10	·14	·08	–	–	·10	·16	–	6
7	·08	·06	·01	–	·16	–	·04	–	–	·23	·80	·02	7
8	·00	·40	–	–	·20	–	–	–	–	–	·22	·30	8
9	·00	·45	–	–	·12	–	–	–	–	–	·05	·04	9
10	·00	·85	–	·01	·02	–	·02	–	–	–	·07	·05	10
11	·00	–	·08	–	·03	–	–	–	·01	–	·01	·12	11
12	·07	·03	·28	·19	·27	–	–	·01	–	–	–	·17	12
13	·00	·17	·06	·03	·02	–	·01	–	–	–	·01	·27	13
14	·00	·23	·32	·02	·07	–	–	·08	–	·07	–	·13	14
15	·00	·04	·17	·04	–	–	–	–	–	·24	–	·12	15
16	·07	·18	·01	·20	–	–	·02	·08	–	·27	–	·01	16
17	·33	·22	·05	·23	–	–	–	–	~~·48~~	·38	·73	–	17
18	·00	·23	·07	·01	–	–	–	–	~~·69~~ ·09	·15	·34	·08	18
19	·15	–	·05	·20	–	–	–	–	·12	–	·48	·03	19
20	·03	·59	–	–	–	–	–	–	–	–	·58	·33	20
21	·02	·35	·06	·14	–	–	–	–	–	–	·31	·29	21
22	·06	·17	·04	·01	–	·06	–	–	~~·04~~	·04	·01	·40	22
23	·01	·03	·10	–	–	·15	–	–	~~·04~~	·01	·03	·07	23
24	·00	–	·04	–	–	–	–	·02	~~·05~~	·21	·45	·09	24
25	·02	·45	·18	–	–	·01	–	·11	~~·04~~ ·05	·41	·18	·03	25
26	·01	·29	·11	–	–	·04	–	·13	~~·03~~ ·04	·28	·02	·71	26
27	·03	·08	·19	–	–	·04	–	·54	~~·06~~ ·16	·28	–	–	27
28	·00	·74	·05	–	–	–	–	·52	~~·00~~ ·16	·70	–	·04	28
29	·00	·25	·23	–	–	·06	–	·87	·33	·69	–	·45	29
30	·00	X	–	–	–	–	–	–	·01	·04	–	·02	30
31	·00	X	–	X		X	–	–	X	·01	X	·07	31
Total	1·35	6·29	2·48	1·11	1·14	·66	·22	2·36	3·43	5.03	5·97	4·07	YEAR'S TOTAL 34.41
Rain Days.	15	24	23	12	11	9	6	9	11	21	21	24	186

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
24 JAN 1917

R [redacted]

Kept at St Edmunds Pontac
in the ~~County~~ Island of Jersey
by Dr Edgar G. Barnes

Lat. 49° 10' 10" Long. 2° 3' 25" W
Time of Observation 9 a.m.
Nearest Railway Station Pontac
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 30 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	–	·16	–	·14	–	–	–	–	·25	·35	–	1
2	·13	·02	·14	–	–	–	–	–	–	–	–	–	2
3	·00	·35	·18	–	–	–	·02	–	·01	·26	·54	·03	3
4	·08	·06	–	–	–	·14	–	–	·25	·23	·06	–	4
5	·00	–	–	·03	·01	·02	–	–	–	·15	·57	–	5
6	·00	·02	·20	–	·10	·14	·08	–	–	·10	·16	–	6
7	·08	·06	·01	–	·16	–	·04	–	–	·23	·80	·02	7
8	·00	·40	–	–	·20	–	–	–	–	–	·22	·30	8
9	·00	·45	–	–	·12	–	–	–	–	·1	·05	·04	9
10	·00	·85	–	·01	·02	–	·02	–	–	–	·07	·05	10
11	·00	–	·08	–	·03	–	–	–	·01	–	·01	·12	11
12	·04	·03	·28	·19	·27	–	–	·01	–	–	–	·17	12
13	·00	·14	·06	·03	·02	–	·01	–	–	–	·01	·27	13
14	·00	·23	·32	·02	·04	–	–	·08	–	·04	–	·13	14
15	·00	·04	·14	·04	–	–	–	–	–	·24	–	·12	15
16	·04	·18	·01	·20	–	–	·02	·08	–	·27	–	·01	16
17	·33	·22	·05	·23	–	–	–	–	~~·38~~	·38	·73	–	17
18	·00	·23	·04	·01	–	–	–	–	~~·69~~ ·69	·15	·34	·08	18
19	·15	–	·05	·20	–	–	–	–	·12	–	·48	·03	19
20	·03	·50	–	–	–	–	–	–	–	–	·58	·33	20
21	·02	·35	·06	·14	–	–	–	–	–	–	·31	·29	21
22	·06	·14	·04	·01	–	·06	–	–	~~·44~~	·04	·01	·40	22
23	·01	·03	·10	–	–	·15	–	–	~~·01~~	·01	·03	·04	23
24	·00	–	·04	–	–	–	–	·02	~~·21~~	·21	·45	·09	24
25	·02	·45	·18	–	–	·01	–	·11	~~·41~~ ·05	·41	·18	·03	25
26	·01	·29	·11	–	–	·04	–	·13	~~·28~~ ·64	·28	·02	·71	26
27	·03	·08	·19	–	–	·04	–	·54	~~·08~~ ·16	·28	–	–	27
28	·00	·74	·05	–	–	–	–	·52	~~·70~~ ·16	·70	–	·04	28
29	·00	·25	·23	–	–	·06	–	·84	·33	·69	–	·65	29
30	·00	X	–	–	–	–	–	–	·01	·04	–	·02	30
31	·00	X	–	X		X	–	–	X	·01	X	·07	31
Total	1·35	6·29	2·48	1·11	1·14	·66	·22	2·36	3·43	5·03	5·97	4·07	YEAR'S TOTAL 34.41
Rain Days.	15	24	23	12	11	9	6	9	11	21	21	24	186

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

Kept at St Edmund's Pontac

in the County of Island of Jersey

by Dr Edgar G. Barnes

Lat. 49° 10' 10" N Long. 2° 3' 25" W

Time of Observation 9.0 am

Nearest Railway Station Jersey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 30 ft.

R.S. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·02	·34	–	·09	·01	·54	·02	–	·11	–	1
2	–	–	–	·03	–	·02	·03	·08	–	·01	–	–	2
3	·09	–	–	·03	–	–	·01	·09	–	–	·65	–	3
4	·08	·01	·26	·01	–	–	–	·01	–	·34	–	–	4
5	·30	–	–	–	–	·60	–	–	·23	·19	·11	–	5
6	·01	–	·02	–	–	·24	–	–	–	·08	·08	–	6
7	·74	–	–	–	–	–	·08	·01	·03	·22	·07	·15	7
8	·15	–	·14	·04	–	–	·01	·31	–	·13	·31	·45	8
9	–	–	·02	·03	·01	–	·24	–	–	·28	·13	·15	9
10	·05	–	·01	·08	–	–	–	–	–	·18	·05	·08	10
11	·08	–	·06	·15	–	–	–	·24	–	·50	·02	–	11
12	·24	–	–	–	·34	–	–	·20	–	·64	–	–	12
13	·20	–	·33	–	·52	–	·02	·20	·09	·34	–	·01	13
14	–	–	·01	·26	–	–	–	·18	·20	·99	·02	–	14
15	–	–	·02	–	–	–	–	·01	·01	·13	–	·01	15
16	–	·14	–	·05	–	–	·23	–	–	·18	–	·70	16
17	·02	·01	–	·14	·09	–	·05	–	–	·33	–	·08	17
18	–	·02	–	·04	·06	–	·23	–	–	·04	–	–	18
19	–	·25	·11	–	–	·02	–	–	·14	–	–	–	19
20	–	·25	·06	–	·24	·20	–	–	–	–	·01	–	20
21	–	–	·42	–	·01	·49	–	–	–	·02	–	–	21
22	·02	–	·05	–	–	–	–	·02	–	·15	–	–	22
23	–	·40	–	–	·05	–	–	·08	–	·14	·04	–	23
24	–	·23	–	–	–	·06	–	–	–	·18	·08	·04	24
25	–	·09	·05	–	–	–	–	·05	–	·24	·10	–	25
26	–	–	·01	–	·08	·04	–	·62	·09	·21	·15	–	26
27	–	–	–	–	·48	·01	–	·82	–	·15	·01	·01	27
28	–	–	·18	–	·31	–	·01	·27	–	·14	·01	·05	28
29	–	X	·44	–	–	–	·02	–	–	·22	·02	–	29
30	–	X	·13	–	–	–	·23	·19	–	·14	–	–	30
31	–	X	·02	X	–	X	·66	–	X	·31	X	·14	31
Total	1·99	1·40	2·39	1·26	1·82	1·74	1·86	3·92	·79	6·43	1·97	1·84	YEAR'S TOTAL 27·47
Rain Days.	13	9	20	12	11	10	14.	18	8	27	18	12	172

W. 8,000, IX. 17.

3945

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Belle Vue

~~in the County of~~ St. Aubin Jersey

by Cyril Sumner.

Lat. 49° 11' 22½" N Long. 2° 10' 12½" W

Time of Observation 9 a.m.

Nearest Railway Station St. Aubin

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 223. 8 ft.

22 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.10	0.05	–	0.05	–	0.01	–	–	0.25	0.08	0.21	1
2	0.28	0.04	0.02	–	0.03	–	–	–	0.75	0.09	0.10	0.13	2
3	0.54	0.17	0.65	–	0.19	–	0.56	–	0.70	–	0.13	0.11	3
4	0.27	0.38	0.16	–	–	–	0.27	0.44	0.05	–	0.20	0.01	4
5	0.34	0.45	0.30	–	–	–	–	–	–	–	0.21	0.16	5
6	–	1.04	0.01	–	–	–	–	–	–	–	0.03	0.26	6
7	0.07	–	0.43	0.02	0.02	–	0.36	–	–	–	0.25	0.17	7
8	0.22	–	0.26	0.06	–	–	–	–	–	–	0.78	–	8
9	0.18	–	0.05	0.22	0.09	–	–	–	–	–	0.20	–	9
10	0.01	–	–	0.15	0.08	–	–	–	–	0.16	0.37	0.07	10
11	–	–	0.11	0.22	0.12	–	–	–	–	0.01	0.27	–	11
12	0.57	–	0.04	0.06	–	–	0.03	–	–	0.28	0.32	–	12
13	–	0.13	0.27	0.27	–	–	–	–	–	0.16	0.01	0.03	13
14	0.07	0.24	–	0.27	0.15	–	0.03	–	–	0.37	–	0.10	14
15	0.34	0.55	–	0.09	–	–	–	–	–	0.14	0.06	0.61	15
16	0.52	0.39	–	–	–	–	–	–	–	–	0.33	–	16
17	0.35	0.13	–	–	–	–	–	–	–	–	0.23	–	17
18	–	0.41	0.43	–	–	–	0.04	–	0.01	–	0.16	–	18
19	0.40	0.22	0.49	–	–	–	0.21	–	0.01	–	0.19	0.04	19
20	0.53	0.03	0.02	–	–	0.12	–	0.40	0.38	–	0.30	0.04	20
21	0.56	0.39	0.12	–	–	–	0.03	–	0.07	–	0.19	0.13	21
22	0.01	0.04	–	–	–	–	0.06	–	0.04	–	0.03	0.11	22
23	–	0.12	1.08	–	–	–	–	0.09	–	0.09	0.16	0.26	23
24	–	0.13	0.01	–	–	0.34	–	–	–	0.04	0.41	0.09	24
25	0.13	0.28	–	–	–	0.12	–	0.16	0.02	–	0.13	0.23	25
26	0.22	0.25	0.02	0.07	–	–	–	0.08	0.09	0.06	0.09	0.36	26
27	0.39	0.03	0.06	0.22	–	–	–	0.33	–	0.03	0.02	0.49	27
28	0.13	–	0.48	0.03	–	–	–	0.60	–	0.06	0.23	0.53	28
29	–		0.11	–	–	–	–	0.16	–	0.15	0.04	0.18	29
30	–		0.07	0.23	0.15	0.24	–	0.35	–	0.15	0.46	0.25	30
31	0.01		0.10		–		–	0.01		0.07		0.25	31
Total	6.54	5.52	5.33	1.91	0.88	0.82	1.58	2.62	2.12	2.11	5.98	4.82	YEAR'S TOTAL 40.23
Rain Days.	23	21	24	13	9	4	10	10	10	16	29	24	193

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

2 JAN 1921

Kept at Belle Vue

in the ~~County~~ Parish of St Aubins Jersey

by Mr. Cyril Cummins

Lat. 49° 11' 22½" N. Long. 2° 10' 12½" W

Time of Observation 9 a.m.

Nearest Railway Station St Aubins

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ ft. 2 14 in.

" " " " Sea Level ~~200~~ ft. ~~in.~~ 221 ft. 4 inches

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15	-	-	0.12	0.14	-	0.30	-	-	0.53	0.24	0.18	1
2	0.07	-	-	0.03	0.17	-	0.03	0.13	0.11	0.05	-	0.03	2
3	0.04	-	-	0.14	0.13	-	0.07	0.01	-	0.07	-	0.27	3
4	-	-	-	-	~~0.16~~	-	0.02	0.31	-	0.09	-	0.04	4
5	-	-	0.04	-	-	-	0.13	0.05	-	-	-	0.05	5
6	-	-	0.12	-	0.02	-	0.25	-	-	-	-	0.02	6
7	0.07	-	0.05	0.10	-	-	0.13	-	-	-	0.05	-	7
8	0.19	0.02	-	-	-	-	0.19	-	-	-	-	0.30	8
9	0.10	-	0.11	0.08	-	0.20	-	-	-	-	-	0.02	9
10	0.11	0.15	0.06	0.20	-	0.19	0.21	-	-	-	-	-	10
11	0.40	0.02	0.13	0.48	0.08	0.42	0.15	-	-	-	-	0.26	11
12	0.22	0.01	-	0.04	-	0.25	0.15	-	-	-	-	0.45	12
13	0.95	0.05	0.29	0.05	-	0.01	-	-	-	0.01	0.31	0.07	13
14	-	-	0.23	0.26	-	-	-	-	-	0.01	0.01	0.07	14
15	0.02	-	0.04	-	0.18	-	-	-	0.94	-	0.11	-	15
16	-	-	0.02	0.06	-	0.17	-	-	0.01	0.15	0.03	0.02	16
17	0.04	-	-	0.70	0.14	-	-	-	0.09	0.15	-	0.01	17
18	0.02	-	-	-	0.01	0.44	-	0.31	0.25	-	-	0.17	18
19	0.26	-	-	0.22	-	0.25	-	-	0.54	-	-	-	19
20	0.13	-	-	0.04	-	0.45	-	-	0.45	-	-	0.04	20
21	-	-	-	0.02	-	-	0.01	-	1.22	0.29	-	0.51	21
22	-	-	-	0.12	-	-	-	-	0.06	0.02	-	0.26	22
23	-	-	-	-	-	-	0.24	0.01	0.05	-	-	0.09	23
24	0.03	-	0.08	-	-	-	-	-	-	-	0.01	0.06	24
25	-	0.01	0.07	-	0.34	-	0.19	-	-	-		-	25
26	0.24	-	0.28	-	-	-	0.06	-	-	-		0.04	26
27	0.34	0.12	-	0.10	0.02	-	-	-	-	-	0.34	0.20	27
28	0.08	0.05	0.10	0.03	0.60	-	0.13	-	-	-	0.20	0.22	28
29	0.52	0.10	0.48	-	0.01	0.01	0.01	-	-	-	0.15	0.03	29
30	0.12	X	-	-	0.06	0.06	0.39	-	0.58	-	0.19	0.55	30
31	0.15	X	0.27	X	-	X	0.01	-	X	0.30	X	0.08	31
TOTAL	4.25	0.53	2.37	2.79	1.90 ~~2.05~~	2.45	2.67	0.82	4.30	1.67	1.64	4.04	YEAR'S TOTAL 29.43
Days with .01 in. or more	22	9	16	18	13	11	19	6	11	11	11	26	173

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

9 9 14 4 10 8 8 20 136

3944

FORM A. 2. METEOROL... ...GANIZATION.

R... ...19...

ST AUBINS
—
JERSEY
(RAILWAY STATION)
1919 - 1920

Kept at St Au... ...h.....

in the County of .....

by W. J... ...ain Gauge..... in.

...bove Ground 1 ft. 9 in.

„ Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·2	2·2	1·1	-	0·9	-	6·0	-	-	4·5	2·0	8·7	1
2	7·1	0·6	0·3	0·1	0·9	-	-	-	13·2	3·7	1·3	4·0	2
3	14·0	3·7	16·1	-	3·5	-	13·2	-	18·1	-	3·5	1·8	3
4	7·1	9·7	1·1	-	-	-	6·8	10·5	4·4	-	4·6	0·1	4
5	7·7	12·7	12·0	-	-	-	-	-	-	-	6·0	3·7	5
6	1·4	24·8	0·1	-	-	-	-	-	-	-	0·8	7·0	6
7	1·1	-	11·2	0·5	0·6	-	9·2	-	-	-	6·1	4·2	7
8	5·6	-	4·5	0·7	-	-	-	-	-	-	17·6	-	8
9	4·1	-	2·6	4·1	2·0	-	-	-	-	-	3·7	-	9
10	-	-	0·3	5·6	1·7	-	-	-	-	-	8·7	1·0	10
11	-	-	2·1	4·2	2·8	-	-	-	-	-	7·0	0·8	11
12	14·2	-	1·1	1·4	-	-	0·5	-	-	6·0	8·0	-	12
13	0·4	1·7	6·5	5·6	-	-	-	-	-	3·1	0·1	0·8	13
14	2·0	6·7	-	7·0	3·5	-	0·3	-	-	11·6	-	2·7	14
15	8·9	9·0	-	2·9	-	-	-	-	-	3·3	1·8	15·1	15
16	12·6	15·0	-	-	-	-	-	-	-	-	8·1	-	16
17	7·5	1·4	-	-	-	-	-	-	-	-	6·0	0·6	17
18	-	8·2	8·1	-	-	-	-	-	0·1	-	3·3	-	18
19	7·8	8·6	14·5	-	-	-	5·5	-	-	-	3·8	1·0	19
20	14·3	1·8	0·1	-	-	2·6	-	9·7	9·7	-	3·0	0·7	20
21	14·7	10·3	2·2	-	-	-	0·2	-	1·2	-	8·1	1·8	21
22	-	1·3	0·2	-	-	-	1·1	-	1·5	-	0·6	3·3	22
23	-	2·6	23·0	-	-	-	-	2·0	-	1·0	3·5	6·0	23
24	-	2·9	0·6	-	-	6·0	-	-	-	2·0	9·7	2·7	24
25	3·0	6·2	-	-	-	4·3	-	4·1	0·2	-	3·2	6·1	25
26	5·4	6·0	0·6	2·0	-	-	-	1·5	2·1	0·9	1·6	7·5	26
27	8·8	0·8	1·7	5·3	-	-	-	7·7	-	1·5	0·1	12·7	27
28	3·8	-	12·5	0·7	-	-	-	15·0	-	1·7	6·0	12·0	28
29	-		2·6	-	-	-	-	4·1	-	3·8	0·7	4·3	29
30	-		1·1	5·0	3·3	4·3	-	9·0	-	3·4	6·7	6·3	30
31	0·5		2·0		-		-	0·1		2·3		6·4	31
TOTAL	163·2	136·2	128·2	45·1	19·2	17·2	42·8	63·7	50·5	48·8	135·6	121·3	YEAR'S TOTAL 974·8
Days with 0·2 mm. or more	23	21	24	13	9	4	9	9	8	14	27	25	186

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

64

3944

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St Aubin's, Jersey

in the County of

by W. Fisher

Lat. ..... Long. .....
Time of Observation 7h
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	11·2	2·2	1·1	-	0·9	-	6·0	-	-	4·5	2·0	8·7	1
2	7·1	0·6	0·3	0·1	0·9	-	-	-	13·2	3·7	1·3	4·0	2
3	14·0	3·7	16·1	-	3·5	-	13·2	-	18·1	-	3·5	1·8	3
4	7·1	9·7	1·1	-	-	-	6·8	10·5	4·4	-	4·6	0·1	4
5	7·7	12·7	12·0	-	-	-	-	-	-	-	6·0	3·7	5
6	1·4	24·8	0·1	-	-	-	-	-	-	-	0·8	7·0	6
7	1·1	-	11·2	0·5	0·6	-	9·2	-	-	-	6·1	4·2	7
8	5·6	-	4·5	0·7	-	-	-	-	-	-	17·6	-	8
9	4·1	-	2·6	4·1	2·0	-	-	-	-	-	3·7	-	9
10	-	-	0·3	5·6	1·7	-	-	-	-	-	8·7	1·0	10
11	-	-	2·1	4·2	2·8	-	-	-	-	-	7·0	0·8	11
12	14·2	-	1·1	1·4	-	-	0·5	-	-	6·0	8·0	-	12
13	0·4	1·7	6·5	5·6	-	-	-	-	-	3·1	0·1	0·8	13
14	2·0	6·7	-	7·0	3·5	-	0·3	-	-	11·6	-	2·7	14
15	8·9	9·0	-	2·9	-	-	-	-	-	3·3	1·8	15·1	15
16	12·6	15·0	-	-	-	-	-	-	-	-	8·1	-	16
17	7·5	1·4	-	-	-	-	-	-	-	-	6·0	0·6	17
18	-	8·2	8·1	-	-	-	-	-	0·1	-	3·3	-	18
19	7·8	8·6	14·5	-	-	-	5·5	-	-	-	3·8	1·0	19
20	14·3	1·8	0·1	-	-	2·6	-	9·7	9·7	-	3·0	0·7	20
21	14·7	10·3	2·2	-	-	-	0·2	-	1·2	-	8·1	1·8	21
22	-	1·3	0·2	-	-	-	1·1	-	1·5	-	0·6	3·3	22
23	-	2·6	23·0	-	-	-	-	2·0	-	1·0	3·5	6·0	23
24	-	2·9	0·6	-	-	6·0	-	-	-	2·0	9·7	2·7	24
25	3·0	6·2	-	-	-	4·3	-	4·1	0·2	-	3·2	6·1	25
26	5·4	6·0	0·6	2·0	-	-	-	1·5	2·1	0·9	1·6	7·5	26
27	8·8	0·8	1·7	5·3	-	-	-	7·7	-	1·5	0·1	12·7	27
28	3·8	-	12·5	0·7	-	-	-	15·0	-	1·7	6·0	12·0	28
29	-		2·6	-	-	-	-	4·1	-	3·8	0·7	4·3	29
30	-		1·1	5·0	3·3	4·3	-	9·0	-	3·4	6·7	6·3	30
31	0·5		2·0		-		-	0·1		2·3		6·4	31
TOTAL	163·2	136·2	128·2	45·1	19·2	17·2	42·8	63·7	50·5	48·8	135·6	121·3	YEAR'S TOTAL 971·8
Days with 0·2 mm. or more	23	21	24	13	9	4	9	9	8	14	27	25	186

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

64

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3838

REGISTER OF RAINFALL IN 1920.

(M.O.)

Kept at St Aubins, Jersey

in the ~~County of~~ C.I.

by W. Fisher, for M.O.

Lat. 49° 12' Long. 2° 11' W

Time of Observation 7h GMT

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4·0	-	-	3·5	3·2	-	8·5	-	-	11·8	7·2	4·3	1
2	2·2	-	-	0·7	4·5	-	0·7	2·5	1·5	2·1	-	0·5	2
3	0·9	-	-	3·7	3·0	-	1·7	-	0·1	0·6	-	6·0	3
4	-	-	-	0·4	0·3	-	0·3	6·6	0·2	2·2	-	0·8	4
5	-	-	1·0	-	-	-	1·7	1·8	-	0·8	-	1·1	5
6	-	-	2·7	-	0·3	-	6·0	-	-	0·8	-	0·2	6
7	1·3	-	1·8	2·2	-	-	3·5	-	-	-	1·3	-	7
8	4·1	0·8	-	0·3	-	-	4·0	-	-	-	-	4·4	8
9	2·7	-	1·3	2·2	-	4·6	-	-	-	-	-	1·4	9
10	2·7	3·1	1·9	4·7	-	4·5	4·8	-	-	-	-	-	10
11	10·2	0·2	3·4	10·7	1·5	10·6	3·2	-	-	-	-	4·8	11
12	3·4	0·1	-	2·6	-	6·0	3·2	-	-	-	-	15·4	12
13	24·3	1·0	6·8	1·2	-	0·1	-	-	-	0·3	7·1	0·3	13
14	-	-	5·3	6·8	0·1	0·2	-	-	-	0·1	0·2	1·3	14
15	-	-	1·0	-	4·0	-	-	-	19·8	-	2·4	-	15
16	0·1	-	0·6	1·1	-	3·5	-	-	0·8	2·9	0·1	0·1	16
17	1·1	-	-	17·7	3·2	-	0·7	-	1·5	3·8	0·1	0·6	17
18	0·6	-	-	-	-	10·1	-	7·8	6·0	-	-	3·2	18
19	3·4	-	-	4·7	-	4·4	-	-	12·0	-	-	0·1	19
20	5·9	-	-	0·9	-	10·8	-	-	3·3	-	-	0·2	20
21	-	-	-	-	-	[illegible]	-	-	31·5	6·6	-	12·2	21
22	-	-	-	2·5	-	-	-	-	1·3	-	-	7·2	22
23	-	-	-	-	-	-	6·4	0·2	-	-	-	2·0	23
24	0·5	-	1·8	0·1	-	-	-	-	1·3	-	0·1	1·0	24
25	-	0·1	2·0	-	8·2	-	4·0	-	0·1	-	-	-	25
26	5·7	-	6·7	-	-	-	1·8	-	-	-		1·0	26
27	8·7	2·0	-	2·2	0·5	-	-	-	-	-	7·7	5·0	27
28	2·0	1·3	1·8	-	13·5	-	2·3	-	-	-	5·8	5·6	28
29	13·7	-	11·0	0·5	-	0·1	-	-	-	-	3·1	0·2	29
30	2·6	X	-	-	1·3	0·6	8·6	-	13·5	-	4·7	13·7	30
31	3·4	X	6·3	X	-	X	-	-	X	4·6	X	2·2	31
TOTAL	103·5	8·6	54·4	68·7	43·6	55·5	61·4	18·9	92·9	36·6	39·8	94·8	YEAR'S TOTAL 678·7 ✓
Days with 0·2 mm. or more	21 ✓	6 ✓	16 ✓	19 ✓	12 ✓	10 ✓	17 ✓	5 ✓	12 ✓	11 ✓	9 ✓	25 ✓	163 ✓
Days with 1·0 mm. or more	18 ✓	4 ✓	15 ✓	14 ✓	9 ✓	8 ✓	14 ✓	4 ✓	10 ✓	7 ✓	8 ✓	18 ✓	129 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from M.O. 3200.

REGIS 4427

ST. BRELADE,
LA SERGENTÉ
1917 – 20

FORM A.
BRITISH RAINFALL.

W 1 FEB 1918

Kept at La Sergenté. St
Island
in the ~~County~~ of Jersey.
by J. E. Le Boul

5 in.
d 1 ft. 6 in.
evel 188 ft.

IMPORTANT NOTE.— esult entered to the previous day. If an Observ rule, he is earnestly requested to add the reading the space provided for it at the end of this pa[illegible] Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·07	·17		·04		·50			·06		1
2						·03		·07		·01			2
3	·03			·13			·01	·05			·55		3
4	·11		·22							·27			4
5	·32					·20			·12	·12	·05		5
6				·01	·02	·03				·19	·07		6
7	·57				·01		·11	·09	·15	·13	·08	·19	7
8	·05		·11	·02				·49		·12	·20	·58	8
9			·04	·04			·20			·22	·08	·12	9
10	·05		·03							·15	·05	·01	10
11	·11		·04	·22			·01	·53		·36	·04		11
12	·10				·28			·60		·69			12
13	·37		·26		·20			·22	·09	·28			13
14	·10		·03	·25				·13	·13	·36			14
15								·13		·10	·01	·02	15
16		·10		·04			·20			·21		·67	16
17	·01	·01		·08	·08		·02			·22		·15	17
18	·03	·02	·01	·03	·10		·29			·09			18
19		·17	·06			·04	·02		·15				19
20		·35	·03		·32	·20			·02				20
21	·01		·05		·04	·34				·02	·01		21
22			·32					·07		·18			22
23	·02	·40			·03			·16		·17	·07		23
24		·36				·01				·14	·05		24
25		·04	·02			·04		·03		·28	·04		25
26					·16			·41	·10	·20	·12		26
27					·08	·09		1·00		·31	·02		27
28			·09		·75			·26		·27	·01	·02	28
29			·42				·05			·36			29
30			·02		·01		·31	·12		·23	·03		30
31			·08				·31			·30		·09	31
Total	1·80	1·45	1·90	·99	2·08	1·02	1·53	4·88	·76	5·98	1·54	1·85	YEAR'S TOTAL 25·78
Rain Days.	15	8	18	10	13	10	11	17	7	27	18	9	163

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. FEB 1918

Kept at La Sergente · St Brelades
Island
in the ~~County~~ of Jersey
by J. E. Le Boutillier

Lat. 49° 11¼ N Long. 2° 13½ W
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 188 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·07	·17		·04		·50			·06		1
2						·03		·07		·01			2
3	·03			·13			·01	·05			·55		3
4	·11		·22							·27			4
5	·22					·20			·12	·12	·05		5
6				·01	·02	·03				·19	·07		6
7	·57				·01		·11	·09	·15	·13	·08	·19	7
8	·05		·11	·02				·49		·12	·29	·58	8
9			·04	·04			·20			·22	·08	·12	9
10	·05		·03							·15	·05	·01	10
11	·11		·04	·22			·01	·53		·36	·04		11
12	·10				·28			·60		·69			12
13	·37		·26		·20			·22	·09	·28			13
14	·10		·03	·25				·13	·13	·36			14
15								·13		·10	·01	·02	15
16		·10		·04			·20			·21		·67	16
17	·01	·01		·08	·08		·02			·22		·15	17
18	·03	·02	·01	·03	·10		·29			·09			18
19		·17	·06			·04	·02		·15				19
20		·35	·03		·32	·20			·02				20
21	·01		·05		·04	·34				·02	·01		21
22			·32					·07		·18			22
23	·02	·40			·03			·16		·17	·07		23
24		·36				·01				·14	·05		24
25		·04	·02			·04		·03		·28	·04		25
26					·16			·41	·10	·20	·12		26
27					·08	·09		1·00		·31	·02		27
28			·09		·75			·26		·27	·01	·02	28
29			·42				·05			·36			29
30			·02		·01		·31	·12		·23	·03		30
31			·08				·31			·30		·09	31
Total	1·80	1·45	1·90	·99	2·08	1·02	1·53	4·88	·76	5·98	1·54	1·85	YEAR'S TOTAL 25.78
Rain Days.	15	8	18	10	13	10	11	17	7	27	18	9	163

W. 8,000, VIII, 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at "La Sergente"
Parish
in the ~~County~~ of St Brelade Jersey
by J. E. De Boutillier esq

Lat. 49-11½ N Long. 2:13½ W
Time of Observation 9 a m
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 188 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.02	0.00	—	—	—	—	0.68	—	—	—	0.09	1
2	—	—	0.40	0.19	—	—	—	0.02	—	—	0.39	0.07	2
3	—	0.03	0.12	0.11	0.05	—	—	—	—	—	0.08	0.09	3
4	—	0.02	0.23	0.01	0.11	—	—	0.02	0.02	—	0.50	—	4
5	—	0.06	0.11	—	0.26	—	—	0.20	0.16	0.03	0.02	—	5
6	0.09	0.03	0.01	0.13	—	—	—	0.08	0.08	0.05	—	0.02	6
7	—	0.09	—	—	0.16	—	—	0.01	0.19	0.40	0.21	0.02	7
8	0.04	0.04	—	—	—	—	—	—	0.16	0.13	0.13	—	8
9	0.09	—	—	—	0.10	0.09	0.02	—	0.45	0.24	—	0.30	9
10	0.09	—	—	—	—	—	0.10	—	0.46	0.05	—	0.14	10
11	0.01	—	—	0.03	—	—	0.15	—	0.09	0.14	—	0.12	11
12	0.09	0.04	—	—	0.50	—	—	—	—	0.06	—	0.12	12
13	—	0.05	—	—	0.14	0.01	0.49	—	—	—	—	—	13
14	0.06	—	—	—	—	0.04	0.24	—	0.08	0.18	—	—	14
15	0.46	—	—	—	—	0.02	0.03	—	—	0.33	—	0.14	15
16	0.02	—	0.01	—	—	—	0.03	—	0.13	0.32	—	0.15	16
17	—	—	—	—	—	—	0.33	0.02	—	0.24	—	0.17	17
18	—	—	—	—	—	0.22	0.02	—	0.29	—	0.01	0.12	18
19	—	—	0.28		—	—	0.03	0.02	—	0.02	—	0.07	19
20	—	0.04	0.01	0.38	—	0.02	0.66	—	0.23	0.50	—	—	20
21	0.04	—	0.01	0.11	—	0.04	—	—	0.39	0.05	—	0.37	21
22	0.01	—	—	—	0.69	—	0.22	—	0.15	—	0.01	0.42	22
23	—	—	—	—	—	—	0.03	0.01	0.03	—	0.01	0.07	23
24	—	0.11	—	—	—	0.11	—	—	0.13	—	0.29	0.27	24
25	0.01	—	—	—	—	—	—	0.40	—	0.04	0.24	0.02	25
26	—	0.01	—	—	—	—	0.04	0.01	0.06	0.03	0.20	0.30	26
27	—	0.14	—	0.01	—	—	—	0.02	0.10	0.10	0.31	0.09	27
28	0.02	0.23	0.35	0.39	—	—	—	—	0.08	—	0.09	0.03	28
29	—	X	0.17	0.10	—	—	—	—	0.32	—	0.17	0.09	29
30	—	X	0.20	0.01	—		—	—	0.03	0.11	0.04	0.12	30
31	—	X	—	X	—	X	0.02	—	X	0.02	X	—	31
Total	1.03	0.91	1.90	1.47	2.01	0.55	2.41	1.49	3.62	3.14	2.70	3.40	YEAR'S TOTAL 24.63
Rain Days.	13	14	12.	11.	8	8	15	12	21	20	16	24	174

W. 8,000, VIII. 16

3943

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

22 JAN 20

Kept at La Sergente

~~in the County of~~ St. Brelade's Jersey

by T. E. De Boutillier

Lat. 49° 11¼' N Long. 2° 13½' W

Time of Observation 9 a.m.

Nearest Railway Station da Moye

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.39	0.12	0.04	–	0.04	–	0.22	–	–	0.13	0.07	0.28	1
2	0.24	0.04	–	–	0.08	–	–	–	0.91	0.11	0.08	0.13	2
3	0.23	0.17	0.60	–	0.06	–	0.51	–	0.76	2	0.12	0.07	3
4	0.34	0.30	0.19	–	–	–	0.24	0.26	0.13	–	0.20	0.01	4
5	0.38	0.40	0.22	–	–	–	–	–	–	–	0.15	0.12	5
6	0.02	0.96	–	–	–	–	–	–	–	–	–	0.44	6
7	0.06	–	0.43	0.01	–	–	0.28	–	–	–	0.22	0.04	7
8	0.08	–	0.22	0.09	–	–	–	–	–	–	0.65	–	8
9	0.13	–	0.04	0.20	0.08	–	–	–	–	–	0.16	–	9
10	–	–	–	0.12	0.03	–	–	–	–	0.20	0.41	0.03	10
11	–	–	0.09	0.15	0.08	–	–	–	–	–	0.15	–	11
12	0.49	–	0.02	0.03	–	–	0.02	–	–	0.11	0.25	–	12
13	–	0.10	0.26	0.26	–	–	–	–	–	0.11	0.01	0.02	13
14	0.05	0.21	–	0.28	0.65	–	–	–	–	0.44	–	0.06	14
15	0.26	0.46	–	0.12	–	–	–	–	–	0.12	0.02	0.48	15
16	0.42	0.43	–	–	–	–	–	–	–	–	0.35	–	16
17	0.12	0.10	–	–	–	–	–	–	–	–	0.22	0.02	17
18	–	0.41	0.33	–	–	–	–	–	–	–	0.13	–	18
19	0.33	0.14	0.45	–	–	–	0.26	–	–	–	0.13	0.04	19
20	0.44	0.06	–	–	–	0.11	–	0.43	0.33	–	0.30	0.03	20
21	0.55	0.38	0.06	–	–	–	0.02	–	0.07	–	0.20	0.14	21
22	–	0.03	0.01	–	–	–	0.06	–	0.02	–	0.02	0.10	22
23	–	0.10	0.70	–	–	–	–	0.07	–	0.03	0.14	0.24	23
24	–	0.13	–	–	–	0.28	–	–	–	0.10	0.35	0.20	24
25	0.13	0.24	–	–	–	0.05	–	0.13	0.01	–	0.11	0.15	25
26	0.20	0.26	0.02	0.08	–	–	–	0.04	0.06	–	0.12	0.32	26
27	0.23	–	0.03	0.21	–	–	–	0.29	–	0.03	0.04	0.46	27
28	0.14	–	0.48	0.02	–	–	–	1.07	–	0.07	0.20	0.41	28
29	–		0.10	–	–	–	–	0.14	–	0.14	0.02	0.11	29
30	–		–	0.15	0.14	0.15	–	0.37	–	0.17	0.33	0.31	30
31	–		0.02		–		–	–		0.08		0.22	31
Total	5.23	5.04	4.31	1.72	1.16	0.59	1.61	2.80	2.29	1.84	5.15	4.43	YEAR'S TOTAL 36.17
Rain Days.	21	20	20	13	8	4	8	9	8	14	28	25	178

W, 6,500, VII. 18. w w o

REGISTER OF RAINFALL IN 1920

FORM A. BRITISH RAINFALL

Kept at St. La Perrente
Parish
in the County of St. Brelades Jersey
by Mr. J. G. Le Bouteillier

Lat. 49° 11¼' N Long. 2° 13½' W 22 JAN 1921
Time of Observation 9 a.m.
Nearest Railway Station La Moye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level ~~15~~ ft. 4 inches

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.18	–	–	0.09	0.13	0.03	0.23	–	–	0.28	0.13	0.11	1
2	0.05	–	–	0.07	0.17	–	0.04	0.12	0.06	0.14	–	0.03	2
3	0.01	–	–	0.15	0.06	–	0.10	–	–	0.07	–	0.16	3
4	–	0.01	0.01	–	–	–	–	0.27	–	0.05	–	0.04	4
5	–	–	0.03	–	–	–	0.12	–	–	0.05	–	–	5
6	–	0.02	0.11	–	0.01	–	0.22	–	–	–	–	–	6
7	0.04	–	0.05	0.07	–	–	0.15	–	–	–	0.01	–	7
8	0.17	0.02	–	0.01	–	–	0.13	–	–	–	–	0.25	8
9	0.09	–	0.05	0.05	–	0.19	–	–	–	–	–	0.01	9
10	0.09	0.14	0.03	0.14	–	0.18	0.19	–	–	–	–	–	10
11	0.39	0.02	0.09	0.38	0.08	0.32	0.12	–	–	–	–	0.24	11
12	0.13	–	–	0.16	–	0.16	0.11	–	–	–	–	0.34	12
13	0.86	0.04	0.29	0.06	–	0.02	–	–	–	–	0.20	–	13
14	~~0.02~~	–	0.21	0.25	–	0.02	–	–	–	0.01	–	0.30	14
15	0.04	–	0.01	–	0.14	–	–	–	0.82	–	0.10	0.02	15
16	0.02	–	0.01	0.04	–	0.20	–	–	–	0.15	0.01	–	16
17	0.04	–	–	0.61	0.12	–	–	–	0.10	0.18		0.03	17
18	–	–	–	–	0.01	0.38	–	0.31	0.23	–		0.14	18
19	0.25	–	–	0.14	–	0.21	–	–	0.34	–		–	19
20	0.09	0.01	–	0.03	–	0.43	–	–	0.23	–		0.04	20
21	–	–	–	–	–	–	–	–	1.24	0.53		0.32	21
22	–	–	–	0.07	–	–	–	–	0.05	–		0.20	22
23	–	–	–	–	–	–	0.15	–	–	–		0.04	23
24	0.03	0.02	0.07	–	–	–	–	–	0.03	–		0.04	24
25	–	–	0.05	–	0.27	–	0.16	–	–	–		–	25
26	0.22	0.01	0.23	–	–	–	0.03	–	–	–		0.03	26
27	0.30	0.07	–	0.11	0.03	–	–	–	–	–	0.27	0.16	27
28	0.05	0.03	0.06	–	0.67	–	0.10	–	–	–	0.13	0.18	28
29	0.48	–	0.25	0.01	–	–	–	–	–	–	0.11	0.02	29
30	0.07	X	–	–	–	0.06	0.28	–	0.62	–	0.13	0.48	30
31	0.12	X	0.29	X	–	X	–	–	X	0.35	X	0.09	31
Total	3.69	0.39	1.77	2.44	1.68	2.20	2.13	0.70	3.72	1.81	1.09	3.27	YEAR'S TOTAL 24.89
Rain Days.	22	11	17	18	11	12	15	3	10	10	9	23	161

W. 6,500. VII. 18. w w c

19 3 17 15 8 9 14 3 9 9 7 17 125

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. JAN 1913

Kept at Brooklands

in the County of Jersey

by Colonel C. M. Lummis

Lat. 2° 20 Long. 49° 10

Time of Observation 10 a.m.

Nearest Railway Station Jersey St. Helier

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.31	.03		.73		.08	.24	.29		.28	1
2		.04	.28	.05		.75	.27			.01		.01	2
3			.23			.16	.03	.37	.02	.01			3
4	.11		.12		.04	.41		.23	.03		.37		4
5	.35	.07	.66	.09	.01	.95		.56			.08	.05	5
6	.55		.50	.02	.16	1.07	.16	.55					6
7	.05	.18	.17		16 .46	.13		.01				(.12)	7
8	.18	.05	.06	.05		.06							8
9		.11	.58	.15		.10		.01			.04	.01	9
10			.02	.05				.25	.06		.16	.15	10
11		.09			.01			.58			.08	.29	11
12		.03	.01				.14	2.23			.21	.12	12
13			.28			.03	.71	.35			.32	.03	13
14			.07		.17	.03		.12	.06		.01	.03	14
15	.06	.04	.15		.04	.13	.05	.02			.04	.13	15
16	.07		.29			.05	.06	.02	.25	.25	.03		16
17	.28	.05	.43					.60				.09	17
18	.18		.20					.19	.14	.14		.21	18
19	.04	.30	.26				.12	.15	.05	.05	.06		19
20		.03	.41		.02		.06	.05	.53	.53	.01		20
21		.20	.25		.12			.28	.52	.52		.01	21
22		.34	.61					.05	.07	.07			22
23	.14	.23	.38			.04		.06	.32	.32	.02	.07	23
24	.20	.37	.03			.05		.05	.60	.60	.04	.40	24
25	.09					.21	.02	.40	.48	.48	.05	.31	25
26	.09	.03					.81	.35	.07	.07	.50	.24	26
27	.37					.13	.17	.11		.11	.18	.22	27
28		.12	.03				.17	.21	.06	.59	.15	.06	28
29		.01				.10	.44		.01	.05	.96	.12	29
30						.38	.10		1.57	.34	.08	.03	30
31			.25		.06		.12	.01	.67	.17		.03	31
Total	2.76	2.29	6.58	.44	.79	5.51	3.43	7.89	2.66	4.59	3.39	3.01	YEAR'S TOTAL 43.34
Rain Days.	15	18	25	7	10	19	16	27	8	18	20	23	205

W. 7,500, XI. 12

144 30

MILLBROOK, ST. HELIER WW

1911 – 20

FORM A2.
BRITISH RAINFALL.

29 FEB 1912

Kept at Water wor... St Lawre...

in the County of Jers...

by The Jersey Wate... Alfred J. Je...

8 in.

Ground 1 ft. 3 in.

Sea Level 53 ft.

a.m.

Name

Distance Direction

IMPORTANT NO... the result entered to the previous day. If an O... universal rule, he is earnestly requested to add the re... a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	—	—	—	—	.06	—	—	—	—	1
2	.09	—	.03	.08	.12	—	—	—	—	.51	.23	.39	2
3	.05	—	.06	—	.23	—	—	.21	—	.30	.05	.15	3
4	—	.01	.09	.07	—	—	—	—	—	.33	.37	.60	4
5	.03	—	—	.01	—	—	—	.04	—	.12	.12	.02	5
6	.34	—	.08	—	—	—	—	—	—	.03	.09	.75	6
7	.27	—	.04	—	—	—	—	—	—	.15	.46	.06	7
8	.02	—	.20	.02	—	.77	—	—	—	.02	.23	.35	8
9	.09	—	—	—	—	—	—	—	—	.01	.22	.25	9
10		.05	.49	.10	.05	—	—	—	—	—	—	.45	10
11	.79	—	.03	—	—	—	—	—	—	—	1.09	.66	11
12	.08	—	.39	—	.05	—	—	.02	—	.42	.17	—	12
13	—	—	.14	—	.04	—	—	—	—	1.17	.04	.79	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	.02	.17	—	.15	.06	—	—	—	—	.10	.12	15
16	—	.01	.10	—	—	.12	—	—	—	—	.20	.08	16
17	—	.05	.45	—	.02	.05	—	—	—	—	.40	.05	17
18	—	.19	.09	.03	—	.06	—	—	—	—	.46	.06	18
19	—	.15	—	.01	—	.26	—	—	—	.10	.13	.75	19
20	—	—	.09	—	—	—	—	.09	.46	—	—	.56	20
21	.10	.10	—	—	—	—	—	—	.13	.23	—	.19	21
22	.05	—	.01	.03	—	.20	—	—	.09	.07	.19	.79	22
23	.06	.22	—	—	—	.94	—	—	.30	.02	.24	.08	23
24	—	.24	—	—	—	.04	.02	.02	—	.27	—	.43	24
25	.04	—	.04	.09	—	.08	.72	—	.07	.22	—	.11	25
26	—	.05	.36	.26	—	.01	—	—	—	.60	.05	.16	26
27	—	.06	.06	—	—	.01	—	—	—	.14	.03	.26	27
28	—	.25	—	.31	—	—	—	.12	.19	.14	—	.05	28
29	—	X	—	.32	—	.26	.04	—	.07	.11	—	—	29
30	—	X	—	.06	—	.28	—	—	.01	.25	—	.02	30
31	—	X	—	X	—	X	—	—	X	.03	X	—	31
Total	2.15	1.40	2.92	1.39	.66	3.14	.78	.56	1.32	5.24	4.84	8.18	TOTAL for year 32.61
No. of Rain Days.	14	13	19	13	7	14	3	7	8	22	20	26	166

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

29 FEB 1912

Kept at Water works Pumping Station
St Lawrence Valley
in the County of Island of Jersey
by The Jersey New Water works Co. Ltd.
Alfred J. Jenkins. Engineer

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " mean Sea Level 53 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	—	—	—	—	—	.06	—	—	—	—	1
2	.09	—	.03	.08	.12	—	—	—	—	.51	.23	.39	2
3	.05	—	.06	—	.23	—	—	.21	—	.30	.05	.15	3
4	—	.01	.09	.07	—	—	—	—	—	.33	.37	.60	4
5	.03	—	—	.01	—	—	—	.04	—	.12	.12	.02	5
6	.34	—	.08	—	—	—	—	—	—	.03	.09	.75	6
7	.27	—	.04	—	—	—	—	—	—	.15	.46	.04	7
8	.02	—	.20	.02	—	.77	—	—	—	.02	.23	.35	8
9	.09	—	—	—	—	—	—	—	—	.01	.22	.25	9
10	—	.05	.49	.10	.05	—	—	—	—	—	—	.45	10
11	.79	—	.03	—	—	—	—	—	—	—	1.09	.66	11
12	.08	—	.34	—	.05	—	—	.02	—	.42	.17	—	12
13	—	—	.14	—	.04	—	—	—	—	1.17	.04	.79	13
14	—	—	—	—	—	—	—	—	—	—	—	—	14
15	—	.02	.17	—	.15	.06	—	—	—	—	.10	.12	15
16	—	.01	.10	—	—	.12	—	—	—	—	.20	.08	16
17	—	.05	.45	—	.02	.05	—	—	—	—	.40	.05	17
18	—	.19	.09	.03	—	.06	—	—	—	—	.46	.06	18
19	—	.15	—	.01	—	.26	—	—	—	.10	.13	.75	19
20	—	—	.09	—	—	—	—	.09	.46	—	—	.56	20
21	.10	.10	—	—	—	—	—	—	.13	.23	—	.19	21
22	.05	—	.01	.03	—	.20	—	—	.09	.04	.19	.79	22
23	.06	.22	—	—	—	.94	—	—	.30	.02	.24	.08	23
24	—	.24	—	—	—	.04	.02	.02	—	.27	—	.43	24
25	.04	—	.04	.09	—	.08	.72	—	.07	.22	—	.11	25
26	—	.05	.36	.26	—	.01	—	—	—	.60	.05	.16	26
27	—	.06	.06	—	—	.01	—	—	—	.14	.03	.26	27
28	—	.25	—	.31	—	—	—	.12	.19	.14	—	.05	28
29	—	X	—	.32	—	.26	.04	—	.07	.11	—	—	29
30	—	X	—	.06	—	.28	—	—	.01	.25	—	.02	30
31	—	X	—	X	—	X	—	—	X	.03	X	—	31
Total	2.15	1.40	2.92	1.39	.66	3.14	.78	.56	1.32	5.24	4.87	8.18	TOTAL for year 32.61
No. of Rain Days.	14	13	19	13	4	14	3	4	8	22	20	26	166

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. 14 JAN 1913

Kept at Waterworks, Millbrook Valley

in the ~~County~~ Island of — Jersey —

by The Jersey New Water Works Co. Ltd a. J. Jenkins - Engineer

Lat. ..... Long. .....

Time of Observation 9 a.m.

Nearest Railway Station .....

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 53 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.36	.03	—	.83	—	.05	.25	.42	—	.17	1
2	—	—	.25	.04	—	.72	.33	.02	—	—	—	.02	2
3	—	—	.20	—	—	.17	.01	.72	.01	—	—	—	3
4	.12	—	.18	—	—	.65	—	.15	.04	—	.40	—	4
5	.40	.07	.49	.10	.02	.92	.14	.62	.03	—	.06	.06	5
6	.60	—	.53	.01	.17	.86	—	.41	—	—	—	.02	6
7	.04	.20	.16	.02	.17	.11	—	—	—	—	—	.14	7
8	—	.07	.05	.04	—	.10	—	—	—	—	—	.02	8
9	—	.14	.50	.11	—	.13	—	—	—	—	.04	.01	9
10	—	—	.03	.06	—	—	—	—	.09	—	.16	.14	10
11	—	.07	—	—	.01	—	—	.70	—	—	.03	.45	11
12	—	.02	—	—	—	—	.14	2.50	—	—	.18	.05	12
13	—	—	.33	—	—	.02	.63	.29	—	—	.22	.03	13
14	.07	—	.09	—	.12	.04	—	.13	—	.07	.01	.02	14
15	.07	.05	.17	—	.06	.14	—	.01	—	—	—	.15	15
16	.51	—	.38	—	.01	.05	—	—	—	.29	.03	.21	16
17	.15	—	.45	—	—	—	—	.52	—	—	.03	.03	17
18	.05	—	.15	—	—	—	—	.42	—	.15	.04	.04	18
19	—	.29	.34	—	—	—	.10	.08	—	.04	.02	—	19
20	—	.05	.48	—	.05	—	.12	.05	—	.50	—	—	20
21	—	.19	.20	—	.12	—	—	.15	—	.45	—	—	21
22	.17	.40	.61	—	—	—	.06	.09	—	.07	—	.02	22
23	.19	.28	.43	—	—	.04	—	.05	—	.28	.07	.11	23
24	.05	.48	.04	—	—	.06	—	.04	—	.55	—	.42	24
25	.07	—	—	—	—	.22	—	.50	—	.65	.04	.41	25
26	.27	.03	—	—	—	—	.52	.30	—	.09	.46	.27	26
27	—	—	—	—	—	.06	.10	.10	.03	.15	.20	.24	27
28	—	.10	.03	—	—	—	.13	.27	.04	.70	.17	.10	28
29	—	.02	—	—	.07	.06	.39	.09	1.65	.05	1.07	.09	29
30	—	—	—	—	.02	.46	.10	—	.65	.32	.09	.07	30
31	—	—	.24	—	.07	—	.16	—	—	.11	—	.02	31
Total	2.76	2.46	6.69	0.41	0.89	5.64	2.93	8.26	2.79	4.89	3.32	3.34	YEAR'S TOTAL 44.38
Rain Days.	14	16	24	8	12	19	14	24	9	17	19	26	202

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19 13

FORM A. BRITISH RAINFALL. 9 FEB 1914

Kept at the Pumping Station of the Jersey New Waterworks Co. Ltd. in the ~~County of~~ parish of St. Lawrence ~~of~~ Jersey

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Rain Gauge ~~8~~ 5 in. Snowdon pattern

Height of top of Gauge above Ground + ft. ~~3~~ 10½ in.

" " " " Sea Level ~~5~~ 3 52 ft. 8 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.49	.07	.16	–	–	–	–	–	.02	–	.04	1
2	–	.15	–	.05	–	–	–	–	–	–	.20	–	2
3	–	–	.05	.04	.36	–	.05	–	–	.07	.02	.22	3
4	.22	–	.04	–	.41	.20	–	–	.13	.01	.06	.23	4
5	.02	–	.09	.01	.04	.05	.13	–	–	.14	.25	1.11	5
6	–	–	.35	–	–	.13	–	–	–	.44	.77	.26	6
7	–	.32	.52	.05	.15	.03	.02	–	–	.10	.18	.02	7
8	.06	–	–	–	.07	–	.20	–	–	–	–	.02	8
9	–	–	–	–	–	–	.19	.13	.05	–	–	.03	9
10	.26	–	–	–	.10	–	–	–	–	.30	.80	–	10
11	.40	–	–	–	.29	–	–	.02	–	.02	.18	.01	11
12	.25	–	–	–	.20	.14	–	–	–	–	.29	.20	12
13	.13	–	–	–	.10	–	–	.10	.10	–	.17	–	13
14	.20	–	.10	–	.17	–	–	–	.15	–	.18	–	14
15	.06	–	–	.29	.15	–	–	.07	.11	–	.40	–	15
16	.77	–	.49	.27	–	.09	.02	–	.02	–	.09	.01	16
17	.27	.03	.16	.15	–	–	.04	–	–	–	–	–	17
18	.38	–	.05	.32	–	–	–	–	–	–	.09	–	18
19	.46	–	.02	.04	.03	.12	–	–	.08	–	–	–	19
20	.15	–	.04	.11	–	–	–	–	.39	.90	–	–	20
21	–	–	.20	.02	–	–	–	–	–	.68	.49	–	21
22	.10	–	.06	–	.05	–	–	–	–	–	–	.02	22
23	.05	–	–	–	–	–	–	.11	–	–	–	.55	23
24	.07	–	–	.14	–	.03	–	–	–	–	–	–	24
25	–	–	.04	.11	–	–	–	–	–	.07	.15	–	25
26	–	.10	–	.02	–	–	–	.06	–	.26	.04	.26	26
27	.19	–	.04	.01	–	–	–	.04	–	–	.02	.35	27
28	.10	–	–	.11	–	–	–	.02	–	.33	–	.03	28
29	.82	X	.15	.15	.03	–	.10	.17	.04	.10	–	.11	29
30	.41	X	–	–	–	–	.09	–	.03	.13	.10	–	30
31	.20	X	.04	X	–	X	.16	–	X	.12	X	–	31
Total	5.70	1.09	2.51	2.05	2.15	.79	1.–	.72	1.10	3.69	4.48	3.47	YEAR'S TOTAL 28.75
Rain Days.	23	5	18	18	14	8	10	9	10	16	19	17	167

W.7,000, XI. 13

Ex LMCE

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 5 JAN 1915

Kept at Millbrook Pumping Station
in the Parish ~~County~~ of St. Lawrence Jersey
by The Jersey New Waterworks Company Ltd.

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station ____
Diameter of Rain Gauge 5" in. Snowdon Pattern
Height of top of Gauge above Ground ____ ft. 10·5 in.
" " " " Sea Level 52' 8" ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	·09	—	—	—	—	·08	—	—	·18	—	1
2	—	—	·07	—	—	—	·13	·25	—	—	·07	·14	2
3	·03	—	·14	·18	·25	—	—	·39	—	—	—	·03	3
4	·11	—	·06	·36	·12	—	·20	·31	·36	—	·25	·33	4
5	·58	—	·11	·07	—	—	·15	·05	—	—	·17	—	5
6	—	·06	·14	·10	·14	·02	·05	·85	—	—	—	·63	6
7	—	·25	·17	·11	·19	·15	·33	—	·47	—	—	·53	7
8	·07	·56	·09	·03	·02	·18	·04	·02	—	—	—	·05	8
9	·04	—	·25	·04	—	—	—	—	·60	—	—	1.65	9
10	·24	·35	·15	·06	·09	·11	—	—	·27	—	·04	·06	10
11	—	·14	·50	—	—	—	1.05	—	·25	—	·27	·05	11
12	—	·24	·25	—	—	—	—	—	·17	·20	·04	·90	12
13	·06	·32	·13	—	—	—	—	—	·03	—	·30	·36	13
14	—	—	·11	—	—	·01	—	·22	—	·45	·16	·32	14
15	—	·14	·05	—	—	—	—	·16	—	—	·75	·60	15
16	—	·40	—	—	—	·01	—	—	·84	—	—	·02	16
17	—	·47	·25	—	—	—	—	—	·21	—	—	·22	17
18	—	·10	·10	—	—	—	·02	—	·31	—	—	·45	18
19	—	·12	·31	—	—	—	·52	—	—	—	·35	·15	19
20	·03	·29	·15	—	—	·01	—	—	—	—	—	·16	20
21	—	·20	·04	·14	—	·09	—	—	—	·25	—	·09	21
22	—	—	·01	—	·03	·05	·25	—	—	—	—	·02	22
23	—	—	·65	—	·04	·18	·03	—	—	·17	—	·02	23
24	—	—	·05	—	—	—	·19	—	—	—	·04	—	24
25	·13	—	·76	—	—	—	·03	·27	—	·41	—	·07	25
26	·12	·05	·46	—	—	—	·33	·10	—	—	·12	·72	26
27	·07	—	—	—	—	—	—	—	—	·14	·01	·39	27
28	—	·01	·27	—	·02	—	—	—	—	·51	·17	·15	28
29	·10	X	·06	—	—	—	—	—	—	·64	·07	·12	29
30	—	X	—	·12	—	—	—	—	—	·33	·50	·11	30
31	·01	X	—	X	·02	X	—	—	X	·82	X	·05	31
99 Total	1.59	3.70	5.42	1.21	·92	·73	3.32	2.70	3.54	3.92	3.49	8.39	YEAR'S TOTAL 38.93
Rain Days.	13	16	27	10	10	10	14	11	10	10	17	28	176

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4387

FORM A. BRITISH RAINFALL

12 JAN 1916

Kept at Waterworks Pumping Station
in the ~~County~~ Parish of St. Lawrence Jersey
by The Jersey New Waterworks Company Ltd.

Lat. 49° 12' 15" N Long. 2° 8' 3" W
Time of Observation 9 a.m.
Nearest Railway Station Millbrook
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground — ft. 10½ in.
" " " " Sea Level 52' 8" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.33	.73	—	—	—	—	—	.07	.90	.32	.74	.27	1
2	.26	.17	—	—	—	.05	—	.01	.27	.29	—	1.13	2
3	.21	—	.19	.03	.24	.06	—	.03	.07	—	—	.28	3
4	.11	—	—	.32	.05	—	.16	—	—	—	.02	.02	4
5	.03	.19	.02	.40	—	—	—	.59	—	—	.06	.37	5
6	.32	.14	—	.45	—	—	—	.07	—	—	—	.24	6
7	.60	.24	—	.09	—	—	—	.01	—	—	.01	.31	7
8	.23	.44	.02	—	.12	—	—	.03	—	—	.02	.27	8
9	—	.02	—	.29	—	—	—	—	—	—	.82	.75	9
10	.49	—	.05	.01	—	—	—	—	—	—	.05	.99	10
11	.16	.65	.10	.05	—	—	—	—	—	—	.82	.35	11
12	.07	.21	—	.21	.24	—	—	.02	—	.12	.20	.43	12
13	.03	.76	—	—	.13	—	—	.34	—	—	.32	.05	13
14	.07	.12	—	—	—	—	.70	.01	.15	—	.17	.38	14
15	.05	—	—	—	—	—	—	.01	—	—	.27	.06	15
16	.06	.67	—	—	—	—	.79	—	—	—	—	—	16
17	.05	.36	—	—	—	—	—	—	—	—	—	.05	17
18	.01	.12	—	—	—	—	—	—	—	.02	.03	.05	18
19	—	.16	—	—	.20	—	—	—	—	—	—	—	19
20	.41	—	—	.09	—	.03	—	—	—	—	—	.06	20
21	.13	—	.01	—	.02	.15	—	—	—	.20	—	.05	21
22	.91	.16	.17	.22	—	.02	.81	—	—	—	—	.39	22
23	—	.01	.29	—	—	—	—	—	.13	.22	—	.65	23
24	—	—	.01	—	—	.01	—	—	.82	.04	—	.14	24
25	—	—	—	.11	—	.15	.39	—	—	.04	—	.03	25
26	—	—	—	.01	—	.05	.04	—	.20	—	—	.31	26
27	—	.07	—	—	—	.02	—	—	.05	.30	—	—	27
28	—	.09	—	.01	—	.05	—	—	.60	.21	.19	—	28
29	—	X	—	—	—	.02	—	.21	.16	.19	.15	—	29
30	.02	X	—	—	—	—	—	—	.12	.06	.01	.05	30
31	.14	X	—	X	—	X	—	—	X	1.22	X	.40	31
Total	4.69	5.31	.86	2.29	1.00	.61	2.89	1.40	3.47	3.23	3.88	8.08	YEAR'S TOTAL 37.71
Rain Days.	22	19	9	14	7	11	6	12	11	13	16	26	166

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4316

6. JAN. 1917

Kept at Water works Pumping Station

in the ~~County~~ Island of Jersey

by A. J. Jenkins, Engineer

Lat. 49° 12' 15" Long. 2° 8' 3" W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10½ in.

" " " " Sea Level 52.8" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.32	—	.15	—	.11	—	—	—	—	.39	.49	—	1
2	.16	.05	.29	—	—	—	—	—	—	—	.01	—	2
3	—	.41	.26	—	—	—	.02	—	—	.37	.51	.05	3
4	.06	.09	—	—	—	.17	—	—	.17	.22	.09	.01	4
5	—	—	.01	.09	—	.05	—	—	—	.17	.68	—	5
6	—	.06	.10	—	.09	.13	.24	—	—	.08	.19	—	6
7	.05	.17	.01	—	.32	—	.12	—	—	.08	.28	.02	7
8	—	.31	—	—	.28	—	—	—	—	—	.41	.49	8
9	—	.41	—	—	.13	—	.02	—	—	—	.04	.01	9
10	—	.91	—	—	.01	.02	—	—	—	—	.07	.03	10
11	—		.06	—	.04	—	—	—	—	—	—	.10	11
12	.10	.03	.25	.12	.25	—	.04	.02	—	—	—	.09	12
13	—	.16	.06	.03	.03	—	—	.04	—	—	—	.14	13
14	—	.11	.30	.05	.07	—	—	.05	—	.02	—	.20	14
15	.01	.05	.06	—	—	—	—	—	—	.09	—	.08	15
16	.09	.23	—	.22	—	—	.03	.13	—	.24	—	.01	16
17	.25	.20	.01	.15	—	—	—	—	.06	.37	.89	—	17
18	.01	.22	.05	.01	—	—	—	.02	.58	.17	.42	.13	18
19	.06	.05	.04	.06	—	—	—	—	.10	—	.46	.03	19
20	.04	.80	—	—	—	—	—	—	—	—	.42	.35	20
21	.03	.41	.05	.17	—	—	—	—	—	—	.33	.37	21
22	.04	.12	.03	—	—	.03	—	—	—	.05	—	.45	22
23	—	.06	.15	—	—	.16	—	.03	—	.10	.09	.03	23
24	—	—	.04	—	—	—	—	.03	—	.16	.51	.14	24
25	.07	.43	.18	—	—	—	—	.27	.05	.32	.22	—	25
26	.01	.21	.12	—	—	.05	—	.03	1.69	.37	.11	.78	26
27	.05	.14	.21	—	—	.03	—	.16	.06	.07	—	—	27
28	—	.82	.03	—	—	—	—	.78	.08	.68	—	—	28
29	—	.24	.36	—	—	.05	—	.82	.42	.40	—	.63	29
30	—		—	—	—	—	—	—	—	.06	—	.06	30
31	—		—		—		—	—		.06		.07	31
Total	1.35	6.69	2.82	0.90	1.33	0.69	0.47	2.38	3.21	4.47	6.22	4.27	YEAR'S TOTAL 34.80
Rain Days.	16	25	23	9	10	9	6	12	9	21	19	23	182

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1917

Kept at The Waterworks, Millbrook
in the ~~County~~ Island of Jersey. C.I.
by A. J. Jenkins. Engineer

Lat. 49° 12' 15" Long. 2° 8' 3" W.
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10½ in.
" " " " Sea Level 52'-8"

FORM A. BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	·30	—	·04	·01	·64	—	—	·11	—	1
2	—	—	—	·02	—	·02	·03	·06	—	—	—	—	2
3	·07	—	—	·12	—	—	·01	·08	—	—	·79	—	3
4	·14	·08	·26	—	—	—	—	—	—	·35	—	—	4
5	·28	—	—	—	—	·71	—	—	·31	·25	·08	—	5
6		—	—	·01	—	·02	—	—	—	·01	·11	—	6
7	·70	—	—	—	·01	—	·10	·11	·15	·09	·09	·26	7
8	·14	—	·16	·02	—	—	·02	·66	—	·13	·17	·42	8
9	—	—	·09	·03	—	—	·29	—	—	·25	·13	·15	9
10	·07	—	·02	—	—	—	—	—	—	·28	·03	·03	10
11	·19	—	·06	·22	—	—	—	·48	—	·43	·02	—	11
12	·29	—	—	—	·30	—	—	·37	—	·77	—	—	12
13	·33	—	·26	—	·27	—	—	·22	·11	·22	—	—	13
14	·01	—	—	·29	—	—	—	·30	·25	·69	·04	—	14
15	—	—	·03	—	—	—	—	·03	—	·09	—	·04	15
16	·02	·14	—	·06	—	—	·21	—	—	·22	—	·97	16
17	·03	—	—	·18	·08	—	·04	—	—	·31	—	·20	17
18	—	·03	—	·02	·08	—	·32	—	—	·05	—	—	18
19	—	·34	·12	—	—	—	—	—	·14	—	—	—	19
20	·01	·27	·04	—	·22	·16	—	—	·03	—	·01	—	20
21	—	—	·45	—	·01	·68	—	—	—	·03	—	—	21
22	—	—	·13	—	—	—	—	·03	—	·22	·01	—	22
23	·03	·53	—	—	·04	—	—	·13	—	·13	·10	—	23
24	—	·34	—	—	—	·06	·01	·02	—	·25	·06	·03	24
25	—	·07	·05	—	—	—	—	·05	—	·30	·07	—	25
26	—	—	·04	—	·19	·03	—	·67	·12	·48	·16	—	26
27	—	—	—	—	·10	·03	—	·99	—	·21	·02	—	27
28	—	—	·10	—	·70	—	—	·29	—	·25	—	·16	28
29	—	X	·63	—		—	·08	—	—	·31	·01	—	29
30	—	X	·05	—	—	—	·29	·13	—	·16	—	—	30
31	—	X	·04	X	—	X	·45		X	·39	X	—	31
99 Total	2·31	1·80	2·59	1·27	2·00	1·75	1·86	5·26	1·11	6·87	2·01	2·26	YEAR'S TOTAL 31·09
Rain Days.	14	8	18	11	11	9	13	18	7	26	18	9	162

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Waterworks Station

in the ~~County~~ Parish of St Lawrence Jersey

by Wm A J. Jenkins

Lat. 49.12.15 N Long. 2:8:3 W 5.119

Time of Observation 9 a.m.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 4 in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.04	—	—	—	—	—	0.69	—	0.02	0.01	0.16	1
2	—	—	0.43	0.18	—	—	—	0.03	—	—	0.38	0.08	2
3	—	0.04	0.15	0.16	0.12	—	—	—	—	—	0.04	0.13	3
4	—	—	0.45	—	0.06	—	—	0.24	0.03	—	0.61	—	4
5	—	0.11	0.15	—	0.33	—	—	0.03	0.12	0.03	0.05	—	5
6	0.10	0.05	—	0.12	—	—	—	0.12	0.09	0.02	—	—	6
7	0.12	0.12	—	—	0.20	—	—	0.01	0.17	0.19	0.25	0.05	7
8	0.05	0.01	—	—	—	—	—	—	0.18	0.26	0.11	—	8
9	0.04	—	—	—	—	0.06	0.04	—	0.57	0.29	—	0.30	9
10	0.18	—	—	—	—	—	0.12	—	0.37	0.02	—	0.12	10
11	0.06	—	—	0.13	—	—	0.20	—	0.05	0.15	—	0.18	11
12	0.08	0.04	—	—	0.46	—	—	—	0.04	0.08	—	0.20	12
13	—	0.04	—	—	0.18	—	0.52	—	0.01	—	—	—	13
14	0.06	—	—	—	—	0.05	0.46	—	0.05	0.34	—	—	14
15	0.52	—	—	—	—	0.01	0.03	—	—	0.44	—	0.12	15
16	0.05	—	0.03	0.01	—	—	0.04	—	0.06	0.66	—	0.24	16
17	0.01	—	—	—	—	—	0.18	0.02	0.01	0.26	—	0.16	17
18	—	—	0.01	0.03	—	0.18	0.01	—	0.56	—	0.01	0.07	18
19	—	—	0.32	0.13	—	—	0.08	0.07	0.20	0.01	—	0.10	19
20	—	0.08	—	0.56	—	0.03	0.37	—	0.17	0.56	—	—	20
21	0.03	—	—	0.23	—	0.03	—	—	0.48	0.10	—	0.47	21
22	0.01	—	—	—	0.10	—	0.22	—	0.26	—	—	0.44	22
23	—	—	—	—	—	—	0.01	—	0.19	—	0.02	0.22	23
24	—	0.15	—	—	—	0.14	—	—	0.23	—	0.34	0.22	24
25	—	—	—	—	—	—	—	0.40	—	0.04	0.27	0.02	25
26	—	0.04	—	—	—	—	0.03	0.01	0.06	0.04	0.31	0.43	26
27	—	0.18	—	—	—	—	—	0.03	0.12	0.09	0.39	0.12	27
28	—	0.27	0.43	0.47	—	—	—	—	0.06	—	0.16	0.03	28
29	—	X	0.25	0.14	—	—	—	—	0.32	—	0.30	0.13	29
30	—	X	0.25	—	—	—	—	0.03	0.23	0.12	0.04	0.16	30
31	—	X	—	X	—	X	0.02	0.01	X	0.02	X	—	31
Total	1.31	1.17	2.47	2.16	1.45	0.50	2.33	1.69	4.62	3.64	3.29	4.14	YEAR'S TOTAL 28.77
Rain Days.	13	13	10	11	7	7	15	13	25	21	16	23	174

W. 8,000, VIII. 16

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Pumping Station, Waterworks Valley
in the ~~County~~ Island of Jersey
by The Jersey New Waterworks Company Limited

Lat. 49° 12' 15" N Long. 2° 8' 3" W
Time of Observation 9 a.m.
Nearest Railway Station Millbrook
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground — ft. 10½ in.
" " " " Sea Level 52' 8" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~09~~

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	·04	·03	—	·04	—	·18	—	—	·08	·07	·18	1
2	·24	·03	·02	—	·02	—	—	—	·46	·10	·07	·17	2
3	·46	·14	·67	—	·18	—	·59	—	·72	—	·06	·10	3
4	·31	·42	·15	—	—	—	·17	·63	—	—	·17	·03	4
5	·32	·46	·34	—	—	—	—	—	—	—	·16	·20	5
6	·01	·76	—	—	—	—	·03	—	—	—	·04	·24	6
7	·08	—	·46	·02	—	—	·43	—	—	—	·22	·11	7
8	·24	—	·24	·06	—	—	—	—	—	—	·36	—	8
9	·17	—	·05	·33	·17	—	—	—	—	—	·15	—	9
10	—	—	—	·07	·01	—	—	—	—	·09	·28	·07	10
11	—	—	·07	·19	·12	—	—	—	—	—	·17	—	11
12	·57	—	·05	·06	—	—	—	—	—	·19	·35	—	12
13	—	·11	·28	·34	—	—	·03	—	—	·13	—	·02	13
14	·08	·23	—	·18	·19	—	·02	—	—	·21	—	·10	14
15	·34	·50	—	·11	—	—	—	—	—	·12	·01	·54	15
16	·44	·42	—	—	—	—	—	—	—	—	·39	—	16
17	·14	·16	—	—	—	—	—	—	—	—	·21	·01	17
18	—	·44	·40	—	—	—	·13	—	—	—	·17	—	18
19	·39	·22	·57	—	—	—	·08	—	·07	—	·11	·02	19
20	·58	·02	—	—	—	·10	—	·37	·43	—	·23	·03	20
21	·57	·44	·08	—	—	—	·03	—	·05	—	·17	·11	21
22	—	·05	—	—	—	—	·06	—	·02	—	·03	·16	22
23	—	·10	1·08	—	—	—	—	09	—	·11	·15	·31	23
24	—	·09	—	—	—	·34	—	—	—	·04	·37	·10	24
25	·11	·23	—	—	—	·07	·02	·17	·01	—	·22	·17	25
26	·22	·26	·01	·07	—	—	—	·01	·07	·04	·13	·35	26
27	·50	·06	·03	·21	—	—	—	·32	—	—	·01	·42	27
28	·14	—	·47	—	—	—	—	·42	—	·08	·26	·50	28
29	—	X	·07	—	—	—	—	·22	—	·09	—	·16	29
30	—	X	·06	·19	·20	·36	—	·36	—	·12	·46	·23	30
31	·01	X	—	X	—	X	—	—	X	·08	X	·25	31
TOTAL	6·38	5·18	5·13	1·83	·93	·87	1·77	2·59	1·83	1·48	5·02	4·58	YEAR'S TOTAL ~~36·99~~
Days with ·01 in. or more	22	21	20	12	8	4	12	9	8	14	27	25	37·59

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex. H.R.

3946

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19 19..

22 JAN 20

Kept at The Waterworks

~~in the County of~~ St. Laurence

by C. T. Tennis

Lat. 49° 12' 15" N Long. 2° 8' 3" W

Time of Observation 9 a.m

Nearest Railway Station Millbrook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 10½ in.

" " " " Sea Level 52 ft. 8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.46	0.04	0.03	–	0.04	–	0.18	–	–	0.08	0.07	0.18	1
2	0.24	0.03	0.02	–	0.02	–	–	–	0.46	0.10	0.07	0.17	2
3	0.46	0.14	0.67	–	0.18	–	0.59	–	0.72	–	0.06	0.10	3
4	0.31	0.42	0.15	–	–	–	0.17	0.63	–	–	0.17	0.03	4
5	0.32	0.46	0.34	–	–	–	–	–	–	–	0.16	0.20	5
6	0.01	0.76	–	–	–	–	0.03	–	–	–	0.04	0.34	6
7	0.08	–	0.46	0.02	–	–	0.43	–	–	–	0.22	0.11	7
8	0.24	–	0.24	0.06	–	–	–	–	–	–	0.36	–	8
9	0.17	–	0.05	0.33	0.17	–	–	–	–	–	0.15	–	9
10	–	–	–	0.07	0.01	–	–	–	–	0.09	0.28	0.07	10
11	–	–	0.07	0.19	0.12	–	–	–	–	–	0.17	–	11
12	0.57	–	0.05	0.06	–	–	–	–	–	0.19	0.35	–	12
13	–	0.11	0.28	0.34	–	–	0.03	–	–	0.13	–	0.02	13
14	0.08	0.23	–	0.18	0.19	–	0.02	–	–	0.21	–	0.10	14
15	0.34	0.50	–	0.01	–	–	–	–	–	0.12	0.01	0.54	15
16	0.44	0.42	–	–	–	–	–	–	–	–	0.39	–	16
17	0.14	0.16	–	–	–	–	–	–	–	–	0.21	0.01	17
18	–	0.44	0.40	–	–	–	0.13	–	–	–	0.17	–	18
19	0.39	0.22	0.57	–	–	–	0.08	–	0.07	–	0.11	0.02	19
20	0.58	0.02	–	–	–	0.10	–	0.37	0.43	–	0.23	0.03	20
21	0.57	0.44	0.06	–	–	–	0.03	–	0.05	–	0.17	0.11	21
22	–	0.05	–	–	–	–	0.06	–	0.02	–	0.03	0.16	22
23	–	0.10	1.08	–	–	–	–	0.09	–	0.11	0.15	0.31	23
24	–	0.09	–	–	–	0.34	–	–	–	0.04	0.37	0.10	24
25	0.11	0.23	–	–	–	0.07	0.02	0.17	0.01	–	0.22	0.17	25
26	0.22	0.26	0.01	0.07	–	–	–	0.01	0.07	0.04	0.13	0.35	26
27	0.50	0.06	0.03	0.21	–	–	–	0.32	–	–	0.01	0.42	27
28	0.14	–	0.47	–	–	–	–	0.42	–	0.08	0.26	0.50	28
29	–		0.07	–	–	–	–	0.22	–	0.09	–	0.16	29
30	–		0.06	0.19	0.20	0.36	–	0.36	–	0.12	0.46	0.23	30
31	0.01		–		–		–	–		0.08		0.25	31
99 TOTAL	6.38	5.18	5.13	1.83	0.93	0.87	1.77	2.59	1.83	1.48	5.02	4.58	YEAR'S TOTAL 37.59
Days with .01 in. or more	22	21	20	12	8	4	12	9	8	14	27	25	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3840

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Pumping Station, Millbrook
in the ~~County~~ Island of Jersey
by Jersey New Waterworks Company Limited

Lat. 49° 12' 15" N Long. 2° 8' 3" W
Time of Observation 9 a.m.
Nearest Railway Station Millbrook
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10·5 in.
" " " " Sea Level 52' 8" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: ·02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	–	–	·10	·13	–	·32	–	–	·54	·23	·16	1
2	·09	–	·01	·04	·21	–	·03	·12	·12	·11	–	·02	2
3	·03	–	–	·21	·01	–	·04	–	·01	·03	–	·19	3
4	–	–	–	·07	–	–	·02	·29	–	·08	–	·03	4
5	–	–	·04	–	–	–	·12	·04	–	·04	–	·03	5
6	–	–	·05	–	–	–	·25	–	–	–	–	·02	6
7	·06	–	·07	·11	–	–	·12	–	–	–	–	–	7
8	·16	–	–	·01	–	–	·14	–	–	–	–	·13	8
9	·12	–	·03	·06	–	·20	–	–	–	–	–	·02	9
10	·08	·15	·07	·19	–	·09	·20	–	–	–	·01	–	10
11	·35	·01	·14	·41	·04	·35	·13	–	–	–	–	·25	11
12	·18	·01	–	·12	–	·26	·11	–	–	–	–	·72	12
13	·93	·04	·25	·04	–	–	–	–	–	·01	·29	·03	13
14	–	–	·21	·26	–	–	–	–	–	–		·07	14
15	·01	–	·01	–	·20	·04	–	–	·88	–	·15	–	15
16	–	–	·02	·03	–	·13	–	–	–	·09	·05	–	16
17	·02	–	–	·93	·14	–	·02	–	·05	·09	–	·03	17
18	·04	–	–	–	·01	·39	–	·28	·28	–	–	·15	18
19	·25	–	–	·24	–	·27	–	–	·47	–	–	–	19
20	·12	–	–	·05	–	·36	–	–	·13	–	–	·04	20
21	–	–	–	–	–	–	·01	–	·69	·17	–	·40	21
22	–	–	–	·14	–	–	–	–	·03	–	–	·30	22
23	–	–	–	–	–	–	·24	–	–	–	–	·08	23
24	·04	–	·06	–	–	–	–	–	·06	–	–	·06	24
25	–	·01	·06	–	·48	–	·16	–	–	–	–	–	25
26	·21	–	·24	·04		–	–	–	–	–	–	·04	26
27	·36	·07	–	·09	·02	–	–	–	–	–	·29	·20	27
28	·07	·04	·05	·06	·44	–	·12	–	–	–	·17	·22	28
29	·49	—	·52	·03	–	–	–	–	–	–	·14	·02	29
30	·11		–	–	·03	·06	·38	–	·55	–	·17	·50	30
31	·14		·17					–		31		·09	31
TOTAL	3·95	·33	2·–	3·23	1·71	2·15	2·41	·73	3·27	1·47	1·50	3·80	YEAR'S TOTAL 26·55
Days with ·01 in. or more	22	7	17	21	11	10	17	4	11	10	9	25	164
Days with ·04 in. or more	19	4	13	18	7	10	13	4	9	8	8	17	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

R … IN 1911

ST. HELIER

ST. LOUIS. OBS.
JERSEY
1911 - 1920.

10 JAN 1912

Kept at Observat…

in the County of …

by Rev. Marc…

…ttern Pluviomètre décuplateur enregistreur

…ameter of top … in.

…eight of top above Ground … ft.

" " " Sea Level … ft.

…bservation Minuit

…ailway Station { Name … Distance … Direction …

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	-	-	-	-	-	0.06	0.07	-	-	-	-	1
2	0.01	-	0.01	-	0.09	-	-	-	-	-	0.02	0.13	2
3	0.09	-	0.02	0.09	0.09	-	-	0.19	-	0.70	0.09	0.17	3
4	0.03	-	0.09	0.02	0.08	-	-	-	-	0.09	0.07	0.17	4
5	0.01	0.01	0.01	0.06	-	-	-	0.04	-	0.26	0.29	0.41	5
6	0.29	-	0.04	0.02	-	-	-	-	-	-	0.12	-	6
7	0.02	-	0.08	-	-	-	-	-	-	0.15	0.03	0.67	7
8	0.16	-	-	0.01	-	1.02	-	-	-	0.01	0.50	0.12	8
9	0.05	-	0.15	-	-	0.01	-	-	-	-	0.12	0.11	9
10	-	0.03	0.02	0.01	0.04	-	-	-	-	-	0.02	0.33	10
11	0.03	0.01	0.37	0.06	-	-	-	-	-	-	0.83	0.68	11
12	0.82	-	0.24	-	0.06	-	-	-	-	0.02	0.13	0.28	12
13	-	-	0.17	-	-	-	-	0.02	0.01	0.51	0.12	0.56	13
14	-	-	-	-	0.06	-	-	-	-	-	-	0.03	14
15	-	-	0.15	-	-	0.04	-	-	-	-	0.02	0.10	15
16	-	-	0.07	-	0.13	0.11	-	-	-	-	0.13	0.06	16
17	-	0.03	0.25	-	-	0.04	-	-	-	-	0.04	0.06	17
18	-	0.02	0.26	0.02	0.06	XXX-	-	-	-	-	0.77	0.05	18
19	-	0.27	-	0.02	-	0.25	-	-	-	0.02	0.13	-	19
20	-	0.08	0.07	-	-	-	-	-	0.49	0.08	0.08	0.54	20
21	0.04	0.01	-	-	-	-	-	0.09	0.25	0.08	-	0.57	21
22	0.06	0.03	-	-	-	0.06	-	-	0.07	0.11	0.01	0.68	22
23	0.07	0.03	0.01	0.01	-	0.92	-	0.06	0.12	0.02	0.39	0.05	23
24	-	0.24	-	-	-	0.22	0.01	0.03	0.02	0.14	-	0.19	24
25	0.01	0.09	-	0.04	-	0.02	0.02	0.05	0.02	0.17	0.02	0.20	25
26	-	-	0.35	0.03	-	0.07	0.64	-	0.04	0.56	-	0.11	26
27	-	0.05	0.10	0.19	-	-	-	-	-	0.36	0.04	0.19	27
28	-	0.20	0.02	0.22	-	-	-	0.12	0.11	0.15	0.03	0.05	28
29	-		-	0.12	-	-	0.09	-	0.07	0.03	-	0.01	29
30	-		-	0.28	-	0.40	-	-	0.04	0.24	-	-	30
31	-		0.01	-	-	"	-	-		0.04		0.02	31
Total	1.86	1.10	2.49	1.20	0.61	3.16	0.82	0.67	1.24	3.14	4.00	6.54	TOTAL for year
No. of Rain Days.	15	14	21	16	8	12	5	9	11	20	23	27	2743 / 181

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

10 JAN 1912

Kept at Observatoire St-Louis (R.)

in the County of Jersey

by Rev. Marc Dechevrens S.J.

RAIN GAUGE — Pattern: Pluviomètre de comptage enregistreur

Diameter of top ____ in.

Height of top above Ground ____ ft.

" " " Sea Level ____ ft.

Time of Observation: Minuit

Nearest Railway Station — Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	-	-	-	-	-	0.06	0.07	-	-	-	-	1
2	0.01	-	0.01	-	0.09	-	-	-	-	-	0.02	0.13	2
3	0.09	-	0.02	0.09	0.09	-	-	0.19	-	0.70	0.09	0.17	3
4	0.03	-	0.09	0.02	0.08	-	-	-	-	0.09	0.07	0.17	4
5	0.01	0.01	0.01	0.06	-	-	-	0.04	-	0.26	0.29	0.41	5
6	0.29	-	0.04	0.02	-	-	-	-	-	-	0.12	-	6
7	0.02	-	0.08	-	-	-	-	-	-	0.15	0.03	0.67	7
8	0.16	-	-	0.01	-	1.02	-	-	-	0.01	0.50	0.12	8
9	0.05	-	0.15	-	-	0.01	-	-	-	-	0.12	0.11	9
10	-	0.03	0.02	0.01	0.04	-	-	-	-	-	0.02	0.33	10
11	0.03	0.01	0.37	0.06	-	-	-	-	-	-	0.83	0.68	11
12	0.82	-	0.24	-	0.06	-	-	-	-	0.02	0.13	0.28	12
13	-	-	0.17	-	-	-	-	0.02	0.01	0.51	0.12	0.56	13
14	-	-	-	-	0.06	-	-	-	-	-	-	0.03	14
15	-	-	0.15	-	-	0.04	-	-	-	-	0.02	0.10	15
16	-	-	0.07	-	0.13	0.11	-	-	-	-	0.13	0.06	16
17	-	0.03	0.25	-	-	0.04	-	-	-	-	0.04	0.06	17
18	-	0.02	0.26	0.02	0.06	XXX-	-	-	-	-	0.77	0.05	18
19	-	0.27	-	0.02	-	0.25	-	-	-	0.02	0.13	-	19
20	-	0.08	0.07	-	-	-	-	-	0.49	0.08	0.08	0.54	20
21	0.04	0.01	-	-	-	-	-	0.09	0.26	0.08	-	0.57	21
22	0.06	0.03	-	-	-	0.06	-	-	0.07	0.11	0.01	0.68	22
23	0.07	0.03	0.01	0.01	-	0.92	-	0.06	0.12	0.02	0.39	0.05	23
24	-	0.24	-	-	-	0.22	0.01	0.03	0.02	0.14	-	0.19	24
25	0.01	0.09	-	0.04	-	0.02	0.02	0.05	0.02	0.17	0.02	0.20	25
26	-	-	0.35	0.03	-	0.07	0.64	-	0.04	0.56	-	0.11	26
27	-	0.05	0.10	0.19	-	-	-	-	-	0.36	0.04	0.19	27
28	-	0.20	0.02	0.22	-	-	-	0.12	0.11	0.15	0.03	0.05	28
29	-		-	0.12	-	-	0.09	-	0.07	0.03	-	0.01	29
30	-		-	0.28	-	0.40	-	-	0.04	0.24	-	-	30
31	-		0.01	-	-	//	-	-		0.04		0.02	31
Total	1.86	1.10	2.49	1.20	0.61	3.16	0.82	0.67	1.24	3.74	4.00	6.54	TOTAL for year
No. of Rain Days.	15	14	21	16	8	12	5	9	11	20	23	27	27+3 / 181

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 8 JAN 1913

Kept at the Observatory St Louis

in the County of Jersey

by Rev. Marc Dechevrens SJ

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. " " " Sea Level ..... ft.

Time of Observation Midnight

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.26	.16	.	.81	.03	.04	.22	.30	.	.03	1
2	.	.04	.28	.	.	.32	.23	.	.02	.	.	.21	2
3	.	.	.18	.04	.	.46	.06	.21	.	.	.	.	3
4	.	.	.15	.	.04	.38	.	.43	.01	.	.	.	4
5	.15	.42	.25	.02	.	.65	.	.30	.	.01	.42	.	5
6	.64	.	.96	.06	.02	.02	.14	.52	.	.	.	.07	6
7	.18	.04	.17	.	.27	1.24	.	.14	.	.	.	.	7
8	.17	.15	.04	.03	.01	.07	.	.	.	.	.	.12	8
9	.01	.14	.56	.02	.	.09	.	.02	.	.	.	.	9
10	.	.01	.02	.14	.	.	.	.02	.04	.	.06	.14	10
11	.	.07	.	.01	.	.	.	.14	.	.	.17	.16	11
12	.	.06	.	.	.01	.	.	1.13	.	.	.15	.18	12
13	.	.01	.18	.	.	.	.84	1.73	.	.	.15	.01	13
14	.05	.	.	.	.	.03	.	.42	.	.03	.10	.02	14
15	.03	.04	.15	.	.13	.	.	.04	.	.	.	.	15
16	.16	.	.06	.	.07	.17	.	.	.	.24	.	.15	16
17	.49	.	.35	.	.	.	.03	.14	.	.	.04	.21	17
18	.04	.	.37	.	.	.	.	.59	.	.	.06	.04	18
19	.	.20	.13	.	.	.01	.	.10	.	.11	.03	.	19
20	.	.11	.40	.	.01	.	.07	.09	.	.12	.01	.	20
21	.	.07	.23	.	.	.	.02	.20	.	.79	.01	.	21
22	.12	.30	.70	.	.10	.	.09	.	.	.08	.	.	22
23	.19	.49	.44	.	.	.01	.	.07	.	.14	.	.12	23
24	.09	.39	.	.	.	.	.04	.09	.	.60	.05	.16	24
25	.02	.	.	.	.	.27	.02	.24	.	.43		.40	25
26	.47	.03	.	.	.	.	.74	.34	.	.30	.23	.30	26
27	.	.	.	.	.	.	.09	.08	.02	.	.27	.26	27
28	.	.	.02	.	.	.12	.28	.	.03	.73	.11	.09	28
29	.	.11	.	.	.	.	.23	.26	.95	.	.41	.10	29
30	.		.	.	.06	.32	.14	.02	1.50	.25	.62	.05	30
31	.		.08		.05		.24	.		.19		.	31
Total	2.81	2.68	6.02	0.48	0.77	4.97	3.34	7.36	2.79	4.32	2.89	2.82	TOTAL for year
No. of Rain Days.	15	18	22	8	11	16	17	25	8	15	17	20	41.25 192

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 23 JAN 1914

Kept at St Louis' Observatory *in the County of* Jersey *by* Rev. Marc Decherens SJ

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.09	0.48	–	0.12	–	–	–	0.15	–	0.06	0.08	0.07	1
2	–	0.16	0.06	0.02	–	–	–	–	–	0.02	0.21	–	2
3	–	–	–	0.02	0.19	–	0.03	–	–	–	0.07	0.09	3
4	0.20	0.01	0.01	0.02	0.35	0.05	–	–	0.06	0.10	0.08	0.14	4
5	0.01	–	0.03	0.01	0.07	0.09	–	–	–	0.02	0.04	0.46	5
6	0.01	–	0.13	0.02	0.02	0.07	0.15	–	–	0.58	0.84	0.87	6
7	–	0.23	0.60	0.02	–	0.05	0.04	–	–	0.08	0.33	0.15	7
8	0.06	–	0.02	–	0.19	0.06	0.11	–	–	0.02	0.18	–	8
9	–	–	–	–	0.09	–	0.21	0.07	–	–	0.05	0.02	9
10	0.01	–	–	–	0.02	0.01	–	–	0.05	–	0.59	–	10
11	0.56	–	–	0.02	0.02	–	–	0.01	–	0.33	0.25	–	11
12	0.18	–	–	–	0.30	0.08	–	–	–	–	0.14	0.09	12
13	0.17	–	–	–	0.24	–	–	0.09	0.07	–	0.17	–	13
14	–	–	0.05	–	0.19	–	–	–	0.15	–	0.22	–	14
15	0.26	0.02	0.05	0.01	0.18	–	–	–	0.39	0.03	0.29	–	15
16	0.58	–	0.16	0.36	–	–	–	–	0.11	–	0.13	0.02	16
17	0.07	0.02	0.39	0.20	–	0.09	0.01	–	0.05	–	0.01	–	17
18	0.46	0.02	–	0.30	–	–	0.03	–	–	–	0.08	–	18
19	0.08	0.08	0.02	0.06	0.03	0.02	–	–	0.10	–	–	–	19
20	0.15	–	0.09	0.09	–	0.14	–	–	0.36	0.51	–	–	20
21	0.02	–	0.11	–	–	–	–	–	–	0.78	0.41	–	21
22	0.07	–	0.09	–	0.02	–	–	–	0.01	–	0.01	–	22
23	0.04	–	0.02	–	0.02	–	–	0.07		–	–	0.20	23
24	0.01	–	–	0.12	–	0.02	–	–		–	–	0.26	24
25	0.05	–	–	0.19	–	–	–	–		0.02	0.05	0.01	25
26	–	0.13	0.01	–	–	–	–	0.01		0.34	0.06	–	26
27	–	–	–	0.01	–	–	–	0.12		–	–	0.28	27
28	0.20	–	0.03	0.17	–	–	–	–		0.35	–	0.35	28
29	0.82	×	0.17	0.07	–	–	–	0.20		0.01	–	0.15	29
30	0.26	×	–	–	–	–	0.39	–	0.03	0.11	–	0.04	30
31	0.14	×	–	×	–	×	–	–	×	0.07	×	0.03	31
Total	4.50	1.15	2.04	1.83	1.93	0.68	0.97	0.72	1.38	3.43	4.29	3.23	YEAR'S TOTAL 26.15
Rain Days.	24	9	18	19	15	11	8	8	11	17	22	17	179

W. 7,500, XI. 12

26.15

cwd from with 28.IV.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

13 JAN 1915

Kept at Observatoire St Louis, Jersey

in the County of Iles de la Manche

by Rev. Marc Dechevrens S.J.

Lat. 49° 11' 32" N. Long. 0h 8m 22s W. G.

Time of Observation minuit

Nearest Railway Station

Diameter of Rain Gauge 20 centim.

Height of top of Gauge above Ground 1m. 75

" " " " Sea Level 56 . 75

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07			.02	.02	.09			.39		1
2				.03			.14	.14			.15	.06	2
3			.13		.20		.01	.11			.02	.06	3
4	.08		.13	.24	.20			.29			.22	.33	4
5	.53		.03	.32			.39	.02	.39		.26	.21	5
6		.05	.08	.04	.15		.18	.27				.37	6
7		.06	.23	.13	.24	.05	.27	.58				.39	7
8	.05	.59		.09	.01	.16	.16	.83	.33			.09	8
9	.04		.33	.02	.02	.14			.38			1.85	9
10	.16	.01	.09		.08	.09			.24			.01	10
11		.38	.09	.07					.33		.26	.24	11
12		.11	.53				.88		.13	.04	.03	.27	12
13	.07	.18	.02						.01	.18	.22	.75	13
14	.01	.19	.09				.01	.20	.06	.18	.13	.07	14
15		.14	.03			.01		.04		.09	.46	.40	15
16		.37	.05			.01		.21	.12		.26	.27	16
17			.01				.02		.81			.01	17
18		.44	.27						.28			.45	18
19		.09	.18				.52		.01	.04	.33	.20	19
20	.05	.26	.17				.01		.01	.04	.09	.01	20
21		.18	.08	.07								.16	21
22		.06	.02	.03	.16	.05	.24			.22	.01	.06	22
23			.50		.05	.19	.01					.10	23
24			.20		.01		.22			.15		.01	24
25			.39		.01		.04			.27	.03		25
26	.20	.04	.71				.15	.31			.09	.53	26
27	.12		.13				.21			.06		.48	27
28					.01					.53	.13	.33	28
29		X	.33							.35		.17	29
30	.09	X		.02						.72	.39	.01	30
31		X		X	.01	X			X	.49	X	.09	31
Total	1.40	3.15	4.89 4.92	1.06	1.15	.72	3.48	2.29	3.10	3.36	3.47	7.98	YEAR'S TOTAL 36.05 36.05
Rain Days.	11	16	26	11	13	9	18	12	13	14	18	29	190

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4389

FORM A. BRITISH RAINFALL. 9 JAN 1916

Kept at the Observatory St Louis

in the Island County of Jersey

by Rev. Marc Decheverens S.J.

Lat. ..... Long. .....

Time of Observation midnight

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.16	0.37	0.03	–	–	–	–	0.05	0.58	–	0.61	0.12	1
2	.29	.29	.01	.01	–	–	–	.09	.51	.63	–	1.03	2
3	.22	–	.08	–	.38	.07	–	.03	.15	–	–	.32	3
4	.11	–	.09	.06	.06	–	–	–	–	–	–	.13	4
5	.07	.12	.01	.53	–	–	–	.38	–	–	.03	.20	5
6	.26	.22	–	.49	–	–	–	.13	–	–	.03	.41	6
7	.39	.28	–	.08	.01	–	–	.01	–	–	–	.32	7
8	.37	.05	.03	–	.20	–	–	–	–	.06	–	–	8
9	.10	.35	–	.14	–	–	–	.04	–	–	.65	.66	9
10	.26	.01	–	.14	–	–	–	–	–	.02	.12	.71	10
11	.21	.41	.11	.02	–	–	–	–	–	.01	.51	.70	11
12	–	.05	–	.24	–	–	.01	–	–	.02	.21	.49	12
13	.04	.53	–	–	.35	–	–	.19	–	–	.26	.02	13
14	.01	.43	–	–	–	–	.65	–	.04	–	.33	.12	14
15	.05	–	–	–	–	–	–	.02	.30	–	.40	.24	15
16	.10	.27	–	–	–	–	.65	–	–	–	.04	–	16
17	.03	.45	–	.01	.20	–	.13	–	–	–	–	.03	17
18	–	.32	–	–	–	–	–	–	–	–	–	.04	18
19	.02	.03	–	–	.11	–	–	–	–	.02	–	.01	19
20	.03	.18	–	.09	.01	–	–	–	–	–	–	–	20
21	.44	–	–	–	–	.06	–	–	–	.13	–	.10	21
22	.34	.09	.02	–	–	.14	.67	–	–	–	–	.17	22
23	.64	.03	.35	.11	–	.01	–	–	.35	.01	–	.63	23
24	–	–	.04	–	–	–	–	–	1.07	.20	–	.25	24
25	–	–	.02	.06	–	.11	.55	–	–	.08	.01	.09	25
26	–	–	–	–	–	.02	.04	–	.20	–	–	.26	26
27	–	.05	–	–	–	–	.06	–	–	–	–	–	27
28	–	.07	–	–	–	.02	–	–	.85	.27	–	–	28
29	–	X	–	.01	–	.01	–	.18	.04	.01	.31	.01	29
30	–	X	.01	–	–	.01	–	–	.29	.02	.03	.02	30
31	.13	X	–	X	–	X	–	–	X	.70	X	.01	31
Total	4.27	4.60	0.80	1.99	1.32	0.45	2.76	1.12	4.38	2.18	3.54	7.09	YEAR'S TOTAL 34.50
Rain Days.	22	21	12	14	8	9	8	10	11	14	14	26	169

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4318

Kept at the Observatory St Louis

in the County of Jersey Jl.

by Rev. M. Dechevrens S.J.

Lat. ..... Long. .....

Time of Observation Minuit

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.012

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03	-	-	-	.13	.02	-	-	-	.02	.32	-	1
2	.31	.05	.33	-	-	-	-	-	-	.01	-	-	2
3	.11	.14	.30	-	-	-	.02	-	-	.15	.48	-	3
4	.04	.22	-	-	-	.10	-	-	.24	.19	.04	.09	4
5	-	-	-	.07	.02	.03	-	-	-	.33	.46	-	5
6	-	-	.15	-	.04	.11	.02	-	-	.08	.20	-	6
7	.07	.10	.01	-	.35	-	.25	-	-	.11	.33	-	7
8	-	.26	-	-	.04	-	-	-	-	.06	.22	.24	8
9	-	.66	-	-	.37	.01	-	-	-	-	.04	.17	9
10	.01	.63	-	-	-	-	.02	-	-	-	.04	-	10
11	-	.28	-	-	.06	-	-	-	.01	.01	.01	.09	11
12	.02	-	.35	.12	.32	-	-	.02	-	-	-	.10	12
13	.04	.12	.09	-	.04	-	.02	-	-	-	-	.20	13
14	-	.04	.02	.08	.10	-	-	.01	-	-	-	.15	14
15	.01	.10	.35	.02	-	-	-	.10	-	.08	-	.17	15
16	-	.12	.02	.15	-	-	.02	-	-	.26	-	.06	16
17	.04	.07	-	.09	.01	-	-	-	-	.48	.72	-	17
18	.19	.28	.03	.17	-	-	-	-	.43	.01	.58	-	18
19	.01	.03	.10	.07	-	-	-	-	.37	.16	.10	.09	19
20	.13	-	-	.01	-	-	-	-	-	-	.34	-	20
21	-	1.30	.02	.09	-	-	-	-	-	-	.56	.48	21
22	.04	.07	.06	.06	-	.01	-	-	-	.08	-	.28	22
23	-	.16	.06	-	-	.17	-	.04	-	-	-	.35	23
24	.01	-	.09	-	-	.04	-	-	-	-	.07	-	24
25	-	.41	.03	-	-	-	-	.15	-	.02	.58	.12	25
26	.03	-	.17	-	-	.03	-	.11	.94	.32	.14	.81	26
27	.04	.48	.24	-	-	.06	-	.38	.96	.48	-	-	27
28	.02	.89	.04	-	-	.01	-	.03	.10	.30	-	.02	28
29	-	.23	.08	-	-	.03	-	.88	.36	.65	-	.22	29
30	-	X	.14	-	-	-	-	.58	-	.30	-	.40	30
31	-	X	-	X	-	X	-	-	X	.02	X	.04	31
Total	1.15	6.64	2.68	0.93	1.48	0.62	0.35	2.30	3.41	4.12	5.28	4.08	YEAR'S TOTAL 33.04
Rain Days.	18	22	21	11	11	12	6	10	8	22	18	19	178

W. 8,000, VIII. 16

Observatoire St Louis

Jersey 12 Xbre 1916

4318

Monsieur le Directeur B.R.O

J'ai l'honneur de vous accuser réception de la Table générale des Pluies dans le Royaume-Uni pour 1915 et je vous en remercie.

Je remarque que mes observations de pluie à St Louis sont accompagnées de la lettre R qui signifierait que nous nous contentons de relever les hauteurs de pluie sur un enregistreur. C'est inexact. J'ai toujours et personnellement fait la lecture du pluviomètre complateur Crosley, non enregistreur à toutes les heures où je vais observer à la cabane la température et l'humidité de l'air, équivalemment à toutes les heures du jour entre 4h m. et 9h s. et je ne me suis jamais servi du pluviomètre enregistreur que pour répartir équitablement entre 9h. et min. et 4h s. le total de pluie recueilli pendant la nuit par le pluviom. à lecture directe. Bien entendu que après chaque relevé de la hauteur d'eau tombée, je ne vide pas à nouveau le pluviomètre; vous le connaissez bien il peut recueillir 45 mm de pluie ou près de 2 inch. et l'évaporation y est presque nulle. De ce côté-là il a un avantage que je juge considérable sur les pluviom. dont il faut vider le contenu dans une éprouvette graduée à chaque relevé.

Excusez mon insistance et croyez, Monsieur le Directeur, à mes meilleurs sentiments

Mar Decheverens S.J.

POST CARD



Mr. Hugh Robert Mill

62 Camden Square

London N.W.

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

Kept at the Observatory St Louis

in the ~~County~~ Island of Jersey

by Rev. M. Decharneux S.J.

Lat. ____ Long. ____

Time of Observation Midnight

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.14 snow

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	–	–	.13	–	.11	–	.28	–	–	.14	.01	1
2	–	–	.06	.26	–	.02	.12	.43	–	–	.02	–	2
3	.02	–	–	.02	–	–	–	.09	–	–	.17	–	3
4	–	–	.27	.02	–	–	–	–	–	.28	.45	–	4
5	.01	.07	.01	–	–	.53	–	–	.11	.01	–	–	5
6	.02	–	–	.01	.01	–	–	–	–	.26	.09	–	6
7	.69	–	–	–	.02	–	.09	–	.15	.08	.11	.15	7
8	.05	–	.01	–	–	–	–	.61	–	.12	.13	.04	8
9	.12	–	.14	.03	–	–	.04	–	–	.17	.16	.52	9
10	–	–	.02	.06	–	–	.25	–	–	.39	.07	.22	10
11	.18	–	.06	.19	–	–	–	.45	–	.20	–	–	11
12	.19	–	–	–	.27	–	–	.28	–	.76	.02	–	12
13	.28	–	.18	–	.64	–	–	.26	–	.35	–	–	13
14	.22	–	.09	.28	–	–	–	.15	.21	.56	.03	–	14
15	.01	–	–	–	–	–	–	.11	.07	.25	–	–	15
16	–	.13	–	.06	–	–	.22	–	–	.25	–	.46	16
17	.04	–	–	–	–	–	.03	–	–	.30	–	.55	17
18	–	.04	–	.22	.18	–	.19	.01	–	.13	–	–	18
19	.01	.04	.11	–	–	–	.04	–	.13	–	–	–	19
20	–	.32	.04	–	.25	.03	–	–	.08	–	.01	–	20
21	.02	.09	.05	–	.02	.27	–	–	–	–	.01	–	21
22	–	–	.56	–	–	.46	–	–	–	.02	.01	–	22
23	.04	.04	.01	–	.04	–	–	.16	–	.31	.02	–	23
24	–	.54	–	–	–	–	–	.01	–	.20	.06	.02	24
25	–	.02	–	–	–	.09	.01	–	–	.13	.06	–	25
26	–	–	.10	–	–	.02	.01	.40	.11	.44	.17	–	26
27	–	–	–	–	.22	–	–	1.22	–	.20	.02	–	27
28	–	–	.04	–	.29	.02	–	.16	–	.14	.01	.07	28
29	–	X	.38	–	.30	–	.02	.21	–	.13	–	–	29
30	–	X	.20	–	–	–	.13	.07	–	.47	–	–	30
31	.01	X	.09	X	–	X	.71	.03	X	.24	X	–	31
Total	1.93	1.33	2.42	1.28	2.24	1.55	1.86	4.93	0.86	6.39	1.76	2.04	YEAR'S TOTAL 28.59
Rain Days.	17	9	19	11	11	9	13	18	7	25	20	9	168

On 7 days more the rainfall was 0,1 millim.

W. 8 000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at the St Louis Observatory

in the County of Jersey

by the Rev. Marc Dechevrens S.J.

Lat. _____ Long. _____

Time of Observation Midnight 9. 1. 18

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12	.	.04	.	.02	.	.	.66	.	.	.03	.13	1
2	.02	.02	.17	.09	.	.	.	.	.	.	.	.03	2
3	.	.	.44	.07	.12	.	.	.03	.	.	.47	.12	3
4	.	.06	.	.	.	.	.	.	.01	.01	.	.02	4
5	.	.15	.56	.01	.40	.	.	.28	.01	.	.54	.01	5
6	.05	.	.01	.11	-	-	.	.13	.10	.03	.	.02	6
7	.23	.04	.	.04	.21	.	.	.	.19	.09	.	.	7
8	.01	.11	.	-	.	.	.	.02	.11	.31	.09	.02	8
9	.04	.	.	.	.	.	.01	.	.38	.28	.	.13	9
10	.17	.	.	.	-	.09	.12	.	.11	.	.	.13	10
11	.06	.	.	.09	.	-	.	.	.36	.19	.	.25	11
12	.12	.03	.	.	.	-	.12	.	.11	.19	.20	.17	12
13	.	.03	.	.	.61	.	.	.	.06	.	.	.01	13
14	.	.	.	.	-	.04	.87	.	.06	.27	.	.	14
15	.41	.	.	.	.	.	.05	.	.	.14	.	.06	15
16	.07	.	.	.03	.	.09	.07	.	.05	.28	.	.07	16
17	.05	.	.05	.	.	.	.45	.	.	.41	.	.28	17
18	.01	.	.	.06	.	.16	.01	.03	.49	.	.	.10	18
19	.	.	.30	.	.	.08	.02	.05	.03	.02	.01	.08	19
20	.	.06	.	.27	-	.01	.72	.01	.11	.13	.	.01	20
21	.03	.	.	.50	.	.07	.	.	.04	.26	.	.37	21
22	.22	.	.	.20	.12	.	.09	.	.69	.	.	.45	22
23	.	.	.	.	-	.	.13	.02	.11	.	.02	.17	23
24	-	.	.	.	.	.10	-	.	.11	.	.23	.08	24
25	-	.15	.	-	.	.	.	.35	.13	.01	.20	.25	25
26	-	.	.	.	.	.	.06	.02	.02	.07	.24	.	26
27	.	.13	.	.	.	.	.	.	.02	.09	.34	.43	27
28	.	.30	.31	.13	.	.	.	.	.15	.	.42	.01	28
29	.	X	.08	.68	.	.	.	.	.36	.	.30	.12	29
30	.	X	.33	-	.	.	.	.01	.12	.06	.	.09	30
31	.	X	.	X	.	X	.	.01	X	.07	X	.02	31
Total	1.41	1.08	2.29	2.28	1.48	0.64	2.72	1.62	3.93	2.91	3.09	3,63	YEAR'S TOTAL 27.08
Rain Days.	15	11	10	13	6	8	13	13	25	19	13	28	174

W. 6,500, VII. 18. w w c

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Observatoire St Louis
in the ~~County~~ Island of Jersey
by Mr. Dechevrens S.J.

Lat. ..... Long. .....
Time of Observation .....
Nearest Railway Station .....
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Jersey – Observatoire St Louis (R. Dechevrens S.J.)
Quantités de Pluie, en millimètres, tombées en 1920
La journée commence à minuit.

Date	J	F	M	A	M	J	J	A	S	O	N	D	Date
1	8.2	.	.	4.0	2.9	.	3.1	.	.	9.2	12.9	0.8	1
2	.	.	0.2	2.8	4.2	.	5.6	0.1	0.5	2.4	.	3.7	2
3	2.0	.	.	4.4	0.7	.	2.2	3.5	4.2	0.3	.	6.0	3
4	1.1	.	.	4.9	.	.	0.2	.	0.2	2.0	.	.	4
5	.	.	0.4	.	.	.	.	10.2	.	.	.	1.4	5
6	.	.	2.2	.	.	.	4.5	.	.	1.0	.	0.7	6
7	.	.	4.3	1.4	.	.	4.7	.	.	.	.	0.5	7
8	2.2	0.4	0.3	0.2	.	.	5.5	.	.	.	1.0	.	8
9	4.5	.	.	0.9	.	4.9	.	.	.	.	.	0.9	9
10	2.2	2.5	0.7	5.6	.	3.0	0.1	.	.	.	.	.	10
11	8.6	0.5	1.5	9.2	0.2	4.1	8.6	.	.	.	0.6	0.7	11
12	1.9	0.3	2.6	0.9	0.8	12.7	3.6	.	.	.	.	18.0	12
13	24.1	0.8	3.4	1.4	.	.	.	.	.	.	4.7	2.0	13
14	.	0.2	6.0	6.3	.	.	.	.	.	1.2	2.5	1.3	14
15	.	.	0.6	0.1	5.4	0.4	.	.	5.5	.	2.5	.	15
16	.	.	0.2	2.0	.	3.0	.	.	21.0	.	0.8	0.3	16
17	0.3	.	0.3	10.0	0.3	.	3.0	.	1.3	4.8	.	0.7	17
18	2.3	.	0.1	3.1	2.9	12.2	.	7.4	4.2	.	.	0.4	18
19	3.0	.	.	6.3	.	.	.	.	4.0	.	.	3.2	19
20	6.2	.	.	1.4	.	16.1	.	.	13.8	.	.	.	20
21	0.3	.	.	0.9	.	.	.	.	7.5	6.3	.	9.0	21
22	.	.	.	2.3	.	.	0.2	.	6.2	1.7	.	11.0	22
23	.	.	.	.	.	.	2.6	.	.	.	.	2.0	23
24	0.6	.	0.6	.	.	.	9.2	.	0.6	.	.	1.8	24
25	.	0.2	0.7	0.2	11.3	.	3.8	.	1.2	.	.	.	25
26	4.7	.	4.5	0.1	.	.	0.1	.	.	.	.	.	26
27	7.4	1.3	2.1	1.1	.	.	0.8	.	.	.	1.4	4.9	27
28	9.8	1.0	.	1.9	13.4	.	2.2	.	.	.	8.3	2.3	28
29	5.0	0.8	9.2	0.1	1.1	0.3	.	.	.	.	3.2	6.8	29
30	1.1	—	.	.	0.5	0.5	3.4	.	9.2	.	3.5	9.1	30
31	3.1	—	2.1	—	.	—	4.2	.	—	2.6	—	4.3	31
Total	91.6	8.0	42.0	71.9	43.7	57.2	67.6	21.2	79.4	31.5	48.4	91.5	

Total en 1920 = 647.0 mm en 181 jours
174

Jan. 9h mil 5 JAN 1921

TOTAL	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
Days with .01 in. or more	21	10	19	22	12	10	18	3	14	10	11	24	174
Days with .04 in. or more	18	3	10	17	7	7	15	3	11	9	9	16	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. 3836

REGISTER OF RAINFALL IN 1920.

Kept at St. Louis Obs., Jersey (MA)

in the ~~County of~~ C. I.

by Rev. M. Decheverens, S. J.

Lat. 49° 12' N Long. 2° 6' W

Time of Observation 08 - 24 h.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 177 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.2	-	-	4.0	2.9	-	3.1	-	-	9.2	12.9	0.8	1
2	-	-	0.2	2.8	4.2	-	5.6	0.1	0.5	2.4	-	3.7	2
3	2.0	-	-	4.4	0.7	-	2.2	3.5	4.2	0.3	-	6.0	3
4	1.1	-	-	4.9	-	-	0.2	-	0.2	2.0	-	-	4
5	-	-	0.4	-	-	-	-	10.2	-	-	-	1.4	5
6	-	-	2.2	-	-	-	4.5	-	-	1.0	-	0.7	6
7	-	-	4.3	1.8	-	-	4.7	-	-	-	-	0.5	7
8	2.2	0.4	0.3	0.2	-	-	5.5	-	-	-	1.0	-	8
9	4.5	-	-	0.9	-	4.9	-	-	-	-	-	0.9	9
10	2.2	2.5	0.7	5.6	-	3.0	0.1	-	-	-	-	-	10
11	8.6	0.5	1.5	9.2	0.2	4.1	8.6	-	-	-	0.6	0.7	11
12	1.9	0.3	2.6	0.9	0.8	12.7	3.6	-	-	-	-	18.0	12
13	24.1	0.8	3.4	1.4	-	-	-	-	-	-	4.7	2.0	13
14	-	0.2	6.0	6.3	-	-	-	-	-	1.2	2.5	1.3	14
15	-	-	0.6	0.1	5.4	0.4	-	-	5.5	-	2.5	-	15
16	-	-	0.2	2.0	-	3.0	-	-	21.0	-	0.8	0.3	16
17	0.3	-	0.3	10.0	0.3	-	3.0	-	1.3	4.8	-	0.7	17
18	2.3	-	0.1	3.1	2.9	12.2	-	7.4	4.2	-	-	0.8	18
19	3.0	-	-	6.3	-	-	-	-	4.0	-	-	3.2	19
20	6.2	-	-	1.4	-	16.1	-	-	13.8	-	-	-	20
21	0.3	-	-	0.9	-	-	-	-	7.5	6.3	-	9.0	21
22	-	-	-	2.3	-	-	0.2	-	6.2	1.7	-	11.0	22
23	-	-	-	-	-	-	2.6	-	-	-	-	2.0	23
24	0.6	-	0.6	-	-	-	9.2	-	0.6	-	-	1.8	24
25	-	0.2	0.7	0.2	11.3	-	3.8	-	1.2	-	-	-	25
26	4.7	-	4.5	0.1	-	-	0.1	-	-	-	-	-	26
27	7.4	1.3	2.1	1.1	-	-	0.8	-	-	-	1.4	4.9	27
28	2.8	1.0	-	1.9	13.4	-	2.2	-	-	-	8.3	2.3	28
29	5.0	0.8	9.2	0.1	1.1	0.3	-	-	-	-	3.2	6.1	29
30	1.1	X	-	-	0.5	0.5	3.4	-	9.2	-	3.5	9.1	30
31	3.1	X	2.1	X	-	X	4.2	-	X	2.6	X	4.3	31
TOTAL	91.6	8.0	42.0	71.9	43.7	57.2	67.6	21.2	79.4	31.5	41.4	91.5	YEAR'S TOTAL 647.0
Days with 0.2 mm. or more	21 ✓	10 ✓	19 ✓	22 ✓	12 ✓	10 ✓	18 ✓	3 ✓	14 ✓	10 ✓	11 ✓	24 ✓	174 ✓
Days with 1.0 mm. or more	18 ✓	3 ✓	10 ✓	17 ✓	7 ✓	7 ✓	15 ✓	3	11 ✓	9 ✓	9 ✓	16 ✓	125 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from MS. returns

FORM A.
BRITISH RAINFALL.

REGI

ST LAWRENCE
&
FONTENELLE
JERSEY
1918 - 1919

Kept at Fontenelle

in the County of S.

by P. A. Gore.

(stone)
a.m. (S.T.)

Gauge 8 in.
Ground 1 ft. — in.
Sea Level 200 ft.

IMPORTANT NOT… the result entered to the previous day. If an Ob… conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.02	0.01	—	—	—	—	0.70	—	0.03	0.02	0.17	1
2	—	—	0.49	0.18	—	—	—	0.04	—	—	0.40	0.09	2
3	—	0.04	0.15	0.17	0.11	—	—	—	—	0.04	0.05	0.15	3
4	—	0.01	0.45	0.01	0.06	—	—	0.04	0.03	—	0.62	—	4
5	—	0.11	0.15	—	0.32	—	—	0.21	0.12	0.03	0.06	0.01	5
6	0.11	0.07	0.01	0.14	—	—	—	0.14	0.09	0.02	—	0.03	6
7	0.18	0.14	—	—	0.22	—	—	0.03	0.14	0.20	0.22	0.03	7
8	0.06	0.02	—	0.01	0.01	—	—	—	0.20	0.25	0.12	—	8
9	0.04	—	—	0.01	—	0.07	0.06	—	0.55	0.45	0.01	0.30	9
10	0.19	—	—	—	—	—	0.13	—	0.42	0.04	—	0.15	10
11	0.07	0.01	—	0.11	—	—	0.21	—	0.06	0.15	—	0.19	11
12	0.09	0.05	—	—	0.43	—	—	—	0.04	0.08	—	0.24	12
13	—	0.05	—	—	0.19	0.01	0.52	—	—	0.01	—	0.01	13
14	0.07	—	—	—	0.01	0.05	0.48	—	0.07	0.38	—	—	14
15	0.55	—	—	—	—	0.01	0.04	—	—	0.50	—	0.15	15
16	0.05	—	—	0.01	—	—	0.05	—	0.06	0.58	—	0.26	16
17	0.01	—	0.03	0.01	—	—	0.18	0.04	0.01	0.25	—	0.19	17
18	—	—	0.01	0.03	—	0.18	0.02	—	0.51	0.01	0.01	0.09	18
19	—	0.01	0.33	0.10	—	—	0.07	0.08	0.03	0.02	—	0.11	19
20	—	0.08	0.01	0.52	—	0.03	0.36	0.01	0.39	0.57	—	0.01	20
21	0.04	—	0.01	0.25	—	0.06	0.01	—	0.49	0.09	—	0.51	21
22	0.01	0.01	—	0.01	0.10	—	0.22	—	0.27	—	0.01	0.49	22
23	0.01	—	—	—	—	—	0.04	0.02	0.17	0.01	0.02	0.20	23
24	—	0.08	—	—	—	0.14	—	—	0.27	—	0.34	0.24	24
25	0.01	—	—	—	—	—	—	0.40	—	0.04	0.28	0.03	25
26	0.01	0.06	—	—	—	—	0.04	0.02	0.07	0.05	0.33	0.44	26
27	—	0.20	—	—	—	—	—	0.04	0.12	0.09	0.41	0.16	27
28	—	0.29	0.44	0.49	—	—	—	—	0.07	0.01	0.17	0.04	28
29	0.01		0.23	0.15	—	—	—	—	0.34	—	0.30	0.15	29
30	—	X	0.26	0.01	—	—	—	0.04	0.26	0.13	0.05	0.16	30
31	—	X	—	X	—	X	0.03	0.02	X	0.03	X	—	31
Total	1.52	1.25	2.58	2.21	1.45	0.55	2.46	1.83	4.78	4.06	3.42	4.64	YEAR'S TOTAL 30.75
Rain Days.	18	17	14	17	9	8	16	15	24	26	18	27	209

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Fontenelle

in the County of St Lawrence : Jersey C.I.

by P. A. Gore.

Lat. 49.11 Long. 2.7 (altons)

Time of Observation 9 a.m. (S.T.)

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.02	0.01	—	—	—	—	0.70	—	0.03	0.02	0.17	1
2	—	—	0.49	0.18	—	—	—	0.04	—	—	0.40	0.09	2
3	—	0.04	0.15	0.17	0.11	—	—	—	—	0.04	0.05	0.15	3
4	—	0.01	0.45	0.01	0.06	—	—	0.04	0.03	—	0.62	—	4
5	—	0.11	0.15	—	0.32	—	—	0.21	0.12	0.03	0.06	0.01	5
6	0.11	0.07	0.01	0.14	—	—	—	0.14	0.09	0.02	—	0.03	6
7	0.18	0.14	—	—	0.22	—	—	0.03	0.14	0.20	0.22	0.03	7
8	0.06	0.02	—	0.01	0.01	—	—	—	0.20	0.25	0.12	—	8
9	0.04	—	—	0.01	—	0.07	0.06	—	0.55	0.45	0.01	0.30	9
10	0.19	—	—	—	—	—	0.13	—	0.42	0.04	—	0.15	10
11	0.07	0.01	—	0.11	—	—	0.21	—	0.06	0.15	—	0.19	11
12	0.09	0.05	—	—	0.43	—	—	—	0.04	0.08	—	0.24	12
13	—	0.05	—	—	0.19	0.01	0.52	—	—	0.01	—	0.01	13
14	0.07	—	—	—	0.01	0.05	0.48	—	0.07	0.38	—	—	14
15	0.55	—	—	—	—	0.01	0.04	—	—	0.50	—	0.15	15
16	0.05	—	—	0.01	—	—	0.05	—	0.06	0.58	—	0.26	16
17	0.01	—	0.03	0.01	—	—	0.18	0.04	0.01	0.25	—	0.19	17
18	—	—	0.01	0.03	—	0.18	0.02	—	0.51	0.01	0.01	0.09	18
19	—	0.01	0.33	0.10	—	—	0.07	0.08	0.03	0.02	—	0.11	19
20	—	0.08	0.01	0.52	—	0.03	0.36	0.01	0.39	0.57	—	0.01	20
21	0.04	—	0.01	0.25	—	0.06	0.01	—	0.49	0.09	—	0.51	21
22	0.01	0.01	—	0.01	0.10	—	0.22	—	0.27	—	0.01	0.49	22
23	0.01	—	—	—	—	—	0.04	0.02	0.17	0.01	0.02	0.24	23
24	—	0.08	—	—	—	0.14	—	—	0.27	—	0.34	0.24	24
25	0.01	—	—	—	—	—	—	0.40	—	0.04	0.28	0.03	25
26	0.01	0.06	—	—	—	—	0.04	0.02	0.07	0.05	0.33	0.44	26
27	—	0.20	—	—	—	—	—	0.04	0.12	0.09	0.41	0.16	27
28	—	0.29	0.44	0.49	—	—	—	—	0.07	0.01	0.17	0.04	28
29	0.01		0.23	0.15	—	—	—	—	0.34	—	0.30	0.15	29
30	—	X	0.26	0.01	—	—	—	0.04	0.26	0.13	0.05	0.16	30
31	—	X	—	X	—	X	0.03	0.02	X	0.03	X	—	31
Total	1.52	1.25	2.58	2.21	1.45	0.55	2.46	1.83	4.78	4.06	3.42	4.64	YEAR'S TOTAL 30.75
Rain Days.	18	17	14	17	9	8	16	15	24	26	18	27	209

W. 8 000, IX. 17.

Swadlincote

Co. for auth.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 15.1.19

Kept at "Fontenelle"

in the ~~County~~ Parish *of* St Laurence Jersey

by Mr. P. A. Gore

Lat. 49:12:14 N Long. 2:8:3 W

Time of Observation 9 a.m

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~2~~ 4 ft. 4 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	0.02	0.01	—	—	—	—	0.70	—	0.03	0.02	0.17	1
2	—	—	0.49	0.18	—	—	—	0.04	—	—	0.40	0.09	2
3	—	0.04	0.15	0.17	0.11	—	—	—	—	0.04	0.05	0.15	3
4	—	0.01	0.45	0.01	0.06	—	—	0.04	0.03	—	0.62	—	4
5	—	0.11	0.15	—	0.32	—	—	0.21	0.12	0.03	0.06	0.01	5
6	0.11	0.07	0.01	0.14	—	—	—	0.14	0.09	0.02	—	0.03	6
7	0.18	0.14	—	—	0.22	—	—	0.03	0.14	0.20	0.22	0.03	7
8	0.06	0.02	—	0.01	0.01	—	—	—	0.20	0.25	0.12	—	8
9	0.04	—	—	0.01	—	0.07	0.06	—	0.55	0.40	0.01	0.30	9
10	0.19	—	—	—	—	—	0.13	—	0.42	0.04	—	0.15	10
11	0.07	0.01	—	0.11	—	—	0.21	—	0.06	0.15	—	0.19	11
12	0.09	0.05	—	—	0.43	—	—	—	0.04	0.08	—	0.24	12
13	—	0.05	—	—	0.19	0.01	0.52	—	—	0.01	—	0.01	13
14	0.07	—	—	—	0.01	0.05	0.48	—	0.07	0.38	—	—	14
15	0.55	—	—	—	—	0.01	0.04	—	—	0.60	—	0.15	15
16	0.05	—	—	0.01	—	—	0.05	—	0.06	0.68	—	0.26	16
17	0.01	—	0.03	0.01	—	—	0.18	0.04	0.01	0.25	—	0.19	17
18	—	—	0.01	0.03	—	0.18	0.02	—	0.51	0.01	0.01	0.09	18
19	—	0.01	0.33	0.10	—	—	0.07	0.08	0.03	0.02	—	0.11	19
20	—	0.08	0.01	0.52	—	0.03	0.36	0.01	0.39	0.67	—	0.01	20
21	0.04	—	0.01	0.25	—	0.06	0.01	—	0.49	0.09	—	0.51	21
22	0.01	0.01	—	0.01	0.10	—	0.22	—	0.27	—	0.01	0.49	22
23	0.01	—	—	—	—	—	0.04	0.02	0.17	0.01	0.02	0.24	23
24	—	0.08	—	—	—	0.14	—	—	0.27	—	0.34	0.24	24
25	0.01	—	—	—	—	—	—	0.40	—	0.04	0.28	0.03	25
26	0.01	0.06	—	—	—	—	0.04	0.02	0.07	0.05	0.33	0.44	26
27	—	0.20	—	—	—	—	—	0.04	0.12	0.09	0.41	0.16	27
28	—	0.29	0.44	0.49	—	—	—	—	0.07	0.01	0.17	0.04	28
29	0.01	X	0.23	0.15	—	—	—	—	0.34	—	0.30	0.15	29
30	—	X	0.26	0.01	—	—	—	0.04	0.26	0.13	0.06	0.16	30
31	—	X	—	X	—	X	0.03	0.02	X	0.03	X	—	31
Total	1.52	1.25	2.58	2.21	1.45	0.56	2.46	1.83	4.78	4.06	3.42	4.64	YEAR'S TOTAL 30.75
Rain Days.	18	17	14	17	9	8	16	15	24	26	18	27	209

W. 8,000, VIII. 16

55

30.75

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL

Kept at Fontenelle, St Lawrence

in the County of Jersey. C.I.

by P. A. Gow

Lat. ____ Long. ____

Time of Observation 9 a.m.

Nearest Railway Station Millbrook - St Lawrence

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.46	0.04	0.04	—	0.06	—	0.34	—	—	0.09	0.08	0.18	1
2	0.23	0.03	0.03	—	0.04	—	0.01	—	0.49	0.12	0.07	0.19	2
3	0.45	0.14	0.68	—	0.21	—	0.55	—	0.73	—	0.07	0.13	3
4	0.32	0.44	0.13	—	0.01	—	0.25	0.65	0.08	—	0.18	0.02	4
5	0.33	0.46	0.38	—	—	—	0.01	—	—	—	0.16	0.24	5
6	0.02	0.89	0.01	—	—	—	—	—	—	—	0.04	0.28	6
7	0.08	—	0.43	0.02	0.01	—	0.43	—	—	—	0.23	0.10	7
8	0.25	—	0.24	0.05	—	—	—	—	0.01	—	0.36	—	8
9	0.16	—	0.06	0.23	0.12	—	—	—	—	—	0.18	—	9
10	0.01	—	0.01	0.18	0.05	—	—	—	—	0.08	0.31	0.08	10
11	—	—	0.08	0.21	0.14	—	—	—	—	—	0.18	—	11
12	0.60	—	0.06	0.07	—	—	0.03	—	—	0.21	0.39	—	12
13	0.01	0.10	0.28	0.27	—	—	—	—	—	0.13	—	0.02	13
14	0.09	0.23	—	0.26	0.19	—	0.04	—	—	0.23	—	0.12	14
15	0.36	0.53	—	0.14	—	—	—	—	—	0.11	0.01	0.56	15
16	0.46	0.41	—	—	—	—	—	0.01	—	—	0.39	—	16
17	0.14	0.16	—	—	—	—	—	—	—	—	0.26	0.02	17
18	—	0.45	0.43	—	—	—	0.02	—	—	—	0.18	—	18
19	0.41	0.22	0.59	—	—	—	0.18	—	—	—	0.10	0.03	19
20	0.58	0.02	0.01	—	—	0.11	—	0.37	0.01	—	0.30	0.05	20
21	0.58	0.44	0.08	—	—	—	0.04	—	0.49	—	0.17	0.13	21
22	—	0.06	—	—	—	0.01	0.07	—	0.06	—	0.05	0.19	22
23	—	0.11	1.13	—	—	—	—	0.09	0.05	0.11	0.17	0.35	23
24	—	0.08	—	—	—	0.34	—	—	—	0.05	0.40	0.09	24
25	0.11	0.23	—	—	—	0.09	0.02	0.16	—	—	0.23	0.19	25
26	0.22	0.28	0.02	0.08	—	—	—	0.01	0.02	0.03	0.14	0.40	26
27	0.48	0.06	0.04	0.23	—	—	—	0.33	0.09	0.01	0.01	0.45	27
28	0.14	—	0.53	—	—	—	—	0.49	—	0.08	0.24	0.55	28
29	0.01	X	0.06	—	—	—	—	0.25	—	0.12	0.02	0.18	29
30	—	X	0.04	0.20	0.19	0.23	—	0.37	—	0.12	0.48	0.25	30
31	0.02	X	0.03	X	—	X	—	0.01	X	0.09	X	0.25	31
Total	6.52	5.38	5.39	1.94	1.02	0.78	1.99	2.75	2.03	1.58	5.40	5.05	YEAR'S TOTAL 39.83
Rain Days.	25	21	24	12	10	5	13	11	10	15	28	25	199

W. 8,000, IX. 17.

Gor. Hbr

3947

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

22 JAN 20

Kept at St. Laurence

~~in the County of~~ Jersey

by Percy Gne.

Lat. 49° 12¼' 14" N Long. 2° 8½' 3" W

Time of Observation 9 a.m.

Nearest Railway Station Millbrook

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.46	0.04	0.04	-	0.06	-	0.34	-	-	0.09	0.08	0.18	1
2	0.23	0.03	0.03	-	0.04	-	0.01	-	0.49	0.12	0.07	0.19	2
3	0.45	0.14	0.68	-	0.21	-	0.55	-	0.73	-	0.07	0.13	3
4	0.32	0.44	0.13	-	0.01	-	0.25	0.65	0.08	-	0.18	0.02	4
5	0.33	0.46	0.38	-	-	-	0.01	-	-	-	0.16	0.24	5
6	0.02	0.89	0.01	-	-	-	-	-	-	-	0.04	0.28	6
7	0.08	-	0.43	0.09	0.01	-	0.43	-	-	-	0.23	0.10	7
8	0.25	-	0.24	0.05	-	-	-	-	0.01	-	0.36	-	8
9	0.16	-	0.06	0.23	0.12	-	-	-	-	-	0.18	-	9
10	0.01	-	0.01	0.18	0.05	-	-	-	-	0.08	0.31	0.08	10
11	-	-	0.08	0.21	0.14	-	-	-	-	-	0.18	-	11
12	0.60	-	0.06	0.07	-	-	0.03	-	-	0.21	0.39	-	12
13	0.01	0.10	0.28	0.27	-	-	-	-	-	0.13	-	0.02	13
14	0.09	0.23	-	0.26	0.19	-	0.04	-	-	0.23	-	0.12	14
15	0.36	0.53	-	0.14	-	-	-	-	-	0.11	0.01	0.56	15
16	0.46	0.41	-	-	-	-	-	0.01	-	-	0.39	-	16
17	0.14	0.16	-	-	-	-	-	-	-	-	0.26	0.02	17
18	-	0.45	0.43	-	-	-	0.02	-	-	-	0.18	-	18
19	0.41	0.22	0.59	-	-	-	0.18	-	-	-	0.10	0.03	19
20	0.68	0.02	0.01	-	-	0.11	-	0.37	0.01	-	0.30	0.05	20
21	0.68	0.44	0.08	-	-	-	0.04	-	0.49	-	0.17	0.13	21
22	-	0.06	1.13	-	-	0.01	0.07	-	0.06	-	0.05	0.19	22
23	-	0.11	1.13	-	-	-	-	0.09	0.05	0.11	0.17	0.35	23
24	-	0.08	-	-	-	0.34	-	-	-	0.05	0.40	0.09	24
25	0.11	0.23	-	-	-	0.09	0.02	0.16	-	-	0.23	0.19	25
26	0.22	0.28	0.02	0.08	-	-	-	0.02	0.02	0.03	0.14	0.40	26
27	0.48	0.06	0.04	0.23	-	-	-	0.33	0.09	0.01	0.01	0.45	27
28	0.14	-	0.53	-	-	-	-	0.49	-	0.08	0.24	0.55	28
29	0.01		0.06	-	-	-	-	0.25	-	0.12	0.02	0.18	29
30	-		0.04	0.20	0.19	0.23	-	0.37	-	0.12	0.48	0.25	30
31	0.02		0.03		-		-	0.01		0.09		0.35	31
TOTAL	6.52	5.38	5.39	1.94	1.02	0.78	1.99	2.75	2.08	1.58	5.40	5.05	YEAR'S TOTAL 39.83
Days with .01 in. or more	25	21	24	12	10	5	13	11	16	15	28	25	199

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REG

ST MARTIN
←
JERSEY
1918, 1920

FORM A.
BRITISH RAINFALL
15.1.18

Kept at St Martins

~~in the County of~~ Jersey

~~by~~ Rev Sumner Taylor

Gauge ..... in.

Ground ..... ft. ..... in.

Sea Level ..... ft.

IMPORTANT NOT ... the result entered to the previous day. If an Observer prefers not to conform to ... ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.01	—	—	0.01	—	—	0.60	—	—	—	0.02	1
2	—	—	0.18	0.18	—	—	—	0.05	0.03	—	0.43	0.11	2
3	—	0.04	0.08	0.16	0.14	—	—	—	—	0.03	0.06	0.10	3
4	—	0.01	0.20	—	0.10	—	—	0.15	0.05	—	0.56	—	4
5	—	0.13	0.12	—	0.09	—	—	0.21	0.13	0.03	0.04	0.01	5
6	0.13	0.09	—	0.11	—	—	—	0.05	0.12	0.03	—	0.03	6
7	0.22	0.18	—	0.02	0.13	—	—	0.01	0.20	0.30	0.26	0.03	7
8	0.04	—	—	—	0.01	—	—	—	0.11	0.13	0.06	—	8
9	0.05	—	—	0.02	—	0.04	0.04	—	0.40	0.34	—	0.36	9
10	0.17	—	—	—	—	—	0.12	—	0.56	0.04	—	0.23	10
11	0.02	—	—	0.07	—	—	0.25	—	0.03	0.21	—	0.07	11
12	0.10	—	—	—	0.56	—	—	—	—	0.19	—	0.10	12
13	—	0.08	—	—	0.12	—	0.53	—	—	0.01	—	0.01	13
14	0.12	—	0.02	—	—	0.03	0.28	—	0.07	0.49	—	—	14
15	0.56	—	—	—	—	0.01	0.05	—	—	0.18	—	0.14	15
16	0.07	—	0.01	0.03	—	—	0.06	—	0.06	0.34	—	0.19	16
17	—	—	0.02	—	—	—	0.35	0.01	0.01	0.42	—	0.09	17
18	0.03	—	0.01	0.03	—	0.23	0.02	—	0.56	—	0.02	0.10	18
19	0.01	—	0.33	0.04	—	—	0.04	—	0.03	0.04	—	0.07	19
20	—	0.08	—	0.48	—	0.01	0.33	—	0.16	0.38	—	0.01	20
21	—	—	0.02	0.11	—	0.02	—	—	0.49	0.15	—	0.44	21
22	—	—	—	—	0.10	—	0.39	—	0.23	—	0.02	0.23	22
23	—	—	—	—	—	—	0.01	0.03	0.10	—	—	0.23	23
24	—	0.12	—	—	—	0.06	—	—	0.20	—	0.29	0.28	24
25	—	—	—	—	—	—	—	0.42	—	0.05	0.22	0.01	25
26	—	0.01	—	—	—	—	0.01	—	0.04	0.04	0.16	0.39	26
27	—	—	—	—	—	—	—	0.03	0.14	—	0.31	—	27
28	—	0.43	0.36	0.38	—	—	—	—	0.03	0.01	0.05	0.01	28
29	—	X	0.24	0.13	—	—	—	—	0.34	—	0.19	0.05	29
30	—	X	0.24	0.03	—	—	—	0.02	0.12	0.19	0.03	0.16	30
31	—	X	—	X	—	X	0.01	0.01	X	0.03	X	—	31
Total	1.61	1.18	1.83	1.79	1.26	0.40	2.49	1.59	4.21	3.63	2.70	3.47	YEAR'S TOTAL 26.16
Rain Days.	13	11	13	14	9	7	15	12	24	22	15	26	181

W. 8,000, IX. 17.

REG[redacted]

FORM A.
BRITISH RAINFALL.

Kept at St Martins Ferry Ohio

~~in the County of~~ Jan & Feb by the River

by Mr Swan & after by St Paul Chapel

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.09	0.01	—	—	0.01	—	—	0.60	—	—	—	0.02	1
2	—	—	0.18	0.18	—	—	—	0.05	0.03	—	0.43	0.11	2
3	—	0.04	0.08	0.16	0.14	—	—	—	—	0.03	0.06	0.10	3
4	—	0.01	0.20	—	0.10	—	—	0.15	0.05	—	0.56	—	4
5	—	0.13	0.12	—	0.09	—	—	0.21	0.13	0.03	0.04	0.01	5
6	0.13	0.09	—	0.11	—	—	—	0.05	0.12	0.03	—	0.03	6
7	0.22	0.18	—	0.02	0.13	—	—	0.01	0.20	0.30	0.26	0.03	7
8	0.04	—	—	—	0.01	—	—	—	0.11	0.13	0.06	—	8
9	0.05	—	—	0.02	—	0.04	0.04	—	0.40	0.34	—	0.36	9
10	0.17	—	—	—	—	—	0.12	—	0.56	0.04	—	0.23	10
11	0.02	—	—	0.07	—	—	0.25	—	0.03	0.21	—	0.07	11
12	0.10	—	—	—	0.56	—	—	—	—	0.19	—	0.10	12
13	—	0.08	—	—	0.12	—	0.53	—	—	0.01	—	0.01	13
14	0.12	—	0.02	—	—	0.03	0.28	—	0.07	0.49	—	—	14
15	0.56	—	—	—	—	0.01	0.05	—	—	0.18	—	0.14	15
16	0.07	—	0.01	0.03	—	—	0.06	—	0.06	0.34	—	0.19	16
17	—	—	0.02	—	—	—	0.35	0.01	0.01	0.42	—	0.09	17
18	0.03	—	0.01	0.03	—	0.23	0.02	—	0.56	—	0.02	0.10	18
19	0.01	—	0.33	0.04	—	—	0.04	—	0.03	0.04	—	0.07	19
20	—	0.08	—	0.48	—	0.01	0.33	—	0.16	0.38	—	0.01	20
21	—	—	0.02	0.11	—	0.02	—	—	0.49	0.15	—	0.44	21
22	—	—	—	—	0.10	—	0.39	—	0.23	—	0.02	0.23	22
23	—	—	—	—	—	—	0.01	0.03	0.10	—	—	0.23	23
24	—	0.12	—	—	—	0.06	—	—	0.20	—	0.29	0.28	24
25	—	—	—	—	—	—	—	0.42	—	0.05	0.22	0.01	25
26	—	0.01	—	—	—	—	0.01	—	0.04	0.04	0.16	0.39	26
27	—	—	—	—	—	—	—	0.03	0.14	—	0.31	—	27
28	—	0.43	0.36	0.38	—	—	—	—	0.03	0.01	0.05	0.01	28
29	—	✗	0.24	0.13	—	—	—	—	0.34	—	0.19	0.05	29
30	—	✗	0.24	0.03	—	—	—	0.02	0.12	0.19	0.03	0.16	30
31	—	✗	—	✗	—	✗	0.01	0.01	✗	0.03	✗	—	31
Total	1.61	1.18	1.83	1.79	1.26	0.40	2.49	1.59	4.21	3.63	2.70	3.47	YEAR'S TOTAL 26.16
Rain Days.	13	11	13	14	9	7	15	12	24	22	15	26	181

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 15.1.19

Kept at Gourock Lodge

~~*in the County of*~~ St. Martins Ferry

by Dr. Crallan

Lat. ..... Long. .....

Time of Observation .....

Nearest Railway Station .....

Diameter of Funnel of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.17	0.03	0.03	—			—	0.71	—	—	—	0.09	1
2	—	—	0.03	—			—	0.05	—	—	0.43	0.09	2
3	—	0.07	0.48	0.08			—	—	—	—	0.09	0.14	3
4	—	0.04	0.25	—			—	0.05	—	—	0.57	—	4
5	—	0.19	—	—			—	0.24	0.10	0.02	0.03	—	5
6	0.78	0.08	—	0.14			—	0.19	0.17	0.02	—	—	6
7		0.13	—	—			—	—	0.16	0.25	0.27	0.05	7
8		—	—	—			—	—	0.15	0.15	—	—	8
9		—	—	—			0.02	—	0.29	0.30	—	0.29	9
10		—	—	—			0.14	—	0.39	0.09	—	0.18	10
11	0.09	—	—	0.07			0.18	—	—	0.24	—	0.20	11
12	0.07	—	—	—			—	—	0.09	—	—	0.20	12
13	—	—	—	—			0.70	—	0.02	—	—	—	13
14	0.29	—	—	—			0.40	—	—	0.27	—	—	14
15	0.36	—	—	—			0.04	—	—	0.37	—	—	15
16	0.06	—	0.10	—			0.10	—	0.05	0.39	—	0.13	16
17	—	—	0.03	—			0.36	—	0.03	0.15	—	0.19	17
18	—	—	0.07	—			0.02	—	0.45	—	—	0.09	18
19	0.03	—	0.29	0.12			0.10	0.07	0.09	0.02	—	0.15	19
20	—	—	—	0.55			1.00	—	0.12	0.25	—	—	20
21	0.07	0.09	—	0.15			0.10	—	0.45	0.08	—	0.98	21
22	0.03	—	—	—			0.19	—	0.15	—	0.03		22
23	—	—	—	—			0.02	—	0.15	—	—	0.18	23
24	—	0.13	—	—			—	—	0.34	—	0.33	0.24	24
25	—	—	—	—			—	0.39	—	0.06	0.24	0.02	25
26	—	—	—	—			—	—	—	0.04	0.19	0.45	26
27	—	0.24	—	—			—	—	0.21	0.17	0.37	0.20	27
28	—	0.28	0.36	0.53			—	—	—	—	0.34	0.04	28
29	—	X	0.23	0.25			—	0.11	0.36	—	0.34	0.16	29
30	—	X	0.19	—			—	—	—	—	0.07	0.15	30
31	—	X	—	X		X	—	—	X	0.14	X	—	31
Total	1.95	1.28	2.06	1.89			3.37	1.81	3.77	3.01	2.96	4.22	YEAR'S TOTAL ~~26.32~~
Rain Days.	14	10	11	8			14	8	19	18	13	22	~~13~~

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Gouray Lodge
in the ~~County~~ Parish of Granville
by Dr. Callan

Lat. 49° 11' 57½" N Long. 2° 1' 40" W
Time of Observation 9 a.m.
Nearest Railway Station Granville
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 101 ft. 3.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	–	–	0.13	0.12	–	0.07	–	–	0.39	0.05	0.16	1
2	0.09	–	–	0.12	0.16	–	0.32	0.13	0.18	–	–	0.05	2
3	0.03	–	–	0.27	0.04	–	0.04	–	–	0.04	–	0.22	3
4	–	–	–	0.14	–	–	–	0.32	–	0.06	–	0.02	4
5	–	–	0.01	–	–	–	0.15	0.13	–	0.03	–	0.01	5
6	–	–	0.05	–	–	–	0.21	0.01	–	–	–	–	6
7	0.10	–	0.08	0.15	–	–	0.08	–	–	–	0.06	–	7
8	0.19	–	–	–	–	–	–	–	–	–	–	0.10	8
9	0.14	–	0.03	0.03	–	0.13	–	–	–	–	–	–	9
10	0.14	0.25	0.05	0.08	–	0.07	0.38	–	–	–	–	–	10
11	0.43	–	0.19	0.34	0.07	0.33	0.09	–	–	–	–	–	11
12	0.29	–	–	0.08	–	0.34	0.09	–	–	–	–	–	12
13	0.94	0.07	–	–	–	–	–	–	–	–	0.34	0.92	13
14	0.01	–	0.42	–	–	0.07	–	–	–	–	0.01	Snow & rain 2 days.	14
15	–	–	0.05	0.26	0.18	–	–	–	1.12	–	0.15	–	15
16	–	–	0.05	0.17	–	0.09	–	–		0.07	–	–	16
17	–	–	0.05	0.38	0.15	–	0.14	–	0.20	0.06	–	–	17
18	0.07	–	–	0.03	–	0.47	–	0.30	0.36	–	–	0.12	18
19	0.33	–	–	0.29	–	0.20	–	–	0.67	–	–	–	19
20	0.07	–	–	0.02	–	0.32	–	–	0.03	–	–	0.58	20
21	–	–	–	–	–	–	–	–	0.41	0.25	–	2 days.	21
22	–	–	–	0.13	–	–	–	–	0.06	–	–	0.29	22
23	–	–	–	–	–	–	0.47	–	–	–	–	0.08	23
24	–	–	0.05	–	–	–	–	–	0.09	–	–	0.04	24
25	–	–	–	–	0.94	–	0.19	–	–	–	–	–	25
26	0.23	–	0.26	–	–	–	0.08	–	–	–	–	–	26
27	0.42	0.04	–	0.09	0.03	–	–	–	–	–	0.25	0.31	27
28	0.14	0.07	0.07	0.03	1.13	–	0.14	–	–	–	0.10	0.28	28
29	0.58	–	0.24	0.01	–	–	–	–	–	–	0.14	0.02	29
30	0.14		–	–	0.06	0.05	0.30	–	0.36	0.67	0.21	0.54	30
31	0.15		0.16		–		–	–				0.10	31
TOTAL	4.57	0.43	1.76	2.75	2.88	2.07	2.75	0.89	3.48	1.57	1.30	3.84	YEAR'S TOTAL 28.23
Days with .01 in. or more	20	4	15	19	10	10	16	5	10	8	9	19	144.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3949

FORM A. BRITISH RAINFALL.

22 JAN 20

REGIS

TRINITY
ST MARTIN.
ROCKMOUNT
JERSEY
1919-20

Kept at Rockmount

~~in the County of~~ Trinity

by S. Paul Chapp

'29" W

Gauge 5 in.

Ground 2 ft. in.

Sea Level 412 ft.

IMPORTANT NOTE.—Rain should be measured daily [illegible] the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·67	0·03	0·05	-	0·03	-	0·36	-	-	-	0·06	0·20	1
2	0·25	0·03	0·04	-	0·04	-	-	-	0·45	0·05	0·02	0·16	2
3	0·36	0·09	0·72	-	0·11	-	0·53	-	1·12	0·07	0·08	0·03	3
4	0·44	0·21	0·11	-	-	-	0·27	0·76	0·07	-	0·19	-	4
5	0·35	0·29	0·40	-	0·03	-	-	-	-	-	0·12	0·08	5
6	0·01	0·72	0·01	-	-	-	-	-	-	-	0·02	0·13	6
7	0·07	-	0·47	0·09	0·01	-	0·48	-	-	-	0·03	0·19	7
8	0·16	-	0·20	0·04	-	-	-	-	-	-	0·67	-	8
9	0·16	-	0·03	0·16	0·09	-	-	-	-	-	0·07	-	9
10	-	-	-	0·13	0·05	-	-	-	0·06	0·06	0·16	0·09	10
11	-	-	0·09	0·12	0·16	-	-	-	-	-	0·05	0·01	11
12	0·53	-	0·03	0·05	-	-	0·04	-	0·15	0·15	0·17	-	12
13	0·01	0·08	0·35	0·26	-	-	-	-	0·01	0·01	-	0·03	13
14	0·10	0·24	-	0·20	0·34	-	0·05	-	0·26	0·25	-	0·11	14
15	0·32	0·50	-	0·04	-	-	-	-	0·06	0·06	0·02	0·65	15
16	0·21	0·48	-	-	-	-	-	-	-	-	0·33	-	16
17	0·12	0·11	-	-	-	-	-	-	-	-	0·08	0·02	17
18	-	0·47	0·27	-	-	-	0·04	-	-	-	0·14	-	18
19	0·32	0·26	0·60	-	-	-	0·17	-	-	-	0·09	0·03	19
20	0·57	0·01	-	-	-	0·11	-	0·36	-	-	0·22	0·02	20
21	0·53	0·45	0·07	-	-	0	0·01	-	0·58	-	0·10	0·06	21
22	-	0·01	-	-	0·01	-	0·03	-	0·12	-	0·02	0·06	22
23	-	0·09	0·66	-	-	-	-	0·07	-	0·11	0·13	0·20	23
24	-	0·09	-	-	-	0·20	-	-	-	0·06	0·40	0·14	24
25	0·05	0·19	-	0·01	-	0·12	0·03	0·18	0·04	-	0·08	0·17	25
26	0·24	0·43	0·02	0·07	-	-	-	0·02	-	0·09	0·19	0·33	26
27	0·22	0·07	0·02	0·14	-	-	0·03	0·43	-	0·02	0·02	0·36	27
28	0·10	-	0·46	-	-	-	-	0·41	0·18	0·11	0·24	0·44	28
29	0·03		0·04	-	-	-	-	0·24	-	0·08	0·04	0·21	29
30	-		-	0·20	0·17	0·27	-	0·41	-	0·09	0·58	0·24	30
31	0·01		-		-		-	-		0·07		0·38	31
Total	5·70	4·85	4·64	1·44	1·04	0·70	2·04	2·88	2·50	1·21	4·32	4·17	YEAR'S TOTAL 35·49
Rain Days.	24	21	20	13	11	4	12	9	7	15	28	25	189

W. 6,500, VII. 18. w w ç

3949

FORM A.
BRITISH RAINFALL.

22 JAN 20

REGISTER OF RAINFALL IN 19 19

Kept at Rocquaine (Mr. Martin) Sox. K 220

~~in the County of~~ Trinity Jersey

by D. Paul Chappuis

Lat. 49° 14' 17" N Long. 2° 5' 29" W

Time of Observation 9 a.m.

Nearest Railway Station Gorey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 412 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·64	0·03	0·05	-	0·03	-	0·36	-	-	-	0·06	0·20	1
2	0·25	0·03	0·04	-	0·04	-	-	-	0·45	0·05	0·02	0·16	2
3	0·36	0·09	0·72	-	0·11	-	0·53	-	1·12	0·07	0·08	0·03	3
4	0·44	0·21	0·11	-	-	-	0·27	0·76	0·07	-	0·19	-	4
5	0·35	0·29	0·40	-	0·03	-	-	-	-	-	0·12	0·08	5
6	0·01	0·72	0·01	-	-	-	-	-	-	-	0·02	0·13	6
7	0·07	-	0·47	0·09	0·01	-	0·48	-	-	-	0·03	0·19	7
8	0·16	-	0·20	0·04	-	-	-	-	-	-	0·67	-	8
9	0·16	-	0·03	0·16	0·09	-	-	-	-	-	0·07	-	9
10	-	-	-	0·13	0·05	-	-	-	0·06	0·06	0·16	0·09	10
11	-	-	0·09	0·12	0·16	-	-	-	-	-	0·05	0·01	11
12	0·53	-	0·03	0·05	-	-	0·04	-	0·15	0·15	0·17	-	12
13	0·01	0·08	0·35	0·26	-	-	-	-	0·01	0·01	-	0·03	13
14	0·10	0·24	-	0·20	0·34	-	0·05	-	0·26	0·25	-	0·11	14
15	0·32	0·50	-	0·04	-	-	-	-	0·06	0·06	0·02	0·65	15
16	0·21	0·48	-	-	-	-	-	-	-	-	0·33	-	16
17	0·12	0·11	-	-	-	-	-	-	-	-	0·08	0·02	17
18	-	0·47	0·27	-	-	-	0·04	-	-	-	0·14	-	18
19	0·32	0·26	0·60	-	-	-	0·17	-	-	-	0·09	0·03	19
20	0·57	0·01	-	-	-	0·11	-	0·36	-	-	0·22	0·02	20
21	0·53	0·45	0·07	-	-	0 -	0·01	-	0·58	-	0·10	0·06	21
22	-	0·01	-	-	0·01	-	0·03	-	0·12	-	0·02	0·06	22
23	-	0·09	0·66	-	-	-	-	0·07	-	0·11	0·13	0·20	23
24	-	0·09	-	-	-	0·20	-	-	-	0·06	0·40	0·14	24
25	0·05	0·19	-	0·01	-	0·12	0·03	0·18	0·04	-	0·08	0·17	25
26	0·24	0·43	0·02	0·07	-	-	-	0·02	-	0·09	0·19	0·33	26
27	0·22	0·07	0·02	0·14	-	-	0·03	0·43	-	0·02	0·02	0·36	27
28	0·10	-	0·46	-	-	-	-	0·41	0·18	0·11	0·24	0·44	28
29	0·03	X	0·04	-	-	-	-	0·24	-	0·08	0·04	0·21	29
30	-	X	-	0·20	0·17	0·27	-	0·41	-	0·09	0·58	0·24	30
31	0·01	X	-	X	-	X	-	-	X	0·07	X	0·38	31
Total	5·70	4·85	4·64	1·44	1·04	0·70	2·04	2·88	2·50	1·21	4·32	4·17	YEAR'S TOTAL 35·49
Rain Days.	24	21	20	13	11	4	12	9	7	15	28	25	189

W, 6,500, VII. 18. w w ¢

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

22 JAN 1921

Kept at Rockmount

in the ~~County~~ Parish of Trinity

by Dr. Paul Chasseriau

Lat. 49° 14' 17" N Long. 20° 5' 29" W

Time of Observation 9. a. m.

Nearest Railway Station St. Helier

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft 6 in.

" " " Sea Level 412 ft. 6 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	–	–	0.21	0.15	–	0.35	–	–	0.12	0.18	0.11	1
2	0.08	–	–	0.05	0.12	–	0.04	0.19	0.05	0.08	–	0.02	2
3	0.04	–	–	0.36	0.08	–	–	–	0.01	0.10	–	0.14	3
4	–	–	0.02	0.06	–	–	0.04	0.32	–	–	–	0.04	4
5	–	–	0.04	–	–	–	0.22	0.07	–	0.11	–	0.04	5
6	–	–	0.02	–	0.01	–	0.25	0.01	–	–	–	0.04	6
7	0.02	–	0.03	0.12	–	–	0.13	–	–	0.01	0.03	–	7
8	0.16	0.01	0.01	–	–	–	0.14	–	–	–	–	0.03	8
9	0.09	–	0.03	0.07	–	0.13	0.03	0.01	–	–	–	–	9
10	0.07	0.09	0.01	0.44	–	0.26	0.17	–	–	–	–	–	10
11	0.08	0.02	0.20	0.26	0.04	0.29	0.10	–	–	–	–	0.17	11
12	0.09	0.01	0.01	0.05	–	0.36	0.08	–	–	–	–	0.50	12
13	0.69	0.01	0.25	0.03	–	–	0.09	–	–	0.02	0.34	0.35	13
14	–	–	0.22	0.26	–	–	–	–	1.02	0.01	0.01	–	14
15	–	–	0.03	–	0.20	–	–	–	–	–	0.19	–	15
16	–	–	–	0.07	–	0.12	–	–	–	0.17	0.24	0.02	16
17	–	–	–	1.18	0.16	–	0.03	–	–	0.08	–	0.03	17
18	0.05	–	–	0.06	0.03	0.41	0.03	0.29	0.33	–	–	0.17	18
19	0.22	–	–	0.14	–	0.22	–	–	–	–	–	–	19
20	0.04	–	–	0.04	–	0.31	–	–	0.72	–	–	–	20
21	–	–	–	0.01	–	–	0.01	–	0.51	0.17	–	0.15	21
22	–	–	–	0.10	–	–	–	–	–	0.01	–	0.37	22
23	–	–	–	–	–	–	0.25	–	0.12	–	–	0.20	23
24	0.02	–	0.08	–	–	–	–	–	–	–	0.02	0.15	24
25	–	0.01	0.04	–	0.82	–	0.22	–		–	–	–	25
26	0.21	–	0.28	–	–	–	0.05	–		–	–	0.06	26
27	0.30	0.05	0.02	0.09	0.03	–	–	–		–	0.16	0.19	27
28	0.12	0.02	0.08	0.03	0.34	–	0.14	–		–	0.09	0.24	28
29	0.42	–	0.22	–	–	–	–	–	0.52	–	0.16	0.02	29
30	0.09		–	–	0.02	0.05	0.28	–	0.38	0.03	0.23	0.19	30
31	0.08		0.14		–		–	–		0.39		0.32	31
TOTAL	2.90	0.22	1.73	3.63	2.00	2.15	2.65	0.89	3.66	1.30	1.65	3.55	YEAR'S TOTAL 26.33
Days with .01 in. or more	20.	8	19	20	12.	9	20	6	9	13	11	23.	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. BRITISH RAINFALL. JAN 1915

REG

ST. SAVIOURS
CLIFTON
JERSEY
1914 - 1920

Kept at "Clifton" S

in the ~~*County of*~~ Sola

by Cyril N. Sto

2.5.22 a.m

5 in.

ve Ground 2 ft. 2 in.

Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured ... the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	0.02		0.02		0.07						0.88	0.38	1
2			0.06				0.12	0.12			0.19		2
3			0.08				0.19	0.14				0.20	3
4			0.21	0.22	0.35			0.16			0.01	0.03	4
5	0.10		0.07	0.37	0.15		0.31	0.45	0.42		0.30	0.58	5
6	0.58		0.15	0.06	0.01		0.20	0.05	0.02		0.21	0.13	6
7		0.07	0.15	0.15	0.20	0.02	0.25	0.89			0.01	0.45	7
8		0.26	0.22	0.15	0.21	0.23	0.44	0.02	0.35			0.63	8
9	0.12	0.46	0.11	0.03	0.05	0.28	0.04	0.05	0.02			0.20	9
10	0.05		0.33	0.05		0.01		0.01	0.70			1.69	10
11	0.22	0.30	0.15	0.08	0.12	0.14			0.23		0.02	0.08	11
12	0.01	0.13	0.55	0.01	0.01	0.01	0.92		0.21		0.28	0.20	12
13	0.01	0.06	0.25			0.01			0.23	0.23	0.10	0.81	13
14	0.06	0.35	0.09						0.06	0.02	0.39	0.36	14
15	0.03	0.04	0.05			0.01	0.03	0.25	0.07	0.24	0.22	0.26	15
16		0.15	0.13				0.02	0.23	0.08	0.01	0.64	0.59	16
17		0.38	0.02				0.05		0.88		0.01	0.04	17
18		0.41	0.29				0.02		0.24		0.01	0.23	18
19		0.15	0.14						0.36			0.37	19
20		0.13	0.25						0.02	0.08	0.40	0.19	20
21	0.04	0.39	0.14			0.02	0.03			0.05	0.01	0.18	21
22		0.20	0.05	0.13		0.01				0.26		0.07	22
23		0.01	0.02		0.15	0.03	0.26			0.02		0.03	23
24			0.76		0.03	0.25	0.06			0.27		0.11	24
25			0.13		0.02		0.24			0.01	0.04	0.02	25
26	0.15	0.01	0.85				0.16	0.29		0.41	0.03	0.32	26
27	0.15	0.04	0.51				0.25	0.10		0.04	0.12	0.57	27
28	0.08	"					0.01			0.10	0.02	0.39	28
29	0.02		0.27		0.03					0.64	0.18	0.32	29
30	0.09	X			0.01					0.66	0.08	0.15	30
31	0.01	X	0.06	X		X			X	0.36	X	0.13	31
Total	~~1.74~~	~~3.54~~ .02	~~6.11~~	~~1.25~~ .07	~~1.41~~	~~1.02~~	~~3.06~~	~~2.76~~	~~3.89~~	3.40 .88	4.15 .38	~~9.65~~ .08	YEAR'S TOTAL ~~42.52~~
Rain	1.72	3.56	6.09	1.32	1.34	1.02	3.00	2.76	3.89	4.28	3.65	9.35	42.58
Days.	17 16	18 19	29 28	10 9	14 13	12	19	13	15	16 17	22	30	215

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 19 14

FORM A. BRITISH RAINFALL. JAN 1915

Kept at "Clifton" St Saviours

in the ~~*County of*~~ Island of Jersey

by Cyril N. Hawksford

Lat. 49·11·28 N Long. 2·5·22 W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.02		0.02		0.07						0.88	0.38	1
2			0.06				0.12	0.12			0.19		2
3			0.08				0.19	0.14				0.20	3
4			0.21	0.22	0.35			0.16			0.01	0.03	4
5	0.10		0.07	0.37	0.15		0.31	0.45	0.42		0.30	0.58	5
6	0.58		0.15	0.06	0.01		0.20	0.05	0.02		0.21	0.13	6
7		0.07	0.15	0.15	0.20	0.02	0.25	0.89			0.01	0.45	7
8		0.26	0.22	0.15	0.21	0.23	0.44	0.02	0.35			0.63	8
9	0.12	0.46	0.11	0.03	0.05	0.28	0.04	0.05	0.02			0.20	9
10	0.05		0.33	0.05		0.01		0.01	0.70			1.69	10
11	0.22	0.30	0.15	0.08	0.12	0.14			0.23		0.02	0.08	11
12	0.01	0.13	0.55	0.01	0.01	0.01	0.92		0.21		0.28	0.20	12
13	0.01	0.06	0.25			0.01			0.23	0.23	0.10	0.81	13
14	0.06	0.35	0.09						0.06	0.02	0.39	0.36	14
15	0.03	0.04	0.05			0.01	0.03	0.25	0.07	0.24	0.22	0.26	15
16		0.15	0.13				0.02	0.23	0.08	0.01	0.64	0.59	16
17		0.38	0.02				0.05		0.88		0.01	0.04	17
18		0.41	0.29				0.02		0.24		0.01	0.23	18
19		0.15	0.14						0.36			0.37	19
20		0.13	0.25						0.02	0.08	0.40	0.19	20
21	0.04	0.39	0.14			0.02	0.03			0.05	0.01	0.18	21
22		0.20	0.05	0.13		0.01				0.26		0.07	22
23		0.01	0.02		0.15	0.03	0.26			0.02		0.03	23
24			0.76		0.03	0.25	0.06			0.27		0.11	24
25			0.13		0.02		0.24			0.01	0.04	0.02	25
26	0.15	0.01	0.85				0.16	0.29		0.41	0.03	0.32	26
27	0.15	0.04	0.51				0.25	0.10		0.04	0.12	0.57	27
28	0.08	"					0.01			0.10	0.02	0.39	28
29	0.02		0.27		0.03					0.64	0.18	0.32	29
30	0.09	X			0.01					0.66	0.08	0.15	30
31	0.01	X	0.06	X		X			X	0.36	X	0.13	31
Total	~~1.74~~ 1.72	~~3.54~~ 3.56	~~6.11~~ 6.09	~~1.25~~ 1.32	~~1.41~~ 1.34	~~1.02~~ 1.02	~~3.06~~ 3.60	~~2.76~~ 2.76	~~3.89~~ 3.89	~~3.40~~ 4.28	4.15 3.65	~~9.05~~ 9.35	~~42.58~~ 42.58
Rain Days.	17 16	18 19	29 28	10 9	14 13	12	19	13	15	16 17	22	30	215

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

4388

FORM A. BRITISH RAINFALL. 13 JAN 1916

Kept at Clifton - St Saviours

in the ~~County of~~ Island of Jersey

by Mr C.V. Hawksford

Lat. 49-11-28 N Long. 2-5-22 W

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.08	0.13	0.02	0.00	0.00	0.00	0.00	0.01	0.89	0.34	0.49	0.48	1
2	0.36	0.64	0.00	0.02	0.00	0.06	0.00	0.10	0.37	0.27	0.00	1.11	2
3	0.24	0.12	0.19	0.10	0.38	0.06	0.00	0.03	0.10	0.01	0.00	0.16	3
4	0.23	0.00	0.01	0.30	0.06	0.00	0.22	0.00	0.00	0.00	0.03	0.03	4
5	0.12	0.00	0.04	0.30	0.00	0.00	0.00	0.49	0.00	0.00	0.06	0.39	5
6	0.04	0.24	0.00	0.39	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.30	6
7	0.29	0.29	0.02	0.50	0.09	0.00	0.00	0.02	0.00	0.00	0.00	0.31	7
8	0.63	0.21	0.00	0.09	0.14	0.00	0.00	0.04	0.00	0.08	0.03	0.27	8
9	0.40	0.44	0.01	0.31	0.00	0.00	0.00	0.02	0.00	0.00	0.84	0.67	9
10	0.03	0.02	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.02	0.05	0.93	10
11	0.36	0.00	0.10	0.04	0.00	0.00	0.00	0.00	0.00	0.01	0.22	0.30	11
12	0.19	0.47	0.00	0.21	0.25	0.00	0.00	0.04	0.00	0.04	0.84	0.45	12
13	0.07	0.23	0.00	0.00	0.15	0.00	0.01	0.15	0.00	0.00	0.33	0.05	13
14	0.05	0.79	0.00	0.00	0.00	0.00	0.70	0.02	0.19	0.00	0.20	0.45	14
15	0.08	0.11	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.37	0.06	15
16	0.11	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.03	0.01	16
17	0.04	0.68	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.05	17
18	0.04	0.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.05	18
19	0.03	0.21	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.02	19
20	0.03	0.17	0.01	0.11	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.05	20
21	0.49	0.00	0.02	0.00	0.01	0.17	0.00	0.00	0.00	0.14	0.00	0.08	21
22	0.13	0.00	0.14	0.05	0.00	0.04	0.79	0.00	0.00	0.00	0.00	0.38	22
23	0.95	0.14	0.25	0.03	0.00	0.01	0.00	0.00	0.31	0.22	0.00	0.79	23
24	0.01	0.02	0.01	0.00	0.00	0.00	0.00	0.00	1.11	0.02	0.00	0.14	24
25	0.00	0.00	0.02	0.07	0.00	0.07	0.59	0.00	0.00	0.07	0.02	0.13	25
26	0.00	0.00	0.00	0.02	0.00	0.04	0.14	0.00	0.00	0.00	0.00	0.28	26
27	0.00	0.01	0.00	0.00	0.00	0.03	0.00	0.00	0.02	0.20	0.00	0.00	27
28	0.00	0.08	0.00	0.00	0.00	0.02	0.00	0.00	0.85	0.16	0.17	0.00	28
29	0.00		0.00	0.00	0.00	0.00	0.00	0.19	0.24	0.02	0.18	0.02	29
30	0.00		0.00	0.00	0.00	0.02	0.00	0.00	0.15	0.05	0.04	0.03	30
31	0.04		0.00		0.00		0.04	0.02		0.82		0.33	31
Total	5.04	5.37	0.89	2.56	1.46	0.56	3.41	1.20	4.23	2.49	3.90	8.22	YEAR'S TOTAL 39.33
Rain Days.	25	20	14	16	9	11	9	13	10	17	16	29	189

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 4317

Kept at "Clifton" St. Saviours

in the ~~County of~~ Island of Jersey

by C. N. Hawkesford

Lat. 49° 11' 28" Long. 2° 5' 26"

Time of Observation 9 a.m.

Nearest Railway Station Port of St. Helier's

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level 215 ft.

3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.31	—	0.18	—	0.13	0.01	—	—	—	0.33	0.32	—	1
2	0.15	0.06	0.24	—	—	—	—	—	—	—	—	—	2
3	0.02	0.35	0.22	—	—	—	0.02	—	0.02	0.36	0.54	0.04	3
4	0.07	0.08	—	—	0.01	0.21	—	—	0.27	0.22	0.09	0.03	4
5	—	—	0.01	0.07	0.01	0.04	—	—	—	0.17	0.63	—	5
6	—	0.07	0.19	—	0.10	0.08	0.16	—	—	0.09	0.23	—	6
7	0.12	0.15	—	—	0.34	—	0.10	—	—	0.13	0.35	0.02	7
8	—	0.39	—	—	0.28	—	—	—	—	—	0.26	0.39	8
9	—	0.43	—	—	0.17	—	—	—	—	—	0.04	0.03	9
10	0.01	0.99	—	0.01	0.01	—	0.02	—	—	—	0.08	0.03	10
11	—	—	0.07	—	0.06	—	—	—	0.01	—	0.01	0.08	11
12	0.08	0.04	0.32	0.15	0.33	—	0.02	0.02	—	—	—	0.09	12
13	—	0.16	0.06	0.02	0.03	—	0.02	—	—	—	—	0.23	13
14	0.01	0.17	0.30	0.07	0.08	—	—	0.13	—	0.10	—	0.22	14
15	0.03	0.06	0.13	0.03	—	—	—	0.01	—	0.23	—	0.11	15
16	0.09	0.16	0.01	0.23	—	—	0.04	(3) 0.16	—	0.26	—	0.02	16
17	0.24	0.21	0.02	0.24	—	—	—	—	—	0.42	0.85	—	17
18	0.02	0.23	0.07	0.02	—	—	—	0.01	0.71	0.16	0.55	0.06	18
19	0.16	0.02	0.05	0.09	—	—	—	—	0.14	—	0.47	0.01	19
20	0.04	0.85	—	—	—	—	—	—	—	—	0.33	0.33	20
21	0.02	0.43	0.05	0.15	—	—	—	—	—	—	0.30	0.35	21
22	0.06	0.16	0.06	—	—	0.04	—	—	—	0.07	—	0.46	22
23	0.01	0.11	0.11	—	—	0.17	—	0.03	—	0.01	0.07	0.09	23
24	0.01	—	0.05	—	—	—	—	0.03	—	0.19	0.48	0.17	24
25	0.04	0.46	0.18	—	—	0.01	—	0.19	0.06	0.26	0.29	0.02	25
26	0.03	0.35	0.11	—	—	0.07	—	0.10	1.61	0.42	0.03	0.78	26
27	0.04	0.09	0.21	—	—	0.05	—	0.42	0.16	0.20	—	—	27
28	0.02	0.87	0.05	—	—	—	—	0.73	0.10	0.70	—	0.03	28
29	—	0.24	0.22	—	—	0.06	—	1.04	0.35	0.65	—	0.69	29
30	—	X	—	—	—	—	—	—	0.01	0.06	—	0.09	30
31	—	X	—	X	—	X		—	X	0.01	X	0.06	31
Total	1.58	7.13	2.91	1.08	1.55	0.74	0.38	2.82	3.44	5.04	5.92	4.43	YEAR'S TOTAL 37.02
Rain Days.	22	25	23	11	12	10	7	12	11	21	19	25	198

W. 8,000, VIII. 16

Smade

REGISTER OF RAINFALL IN 1917

4142

FORM A. BRITISH RAINFALL.

FEB 1918

Kept at Clifton St Saviours

in the Island *County of* Jersey

by C. V. Hawksford

Lat. 49° 11' 28" N Long. 2° 5' 26" W.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Sea Level 218 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.01	–	0.05	0.38	–	0.10	0.03	0.64	0.01	–	0.11	0.01	1
2	–	–	–	0.03	–	0.02	0.09	0.10	–	0.01	–	–	2
3	0.06	–	–	0.03	–	–	0.01	0.09	–	–	0.61	–	3
4	0.12	0.07	0.27	–	–	–	–	–	–	0.31	–	–	4
5	0.29	–	–	–	–	0.54	–	–	0.25	0.19	0.09	–	5
6	0.01	–	–	–	0.02	0.22	–	–	–	0.10	0.08	–	6
7	0.82	–	0.01	–	0.02	–	0.09	0.01	0.15	0.13	0.07	0.21	7
8	0.13	–	0.19	0.03	–	–	–	0.58	–	0.15	0.20	0.55	8
9	–	–	0.04	0.06	–	–	0.09	–	–	0.45	0.02	0.18	9
10	0.05	–	0.02	0.01	–	–	–	–	–	0.25	0.02	0.05	10
11	0.14	–	0.06	0.21	–	–	–	0.49	–	0.48	–	–	11
12	0.26	–	–	–	0.25	–	–	0.30	–	0.90	–	–	12
13	0.31	–	0.29	–	0.61	–	0.02	0.25	0.11	0.23	–	0.01	13
14	0.01	–	0.01	0.30	–	–	–	0.18	0.28	0.92	0.03	–	14
15	–	–	0.04	–	–	–	–	0.08	–	0.10	0.01	0.02	15
16	–	0.13	–	0.06	–	–	0.25	–	–	0.22	–	0.83	16
17	0.02	0.01	–	0.15	0.10	–	0.05	–	–	0.37	–	0.18	17
18	0.01	0.03	–	0.06	0.07	–	0.31	–	–	0.07	–	–	18
19	–	0.26	0.11	–	–	0.01	0.01	–	0.15	–	–	–	19
20	0.01	0.22	0.05	–	0.27	0.20	–	–	0.06	–	0.01	–	20
21	0.02	–	0.46	–	0.02	0.54	–	–	–	0.03	0.01	–	21
22	0.01	–	0.01	–	–	–	–	0.05	–	0.21	–	–	22
23	0.04	0.41	0.10	–	0.04	–	–	0.10	–	0.18	0.07	–	23
24	–	0.27	–	–	–	0.08	–	0.01	–	0.26	0.08	0.03	24
25	–	0.07	0.05	–	–	0.01	0.02	0.05	0.01	0.34	0.10	–	25
26	–	–	0.04	–	0.09	0.03	–	0.47	0.10	0.35	0.16	–	26
27	–	–	–	–	0.10	0.01	–	1.29	–	0.15	0.01	0.02	27
28	–	–	0.13	–	0.66	0.02	–	0.29	–	0.18	0.01	0.08	28
29	–		0.50	–	–	–	0.09	–	–	0.33	0.02	–	29
30	–	X	0.03	–	–	–	0.37	0.11	–	0.14	–	–	30
31	0.01	X	0.07	X	–	X	0.60	–	X	0.36	X	0.09	31
Total	2.33	1.47	2.53	1.32	2.25	1.78	2.03	5.09	1.12	7.41	1.71	2.26	YEAR'S TOTAL 31.30
Rain Days.	19	9	21	11	12	12	14	18	9	27	19	13	184

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Clifton

in the ~~County~~ Parish of St Saviour Jersey

by Mr P N Hawksford

Lat. 49:11:18N Long. 2:5:26W

Time of Observation 9 a m.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.02	—	—	—	—	—	0.65	—	0.01	0.02	0.14	1
2	—	—	0.42	0.16	—	—	—	0.04	—	—	0.37	0.08	2
3	—	0.04	0.17	0.10	0.14	—	—	—	—	—	0.10	0.13	3
4	—	0.02	0.35	—	0.04	—	—	0.08	0.03	—	0.58	—	4
5	—	0.15	0.18	—	0.34	—	—	0.22	0.11	0.03	0.03	0.01	5
6	0.09	0.04	—	0.16	—	—	—	0.14	0.11	0.01	—	0.02	6
7	0.25	0.11	0.01	—	0.22	—	—	0.02	0.14	0.30	0.20	0.02	7
8	0.03	0.01	—	—	—	—	—	—	0.18	0.26	0.11	—	8
9	0.04	—	—	0.01	—	0.09	0.02	—	0.35	0.33	—	0.25	9
10	0.18	—	—	—	—	—	0.13	—	0.37	0.03	—	0.17	10
11	0.05	—	—	0.09	—	—	0.14	—	0.20	0.20	—	0.15	11
12	0.09	0.05	—	—	0.41	—	—	—	0.07	0.21	—	0.22	12
13	—	0.02	—	—	0.25	0.01	0.56	—	—	—	—	—	13
14	0.07	—	—	—	—	0.04	0.40	—	0.06	0.33	—	—	14
15	0.52	—	—	0.01	—	0.06	0.06	—	—	0.27	—	0.10	15
16	0.04	—	—	0.02	—	—	0.09	—	0.06	0.61	—	0.26	16
17	0.01	—	0.03	—	—	—	0.34	0.03	0.02	0.23	—	0.21	17
18	—	—	0.01	0.05	—	0.26	0.02	—	0.49	—	0.01	0.08	18
19	—	—	0.31	0.24	—	—	0.09	0.09	0.02	0.02	—	0.06	19
20	—	0.07	0.01	0.60	—	0.03	0.70	—	0.15	0.28	—	—	20
21	0.04	—	—	0.28	—	0.07	—	—	0.50	0.10	—	0.47	21
22	0.01	0.01	—	—	0.10	—	0.22	—	0.23	—	0.02	0.48	22
23	—	—	—	—	—	—	0.02	0.01	0.09	—	—	0.21	23
24	—	0.16	—	—	—	0.14	—	—	0.30	—	0.37	0.29	24
25	0.01	—	—	—	—		—	0.39	—	0.05	0.28	0.07	25
26	—	0.05	—	—	—	—	0.07	0.01	0.06	0.03	0.35	0.43	26
27	—	0.22	—	—	—	—	—	0.03	0.12	0.13	0.41	0.12	27
28	—	0.29	0.35	0.57	—	—	—	—	0.05	0.01	0.18	0.03	28
29	—	X	0.24	0.24	—	—	—	—	0.36	—	0.25	0.16	29
30	—	X	0.25	0.02	—	—	—	0.05	0.07	0.12	0.05	0.10	30
31	—	X	—	X		X	0.01	0.01	X	0.02	X	—	31
Total	1.43	1.26	2.33	2.58	1.50	0.70	2.85	1.77	4.12	3.68	3.33	4.26	YEAR'S TOTAL 29.68
Rain Days.	14	15	12	14	7	8	15	14	24	22	16	25	186

W. 8,000, VIII. 16

3941

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1929

Kept at Clifton St. Saviours Ex. Rd.

in the ~~County~~ of Jersey

by C. V. Hawksford

Lat. 49° 11' 28" N Long. 2° 5' 26" W 22 JAN 20

Time of Observation 9 a.m.

Nearest Railway Station St. Helier

Diameter of Funnel of Rain Gauge 12 in.

Height of top of Gauge above Ground 3 ft. 1 in.

" " " " Sea Level 218 ft. 1 in. ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.46	0.04	0.03	0.05	0.06	-	0.26	-	-	0.18	0.08	0.15	1
2	0.27	0.03	0.03	-	0.04	-	-	-	0.47	0.04	0.06	0.14	2
3	0.30	0.23	0.59	-	0.17	-	0.70	-	0.99	-	0.10	0.11	3
4	0.27	0.39	0.06	-	-	-	0.14	0.56	0.04	-	0.25	0.04	4
5	0.40	0.46	0.41	-	0.03	-	-	-	-	-	0.16	0.24	5
6	0.01	0.90	0.01	-	-	-	-	-	-	-	0.08	0.29	6
7	0.05	-	0.50	0.02	0.01	-	0.39	-	-	-	0.24	0.20	7
8	0.24	-	0.24	0.04	-	-	-	-	-	-	0.59	-	8
9	0.15	-	0.05	0.24	0.12	-	-	-	-	-	0.13	-	9
10	-	-	-	0.21	0.03	-	-	-	-	-	0.20	0.06	10
11	-	-	0.12	0.22	0.14	-	-	-	-	0.07	0.10	-	11
12	0.52	-	0.04	0.04	-	-	0.04	-	-	0.25	0.33	-	12
13	0.01	0.11	0.31	0.32	-	-	-	-	-	0.09	-	0.02	13
14	0.08	0.20#	-	0.28	0.38	-	0.05	-	-	0.31	0.02	0.11	14
15	0.27	0.47	-	0.12	-	-	-	-	-	0.13	0.09	0.51	15
16	0.36	0.39	-	-	-	-	-	-	-	-	0.45	-	16
17	0.17	0.1/6	-	-	-	-	-	-	-	-	0.24	0.02	17
18	-	0.43	0.36	-	-	-	0.05	-	0.09	-	0.15	-	18
19	0.38	0.18	0.52	-	-	-	0.18	-	0.19	-	0.14	0.02	19
20	0.61	0.03	0.01	-	-	0.11	-	0.42	0.52	-	0.29	0.04	20
21	0.58	0.47	0.04	-	-	-	0.04	-	0.04	-	0.16	0.14	21
22	-	0.01	-	-	-	0.01	0.09	-	0.04	-	0.06	0.19	22
23	-	0.09	0.81	-	-	0 -	-	0.06	0.15	0.11	0.13	0.34	23
24	-	0.08	-	-	-	0.30	-	-	-	0.05	0.33	0.10	24
25	0.11	0.24	0.01	-	-	0.13	0.02	0.25	0.02	0.01	0.09	0.23	25
26	0.17	0.28	0.01	0.08	-	-	-	0.04	0.09	0.03	0.28	0.37	26
27	0.49	0.05	0.04	0.20	-	-	-	0.31	-	0.04	0.04	0.47	27
28	0.14	-	0.55	-	-	-	-	0.40	-	0.12	0.19	0.51	28
29	0.02	X	0.06	0.01	-	-	-	0.20	-	0.16	0.01	0.13	29
30	-	X	0.06	0.22	0.19	0.24	-	0.40	-	0.12	0.47	0.28	30
31	0.02	X	0.05	X	-	X	-	-	X	0.06	X	0.27	31
Total	6.08	5.24	4.91	2.05	1.17	0.79	1.96	2.64	2.57	1.77	5.46	4.98	YEAR'S TOTAL 39.62
Rain Days.	24	21	24	14	10	5	11	9	11	16	29	25	199

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Clifton
in the ~~County~~ Parish of St. Saviours
by Phr. C. V. Hamilstead

Lat. 49° 11' 28" N Long. 2° 5' 26" W
Time of Observation 9 a.m.
Nearest Railway Station St. Helier's
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 3 ft. 1 in.
" " " " Sea Level 218 ft.

22 JAN 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	–	–	0.21	0.13	–	0.29	–	–	0.29	0.23	0.17	1
2	0.08	–	–	0.04	0.16	–	0.08	0.13	0.16	0.06	–	0.03	2
3	0.06	–	–	0.31	0.05	–	0.05	–	0.01	0.04	–	0.26	3
4	–	–	–	–	–	–	–	0.35	0.02	0.08	–	0.04	4
5	–	–	0.02	–	–	–	0.10	0.12	–	–	–	0.03	5
6	–	–	0.11	–	0.01	–	0.26	–	–	–	–	0.04	6
7	0.07	–	0.13	0.13	–	–	0.10	–	–	–	0.04	–	7
8	0.13	0.02	0.02	–	–	–	0.20	–	–	–	–	0.03	8
9	0.11	–	0.03	0.04	–	0.19	–	–	–	–	–	0.07	9
10	0.11	0.15	0.07	0.26	–	0.19	0.26	–	–	–	0.01	–	10
11	0.44	0.02	0.13	0.41	0.06	0.30	0.12	–	–	–	0.03	0.29	snow 11
12	0.16	0.01	–	0.07	–	0.31	0.13	–	–	dew 0.01	–	0.39	snow 12
13	0.97	0.03	0.24	0.07	–	0.01	–	–	–	0.02	0.33	–	13
14	–	–	0.22	0.28	–	0.01	–	–	–	0.02	0.01	0.06	14
15	–	–	0.01	–	0.22	–	–	–	1.07	–	0.13	0.02	15
16	–	–	0.05	0.10	–	0.12	–	–	0.01	0.08	0.03	0.01	16
17	0.02	–	–	0.50	0.14	–	0.14	–	0.07	0.09	–	0.04	17
18	0.09	–	–	0.01	0.01	0.54	–	0.33	0.31	–	–	0.17	18
19	0.27	–	–	0.31	–	0.28	–	–	0.54	–	–	0.01	19
20	0.12	–	–	0.07	–	0.41	–	–	0.06	–	–	0.04	20
21	–	–	–	0.02	–	–	0.02	–	0.43	0.26	–	0.62	21
22	–	–	–	0.14	–	–	–	–	0.05	–	–	0.29	22
23	–	–	–	–	–	–	0.47	–	–	–	0.04	0.07	23
24	0.02	–	0.07	0.01	–	–	–	–	0.07	–	0.01	0.04	24
25	–	–	0.07	0.01	0.48	–	0.20	–	0.01	–	–	–	25
26	0.19	0.01	0.30	0.01	–	–	0.02	–	–	–	–	0.04	26
27	0.39	0.06	–	0.10	0.03	–	–	–	dew	–	0.24	0.26	27
28	0.09	0.12	0.06	0.02	0.63	–	0.14	–	0.01	–	0.17	0.27	28
29	0.57	0.01	0.28	0.01	0.10	0.02	0.01	–	–	–	0.04	0.02	29
30	0.11	✕	0.01	–	0.07	0.10	0.32	–	0.49	0.01	0.29	0.48	30
31	0.10	✕	0.20	✕	–	✕	0.02	–	✕	0.53	✕	0.09	31
TOTAL	4.18	0.43	2.02	3.13	2.09	2.48	2.93	0.93	3.31	1.49	1.56	3.86	YEAR'S TOTAL 28.43
Days with .01 in. or more	21	9.	18	23.	13	12	19	4	15	12	13.	27	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132/ A.&E.W.

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

4431

ST OUENS MANOR

1913 – 14, 18 – 1919.

1915 – 17 21 – 25

Kept at St. Ouen
Island
in the County of Jer
by R. Malet a
13
ng.
.a.m.
n Beaumont
e 47ft 5 in. –
above Ground 2 ft. 6 in.
„ Sea Level 270 – ft.

IMPORTANT
previous day. If a
requested to add the
for it at the end o
nd the result entered to the
niversal rule, he is earnestly
year in the space provided
Jan. 1, following.

nstructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·13	0·52	–	0·20	0·03	–	–	–	–	0·04	–	0·03	1
2	–	0·12	0·02	0·17	0·02	–	0·05	–	–	–	0·33	–	2
3	–	–	–	–	0·31	–	–	–	–	–	–	0·08	3
4	0·22	–	–	0·04	0·39	–	–	–	–	0·07	0·11	0·20	4
5	–	–	–	–	0·03	–	0·14	–	–	0·06	0·14	0·97	5
6	–	–	0·20	–	–	0·15	–	–	–	0·50	0·64	0·25	6
7	–	0·20	0·10	0·06	0·17	0·16	0·06	–	–	0·05	0·19	–	7
8	0·05	–	0·85	–	0·07	0·01	0·18	–	–	–	–	–	8
9	–	–	–	–	–	–	0·21	0·09	–	–	0·05	0·03	9
10	0·18	–	–	–	0·02	–	–	–	–	0·26	0·79	–	10
11	0·40	–	–	–	0·30	–	–	0·06	–	0·01	0·38	–	11
12	0·25	–	–	–	0·16	–	–	–	–	–	0·27	0·09	12
13	0·13	–	–	–	0·05	0·15	–	0·05	0·08	–	0·19	–	13
14	0·20	–	–	–	0·18	–	–	–	0·24	–	0·24	–	14
15	0·10	0·02	0·50	0·19	0·24	–	–	–	0·15	0·02	0·34	–	15
16	0·45	–	0·10	0·27	–	–	–	–	0·04	–	0·06	–	16
17	0·27	–	0·15	0·15	–	–	0·02	–	–	–	–	–	17
18	0·29	–	0·05	0·26	–	–	–	–	–	–	0·14	–	18
19	0·40	–	0·04	0·01	–	–	–	–	0·07	–	–	–	19
20	0·18	–	0·05	0·15	–	0·16	–	–	0·29	0·64	–	–	20
21	–	–	–	0·04	–	–	–	–	–	0·66	0·46	–	21
22	0·10	–	0·16	–	0·04	–	–	–	–	–	–	–	22
23	–	–	0·04	–	–	–	–	0·19	–	–	–	0·54	23
24	–	–	–	0·17	–	–	–	–	–	–	–	–	24
25	–	–	–	0·16	–	0·03	–	–	–	0·11	0·11	–	25
26	–	–	–	–	–	–	–	0·11	–	0·23	0·05	0·26	26
27	0·15	0·27	–	–	–	–	–	0·04	–	–	–	0·41	27
28	0·10	–	–	0·08	–	–	–	–	–	0·22	–	0·02	28
29	0·95		0·18	0·15	–	–	0·10	0·10	–	0·06	–	0·19	29
30	0·25		–	–	–	–	0·08	–	0·08	0·21	0·12	–	30
31	0·15		0·17		–		0·11	–		0·20		–	31
Total	4·95	1·18	2·61	2·10	2·01	0·66	0·95	0·64	0·95	3·34	4·61	3·07	YEAR'S TOTAL 27·02
Rain Days.	20	5	14	15	14	6	9	7	7	16	18	12	143

W. 7,500, XI. 12

+ Sleet and snow

FORM A.
BRITISH RAINFALL.
1 JAN 1914

Kept at St. Ouen's Manor
Island
in the County of Jersey
by R. Malet de Carteret

Lat. ..... Long. .....
Time of Observation 9 a.m.
Nearest Railway Station Beaumont
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·13	0·52	—	0·20	0·03	—	—	—	—	0·04	—	0·03	1
2	—	0·12	0·02	0·17	0·02	—	0·05	—	—	—	0·33	—	2
3	—	—	—	—	0·31	—	—	—	—	—	—	0·08	3
4	0·22	—	—	0·04	0·39	—	—	—	—	0·07	0·11	0·20	4
5	—	—	—	—	0·03	—	0·14	—	—	0·06	0·14	0·97	5
6	—	—	0·20	—	—	0·15	—	—	—	0·50	0·64	0·25	6
7	—	0·20	0·10	0·06	0·17	0·16	0·06	—	—	0·05	0·19	—	7
8	0·05	—	0·85	—	0·07	0·01	0·18	—	—	—	—	—	8
9	—	—	—	—	—	—	0·21	0·09	—	—	0·05	0·03	9
10	0·18	—	—	—	0·02	—	—	—	—	0·26	0·79	—	10
11	0·40	—	—	—	0·30	—	—	0·06	—	0·01	0·38	—	11
12	0·25	—	—	—	0·16	—	—	—	—	—	0·27	0·09	12
13	0·13	—	—	—	0·05	0·15	—	0·05	0·08	—	0·19	—	13
14	0·20	—	—	—	0·18	—	—	—	0·24	—	0·24	—	14
15	0·10	0·02	0·50	0·19	0·24	—	—	—	0·15	0·02	0·34	—	15
16	0·45	—	0·10	0·27	—	—	—	—	0·04	—	0·06	—	16
17	0·27	—	0·15	0·15	—	—	0·02	—	—	—	—	—	17
18	0·29	—	0·05	0·26	—	—	—	—	—	—	0·14	—	18
19	0·40	—	0·04	0·01	—	—	—	—	0·07	—	—	—	19
20	0·18	—	0·05	0·15	—	0·16	—	—	0·29	0·64	—	—	20
21	—	—	—	0·04	—	—	—	—	—	0·66	0·46	—	21
22	0·10	—	0·16	—	0·04	—	—	—	—	—	—	—	22
23	—	—	0·04	—	—	—	—	0·19	—	—	—	0·54	23
24	—	—	—	0·17	—	—	—	—	—	—	—	—	24
25	—	—	—	0·16	—	0·03	—	—	—	0·11	0·11	—	25
26	—	—	—	—	—	—	—	0·11	—	0·23	0·05	0·26	26
27	0·15	0·27	—	—	—	—	—	0·04	—	—	—	0·41	27
28	0·10	—	—	0·08	—	—	—	—	—	0·22	—	0·02	28
29	0·95		0·18	0·15	—	—	0·10	0·10	—	0·06	—	0·19	29
30	0·25		—	—	—	—	0·08	—	0·08	0·21	0·12	—	30
31	0·15		0·17		—		0·11	—		0·20		—	31
Total	4·95	1·13	2·61	2·10	2·01	0·66	0·95	0·64	0·96	3·34	4·61	3·07	YEAR'S TOTAL 27.02
Rain Days.	20	5	14	15	14	6	9	7	7	16	18	12	143

+ Sleet and snow

W. 7,500, XI. 12

Contr for anith 28.IV.15 HCMCC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at St. Ouen's Manor
Island
in the ~~County~~ of Jersey
by R. Malet de Carteret

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station Beaumont
Diameter of Rain Gauge 8" Five in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.06	—	—	—	0.02	0.07	—	—	0.26	—	1
2	—	—	0.14	0.04	—	—	0.10	0.18	—	—	0.07	0.18	2
3	0.04	—	0.12	0.14	0.18	—	—	0.17	—	—	—	0.01	3
4	0.08	—	0.06	0.31	0.11	—	0.19	0.30	0.34	—	0.30	0.50	4
5	0.57	—	0.11	0.07	—	—	0.09	0.03	—	—	0.16	0.13	5
6	—	0.05	0.08	0.11	0.12	—	0.10	0.76	0.63	—	—	0.41	6
7	—	0.28	0.12	0.13	0.08	0.11	0.29	—	0.19	—	—	0.43	7
8	0.06	0.58	—	0.05	—	—	—	—	0.41	—	—	0.04	8
9	0.03	—	0.25	0.03	—	—	—	—	0.18	—	—	1.23	9
10	0.20	0.31	0.11	0.06	0.05	0.16	—	—	0.20	—	—	0.06	10
11	—	0.10	0.47	—	—	—	0.80	—	0.11	—	0.24	0.28	11
12	—	0.17	0.12	—	—	—	—	—	—	0.35	0.02	0.71	12
13	0.04	0.26	0.15	—	—	—	—	—	0.03	—	0.23	0.38	13
14	0.01	—	0.05	—	—	—	0.04	0.26	—	0.54	0.16	0.53	14
15	—	0.16	0.09	—	—	0.09	—	0.18	—	—	0.76	0.58	15
16	—	0.34	—	—	—	0.02	—	—	0.69	—	—	0.21	16
17	—	0.47	0.35	—	—	—	—	—	0.41	—	—	0.03	17
18	—	0.09	0.13	—	—	—	—	—	—	—	—	0.39	18
19	—	0.08	0.32	—	—	—	0.76	—	—	0.09	0.19	0.14	19
20	0.04†	0.23	0.19	—	—	0.02	0.03	—	—	0.08	—	0.13	20
21	—	0.22	0.04	—	—	—	—	—	—	0.19	0.02	0.15	21
22	—	—	—	—	—	—	0.22	—	—	—	—	—	22
23	—	—	0.34	—	0.06	0.12	0.05	—	—	0.15	—	—	23
24	—	—	0.08	—	—	—	—	—	—	—	—	—	24
25	—	—	0.64	—	—	—	0.25	—	—	0.34	—	0.13	25
26	0.22	0.07	0.36	—	—	—	0.28	0.30	—	—	0.19	0.52	26
27	0.07	—	—	—	—	—	—	—	—	0.12	—	0.39	27
28	—	—	0.34	—	0.02	—	—	—	—	0.63	—	0.15	28
29	0.08	X	0.04	—	—	—	—	—	—	0.64	0.02	0.07	29
30	—	X	—	0.07	—	—	—	—	0.03	0.37	0.53	0.12	30
31	—	X	—	X	0.03	X	0.02	—	X	0.89	X	0.05	31
Total	1.44	3.41	4.76	1.01	0.65	0.52	3.24	2.25	3.22	4.39	3.15	7.95	YEAR'S TOTAL 35.99
Rain Days.	12	15	25	10	8	6	15	9	11	12	14	27	164

W. 8,000. X. 14. †Snow

35.99

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at ~~R. Jacobs~~ St. Ouens Manor

in the Parish ~~County~~ *of* St. Ouens Jersey

by R. Malet de Carteret Esq

Lat. 49° 13' 35" N Long. 2° 11' 55" W

Time of Observation 9 a.m.

Nearest Railway Station —

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	0.73	—	0.02	0.03	0.11	1
2	—	0.02	0.37	0.19	—	—	—	—	0.02	—	0.45	0.08	2
3	—	0.05	0.18	0.12	0.06	—	—	—	—	—	0.04	0.16	3
4	—	—	0.27	0.01	0.12	—	—	0.11	0.04	0.06	0.55	—	4
5	—	0.10	0.17	—	0.33	—	—	0.21	0.11	—	0.05	—	5
6	0.10	0.05	—	0.12	—	—	—	0.13	0.07	0.24	—	0.03	6
7	0.17	0.10	—	—	0.19	—	—	—	0.18	0.28	0.39	—	7
8	0.07	—	—	—	—	—	—	—	0.13	0.26	0.06	—	8
9	0.03	—	—	0.02	—	0.06	0.02	—	0.29	0.25	—	0.34	9
10	0.15	—	—	—	—	0.01	0.15	—	0.49	0.10	—	0.18	10
11	0.08	—	—	0.11	—	—	0.20	—	0.03	0.21	—	0.15	11
12	0.11	0.04	—	—	0.42	—	—	—	0.04	0.29	—	0.19	12
13	—	0.06	—	—	0.16	0.01	0.82	—	—	—	—	—	13
14	0.08	—	—	—	—	0.04	0.44	—	0.08	0.48	—	—	14
15	0.47	—	—	—	—	—	0.03	—	—	0.44	—	0.18	15
16	0.05	—	—	—	—	—	0.06	—	0.15	0.37	—	0.23	16
17	—	—	0.01	—	—	—	0.34	0.03	—	0.46	—	0.10	17
18	—	—	0.08	0.03	—	0.23	0.02	—	0.40	0.12	—	0.07	18
19	—	—	0.19	0.02	—	—	0.03	0.04	0.02	—	—	0.12	19
20	—	0.06	0.01	0.66	—	0.02	0.76	—	0.22	0.49	—	—	20
21	0.06	—	—	0.20	—	0.04	—	—	0.48	0.08	—	0.51	21
22	—	—	—	—	0.21	—	0.27	—	0.30	—	0.04	0.35	22
23	—	—	—	—	—	—	0.05	0.02	0.10	—	0.04	0.23	23
24	—	0.12	—	—	—	0.14	—	—	0.19	—	0.33	0.21	24
25	—	—	—	—	—	—	—	0.48	—	0.03	0.27	0.04	25
26	0.01	0.04	—	—	—	—	0.03	—	0.07	0.06	0.31	0.36	26
27	—	0.21	—	—	—	—	—	0.03	0.08	0.10	0.40	0.13	27
28	—	0.32	0.38	0.48	—	—	—	—	0.04	—	0.10	0.02	28
29	—	X	0.27	0.14	—	—	—	—	0.35	—	0.35	0.16	29
30	—	X	0.24	0.02	—		—	0.02	0.26	0.19	0.05	0.15	30
31	—	X	—	X	—	X	0.03	—	X	0.03	X	—	31
Total	1.38	1.17	2.17	2.12	1.49	0.55	3.25	1.80	4.14	4.55	3.46	4.10	YEAR'S TOTAL 30.18
Rain Days.	12	12	11	13	7	8	15	10	24	21	16	23	172

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

3948

FORM A. BRITISH RAINFALL.

23 JAN 20

Kept at St Ouen's Manor

~~in the County of~~ St. Ouen · Jersey · C.I.

by R. M. de Carteret

Lat. 49° 13' 35" N Long. 2° 11' 53" W

Time of Observation 9. a.m.

Nearest Railway Station Beaumont

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 8[illegible] ft. 3 in.

" " " " Sea Level 2702 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.46	0.07	0.06	–	0.03	–	0.32	–	–	0.10	0.09	0.22	1
2	0.23	0.05	0.06	–	0.02	–	–	–	0.97	0.07	0.06	0.17	2
3	0.24	0.12	0.67	–	0.14	–	0.84	–	1.04	–	0.17	0.08	3
4	0.43	0.68	0.17	–	–	–	0.18	0.61	0.03	–	0.21	–	4
5	0.22	0.37	0.27	–	–	–	–	–	–	–	0.13	0.17	5
6	–	0.97	–	–	–	–	–	–	–	–	0.03	0.23	6
7	0.09	–	0.38	0.02	0.03	–	0.33	–	–	–	0.24	0.07	7
8	0.22	–	0.28	0.07	–	–	–	–	–	–	0.69	–	8
9	0.15	–	0.02	0.22	0.06	–	–	–	–	–	0.36	–	9
10	–	–	–	0.15	0.05	–	–	–	–	0.14	0.29	0.08	10
11	–	–	0.10	0.16	0.09	–	–	–	–	–	0.24	–	11
12	0.47	–	0.07	0.06	–	–	0.05	–	–	0.15	0.22	–	12
13	–	0.11	0.30	0.25	–	–	–	–	–	0.14	–	0.04	13
14	0.09	0.22	–	0.24	0.14	–	–	–	–	0.22	0.04	0.10	14
15	0.22	0.47	–	0.12	–	–	–	–	–	0.09	0.28	0.65	15
16	0.23	0.44	–	–	–	–	–	–	–	–	0.19	–	16
17	0.15	0.12	–	–	–	–	–	–	–	–	0.27	0.03	17
18	–	0.48	0.36	–	–	–	0.09	–	–	–	0.14	–	18
19	0.51	0.23	0.53	–	–	–	0.21	–	0.04	–	0.29	0.04	19
20	0.53	0.04	0.03	–	–	0.15	–	0.49	0.37	–	0.12	0.05	20
21	0.78	0.41	0.03	–	–	–	0.03	–	0.08	–	0.03	0.08	21
22	–	0.03	–	–	–	–	0.05	–	0.03	–	0.19	0.14	22
23	–	0.10	1.06	–	–	–	–	0.09	–	0.10	0.37	0.31	23
24	–	0.14	–	–	–	0.28	–	–	–	0.11	0.29	0.12	24
25	0.18	0.34	–	–	–	0.09	0.01	0.14	–	–	0.27	0.17	25
26	0.22	0.23	0.02	0.08	–	–	–	–	0.07	0.02	0.36	0.34	26
27	0.37	0.09	0.03	0.19	–	–	–	0.42	–	0.03	0.08	0.45	27
28	0.15	–	0.45	0.06	–	–	–	1.44	–	0.07	0.21	0.46	28
29	0.02	X	0.09	–	–	–	–	0.21	–	0.11	0.02	0.14	29
30	–	X	0.04	0.21	0.17	0.22	–	0.33	–	0.18	0.48	0.32	30
31	0.11	X	0.03	X	–	X	–	–	X	0.08	X	0.31	31
Total	6.01	5.71	5.07	1.83	0.73	0.74	2.10	3.73	2.63	1.61	6.26	4.77	YEAR'S TOTAL 41.19
Rain Days.	22	21	22	13	9	4	10	8	8	15	29	24	185

W. 8,000, IX. 17.

SAMARES
GROUVILLE
"LES SILLERIES"
JERSEY
1917 - 19

RE ... 7.

FORM A. BRITISH RAINFALL.

FEB 1918

Kept at "Les Sille ... g. 2° 6' West

in the ~~County~~ Parish *of* Grou ... o n

by Vivian J. ... Rain Gauge 5" 21 in.

... above Ground 164 ft. 2 in.

„ Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	–	·04	·34	–	·08	·03	·60	·02	–	·09	–	1
2	–	–	–	·03	–	·04	·06	·12	·01	·01	–	–	2
3	·03	–	–	·03	–	–	·01	·10	–	–	·61	–	3
4	·15	·04	·25	–	–	–	–	–	·01	·36	–	–	4
5	·29	–	–	–	–	·54	–	–	·25	·14	·03	–	5
6	·02	–	–	–	·02	·20	–	–	–	·09	·18	–	6
7	·76	–	–	–	–	–	·10	·02	·05		·08	·17	7
8	·21	–	·16	·05	–	–	–	·34	–	·31	·32	·50	8
9	–	–	·01	·05	·04	–	·28	·01	–	·30	·19	·17	9
10	·04	–	·02	–	–	–	–	·02	–	·20	·05	·08	10
11	·14	–	·07	·25	–	–	–	·39	–	·53	·02	–	11
12	·27	·01	·01	–	·27	–	–	·33	–	·66	–	–	12
13	·21	–	·29	–	·54	–	·02	·28	·13	·39	–	·01	13
14	·01	–	·02	·29	–	–	–	·10	·24	·78	·04	·01	14
15	–	–	·03	–	–	–	–	·06	–	·09	·01	·02	15
16	–	·14	·01	·07	–	–	·24	·01	–	·22	–	·61	16
17	·03	·02	–	·16	·10	–	·05	–	–	·33	–	·14	17
18	–	·03	·01	·07	·08	–	·24	·01	–	·06	–	–	18
19	–	·21	·12	–	–	·01	·01	–	·15	–	–	–	19
20	–	·29	·07	–	·28	·20	·01	–	·02	·01	·02	–	20
21	·01	–	·21	–	·02	·47	–	–	–	·02	–	–	21
22	–	–	·13	–	–	·02	–	–	–	·15	–	–	22
23	·04	·40	·01	–	·06	–	–	·12	·01	·19	·07	–	23
24	–	·22	–	–	–	·02	–	–	–	·17	·10	·04	24
25	–	·10	·06	–	–	·06	·01	·03	–	·35	·07	–	25
26	–	–	·05	–	·08	·04	–	·49	·09	·29	·14	–	26
27	–	–	–	–	·09	·01	–	1·03	–	·19	·01	·01	27
28	–	–	·16	–	·35	·01	–	·31	–	·07	·01	·07	28
29	–	X	·48	–	–	–	·04	·02	·01	·28	·01	–	29
30	–	X	·04	–	–	–	·36	·23	–	·18	·04	–	30
31	–	X	·11	X	·01	X	·96·60	·02	X	·33	X	·12	31
Total	2·24	1.46	2·36	1·34	1·94	1·70	2·06	4.64	·99	6·70	2·09	1.95	YEAR'S TOTAL 29.47
Rain Days.	15	10	23	10	13	13	15	22	12	27	20	13	193

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A. BRITISH RAINFALL. FEB 1918

Kept at "Les Silleries" Samaries

in the ~~County~~ Parish of Grouville, Jersey, C.I.

by Vivian J. Bailhache

Lat. 49° 10' 4" N Long. 2° 4 West

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5.91 in.

Height of top of Gauge above Ground 164 ft. 2 in.

" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	–	·04	·34	–	·08	·03	·60	·02	–	·09	–	1
2	–	–	–	·03	–	·04	·06	·12	·01	·01	–	–	2
3	·03	–	–	·03	–	–	·01	·10	–	–	·61	–	3
4	·15	·04	·25	–	–	–	–	–	·01	·36	–	–	4
5	·29	–	–	–	–	·54	–	–	·25	·14	·03	–	5
6	·02	–	–	–	·02	·20	–	–	–	·09	·18	–	6
7	·76	–	–	–	–	–	·10	·02	·05		·08	·17	7
8	·21	–	·16	·05	–	–	–	·34	–	·31	·32	·50	8
9	–	–	·01	·05	·04	–	·28	·01	–	·30	·19	·17	9
10	·04	–	·02	–	–	–	–	·02	–	·20	·05	·08	10
11	·14	–	·07	·25	–	–	–	·39	–	·53	·02	–	11
12	·27	·01	·01	–	·27	–	–	·33	–	·66	–	–	12
13	·21	–	·29	–	·54	–	·02	·28	·13	·39	–	·01	13
14	·01	–	·02	·29	–	–	–	·10	·24	·78	·04	·01	14
15	–	–	·03	–	–	–	–	·06	–	·09	·01	·02	15
16	–	·14	·01	·07	–	–	·24	·01	–	·22	–	·61	16
17	·03	·02	–	·16	·10	–	·05	–	–	·33	–	·14	17
18	–	·03	·01	·07	·08	–	·24	·01	–	·06	–	–	18
19	–	·21	·12	–	–	·01	·01	–	·15	–	–	–	19
20	–	·29	·07	–	·28	·20	·01	–	·02	·01	·02	–	20
21	·01	–	·21	–	·02	·47	–	–	–	·02	–	–	21
22	–	–	·13	–	–	·02	–	–	–	·15	–	–	22
23	·04	·40	·01	–	·06	–	–	·12	·01	·19	·07	–	23
24	–	·22	–	–	–	·02	–	–	–	·17	·10	·04	24
25	–	·10	·06	–	–	·06	·01	·03	–	·35	·07	–	25
26	–	–	·05	–	·08	·04	–	·49	·09	·29	·14	–	26
27	–	–	–	–	·09	·01	–	1·03	–	·19	·01	·01	27
28	–	–	·16	–	·35	·01	–	·31	–	·07	·01	·07	28
29	–	X	·48	–	–	–	·04	·02	·01	·28	·01	–	29
30	–	X	·04	–	–	–	·36	·23	–	·18	·04	–	30
31	–	X	·11	X	·01	X	·96	·02	X	·33	X	·12	31
Total	2·24	1·46	2·36	1·34	1·94	1·70	2·06	4·64	·99	6·70	2·09	1·95	YEAR'S TOTAL 29.47
Rain Days.	15	10	23	10	13	13	15	22	12	27	20	13	193

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at 'Les Silleries'

in the ~~County~~ Parish of St Clement

by Jersey by Wm N J Baillache

Lat. 49 10' 7" N Long. 2 5' 29" W

Time of Observation 9 a.m.

Nearest Railway Station —

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 164 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.02	—	0.01	0.01	—	—	0.63	—	0.03	0.02	0.07	1
2	—	0.01	0.40	0.16	—	—	—	0.11	—	—	0.38	0.08	2
3	—	0.06	0.14	0.09	0.15	—	—	0.01	—	0.01	0.15	0.13	3
4	—	0.05	0.31	—	0.07	—	—	0.07	0.02	—	0.55	—	4
5	—	0.23	0.17	—	0.33	—	—	0.22	0.13	0.03	0.04	0.01	5
6	0.07	0.05	0.01	0.11	—	—	—	0.09	0.19	0.01	—	—	6
7	0.15	0.08	0.02	0.04	0.23	—	—	0.02	0.12	0.38	0.24	0.04	7
8	0.03	0.05	0.01	0.01	—	—	—	—	0.14	0.15	0.08	0.01	8
9	0.04	—	—	0.01	—	0.09	0.03	0.01	0.18	0.27	—	0.28	9
10	0.10	—	—	—	—	—	0.13	—	0.38	0.09	—	0.15	10
11	0.03	0.01	—	0.11	—	—	0.12	—	0.19	0.21	—	0.24	11
12	0.09	0.04	—	—	0.33	0.01	—	—	0.02	0.27	—	0.13	12
13	—	0.03	—	0.01	0.36	—	0.64	—	—	—	—	—	13
14	0.07	—	—	—	—	0.04	0.80	—	0.06	0.26	—	—	14
15	0.53	—	—	0.01	—	0.09	0.05	—	—	0.24	—	0.48	15
16	0.03	—	0.01	0.02	—	—	0.12	—	0.04	0.44	—	0.48	16
17	0.01	—	0.05	—	—	—	0.30	0.03	0.02	0.17	—	0.24	17
18	0.01	—	0.01	0.06	—	0.17	0.03	—	0.46	0.01	0.01	0.11	18
19	—	—	0.36	0.17	—	0.01	0.05	0.10	0.01	0.03	—	0.07	19
20	—	0.05	0.01	0.59	—	0.03	0.99	—	0.08	0.26	—	—	20
21	0.07	0.01	0.02	0.20	—	0.07	—	—	0.48	0.12	—	0.42	21
22	0.02	—	—	0.01	0.12	—	0.17	—	0.16	0.01	0.04	0.50	22
23	0.01	—	—	—	—	—	0.64	0.01	0.12	—	—	0.15	23
24	0.01	0.17	—	—	0.01	0.11	—	—	0.31	—	0.34	0.34	24
25	0.01	0.01	—	—	—	—	—	0.46	—	0.07	0.30	0.08	25
26	0.01	0.03	—	—	—	—	0.05	0.03	0.07	—	0.57	0.44	26
27	0.01	0.17	—	0.01	—	—	—	0.03	0.14	0.18	0.37	0.08	27
28	0.01	0.27	0.36	0.62	—	—	—	—	0.07	—	0.19	0.05	28
29	0.01	X	0.20	0.34	—	—	—	—	0.31	—	0.22	0.13	29
30	0.01	X	0.25	0.04	—		—	0.04	0.05	0.12	0.09	0.10	30
31	0.01	X	0.01	X	—	X	0.02	0.01	X	0.03	X	—	31
Total	13.4	1.34	2.34	2.62	1.61	0.62	3.24	1.87	3.76	3.39	3.59	4.23 4.33	YEAR'S TOTAL 29.95
Rain Days.	23	18	17	20	9	9	15	16	24	23	16	26	215

W. 8,000. X. 14.

30.05

3940

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Ex. H.O.

Kept at Les Villeries

Parish

in the County of Grouville Jersey

by V. J. Baulhache

Lat. 49°10' 4/6 N Long. 2°4' W

Time of Observation 9 a.m.

Nearest Railway Station Samares

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 166 " ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·44	0·04	0·04	0·02	–	–	0·22	–	–	0·17	0·10	0·17	1
2	0·22	0·05	0·07	–	0·25	–	–	–	0·34	0·09	0·02	0·15	2
3	0·34	0·21	0·54	–		–	0·51	–	0·47	–	0·12	0·09	3
4	0·25	0·46	0·04	–	–	–	0·13	0·52	0·12	–	0·24	0·02	4
5	0·46	0·36	0·35	–	–	–	–	–	–	0·02	0·18	0·19	5
6	0·02	0·88	0·01	–	0·02	–	–	–	–	–	0·08	0·25	6
7	0·06	–	0·46	0·02	0·03	–	0·39	–	–	–	0·26	0·12	0·16 7
8	0·25	–	0·25	0·04	–	–	–	–	–	–	0·58	–	8
9	0·18	–	0·03	0·39	0·18	–	–	–	–	–	0·25	–	9
10	–	–	–	0·01	0·01	–	–	–	–	0·07	0·20	0·09	0·05 10
11	–	–	0·07	0·24	0·13	–	–	–	–	–	0·12	0·01	11
12	0·55	–	0·05	0·04	–	–	0·02	–	0·01	0·31	0·30	–	12
13	–	0·21	0·31	0·30	–	–	–	–	–	0·14	0·01	0·02	13
14	0·10	0·10	–	0·37	0·38	–	0·04	–	–	0·34	–	0·11	14
15	0·12	0·52	–	0·11	–	–	–	–	–	0·14	0·05	0·48	15
16	0·32	0·33	–	–	–	–	–	–	–	0·01	0·45	–	16
17	0·19	0·17	–	–	–	–	–	–	–	0·01	0·22	0·02	17
18	–	0·42	0·42	–	–	–	–	–	–	0·01	0·13	–	18
19	0·40	0·21	0·42	–	–	–	0·16	–	–	0·01	0·11	–	19
20	0·59	0·15	0·01	–	–	0·10	–	0·42	0·60	–	0·13	0·13	20
21	0·55	0·40	0·01	–	–	–	0·04	–	0·04	0·01	0·30	0·02	21
22	–	0·02	–	–	–	0·01	0·07	–	0·08	0·01	0·06	0·04	22
23	–	0·11	0·85	–	–	–	–	0·08	0·04	0·11	0·13	0·02	23
24	–	0·10	–	–	–	0·25	–	–	–	0·05	0·17	0·17	24
25	0·10	0·28	0·01	0·01	–	0·13	0·01	0·27	0·01	0·01	0·14	0·15	25
26	0·21	0·27	0·02	0·06	–	–	–	0·03	0·12	0·02	0·20	0·35	26
27	0·37	0·05	–	0·22	–	–	–	0·30	–	0·05	0·02	0·48	27
28	0·13	–	0·49	0·01	–	–	–	0·24	–	–	0·16	0·45	28
29	0·03		0·07	0·06	–	–	–	0·22	–	0·29	0·02	0·15	29
30	–		0·04	0·15	0·14	0·16	–	0·59	–	0·14	0·52	0·25	30
31	0·01		0·10		–		–	0·01		0·06		0·15	31
Total	5·89	5·34	4·66	2·05	1·14	0·65	1·59	2·61	1·83	2·07	5·27	4·08	YEAR'S TOTAL 37·18
Rain Days.	23.	21	23.	16	8	5	10	10	10	22	29	25	203

W. 8,000. X. 14.

Jany est. 24.11

FORM A2.
BRITISH RAINFALL.

REG

ST. HELIER
JERSEY
BROOKLANDS
1911 - 1912

Kept at Brookla

in the County of Je

by Colonel Su

Ass^n (ins. offices) 1912

in.

ound 1 ft. — in.

a Level 100 ft.

ne St Heliers

stance 1 mile Direction S.W

IMPORTANT NOTE. ... e result entered to the previous day. If an Observer prefers not to conform to ... sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			·01	·09	·10						·13	·34	2
3			·06					·16		·55	·04	·15	3
4		·02	·06	·09						·15	·32	·45	4
5				·02						·27	·11	·03	5
6			·08					·03		·09	·07	·60	6
7			·06							·02	·34	·02	7
8			·18	·02		1·05				·17	·40	·33	8
9										·01	·11	·18	9
10			·35	·08	·05							·44	10
11		·03	·04								·95	·59	11
12			·36								·20		12
13			·14		·06					·19	·04	·62	13
14					·01					·43		·01	14
15			·17		·15	·07					·07	·10	15
16		·01	·08			·12					·12	·07	16
17		·05	·47		·05						·40	·08	17
18		·20	·14	·01		·07				·01	·50	·05	18
19		·20		·01	·01	·20				·09	·19	·48	19
20			·08					·07	·72			·41	20
21									·19	·19		·21	21
22		·05		·02		·06		·08	·05	·14	·18	·70	22
23		·29				1·03		·03	·27	·01	·25	·07	23
24		·16				·03		·03	·08	·29		·35	24
25			·06	·06		·08	·53	·01		·29		·10	25
26		·04	·39	·21						·50	·05	·13	26
27		·04	·04							·21	·02	·24	27
28		·22		·33			·06	·12	·18	·17		·03	28
29				·26		·25				·11			29
30				·10		·30				·23		·03	30
31							·05			·03		·01	31
Total	(2·00)	1·31	2·77	1·30	·43	3·26	·64	·53	1·49	4·15	4·49	6·82	TOTAL for Year (31·19)
No. of Rain Days.	(14)	12	18	13	7	11	3	8	6	22	20	28	~~25·65~~ (162)

Record not forwarded

W. 8,000, X. '11.

Jany est

RECORD OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 4 - 1911 (in copper) 1912

Kept at Brooklands. Trinity Hill

in the County of Jersey

by Colonel Sumner

RAIN GAUGE — Pattern: British Ass.? (in copper) Diameter of top: 6 in. Height of top above Ground: 1 ft. — in. " " " Sea Level: 100 ft.

Time of Observation: 9 a.m.

Nearest Railway Station — Name: St Helier's Distance: 1 mile Direction: S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2			·01	·09	·10						·13	·34	2
3			·06					·16		·55	·04	·15	3
4		·02	·06	·09						·15	·32	·45	4
5				·02						·27	·11	·03	5
6			·08					·03		·09	·07	·60	6
7			·06							·02	·34	·02	7
8			·18	·02		1·05				·17	·40	·33	8
9										·01	·11	·18	9
10			·35	·08	·05							·44	10
11		·03	·04								·95	·59	11
12			·36								·20		12
13			·14		·06					·19	·04	·62	13
14					·01					·43		·01	14
15			·17		·15	·07					·07	·10	15
16		·01	·08			·12					·12	·07	16
17		·05	·47		·05						·40	·08	17
18		·20	·14	·01		·07				·01	·50	·05	18
19		·20		·01	·01	·20				·09	·19	·48	19
20			·08					·07	·72			·41	20
21									·19	·19		·21	21
22		·05		·02		·06		·08	·05	·14	·18	·70	22
23		·29				1·03		·03	·27	·01	·25	·07	23
24		·16				·03		·03	·08	·29		·35	24
25			·06	·06		·08	·53	·01		·29		·10	25
26		·04	·39	·21						·50	·05	·13	26
27		·04	·04							·21	·02	·24	27
28		·22		·33			·06	·12	·18	·17		·03	28
29				·26		·25				·11			29
30				·10		·30				·23		·03	30
31							·05			·03		·01	31
Total	(2·00)	1·31	2·77	1·30	·43	3·26	·64	·53	1·49	4·15	4·49	6·82	(29·19) TOTAL FOR YEAR
No. of Rain Days.	(14)	12	18	13	7	11	3	8	6	22	20	28	~~26·65~~ (162)

Recorded not received

W. 8,000, X. '11.